28106

Designer Note: <u>Pay Items</u>: \*STONE RIP CL B3 <u>SQ YARD (SQ METER)</u> \*STONE RIP CL B3 TON (METRIC TON)

- \* Insert "CL B3" in both heading titles and how paid when requiring <u>RR3</u> gradation; otherwise make pay item "SPECIAL" and use "<u>SPL</u>" in both areas.
- \*\* Insert either <u>3, 4, or 5</u> depending on RR gradation requirement per Article 1005.01. Minimum thickness of RR layer is given in <u>Article 281.04</u>.
- \*\*\* Insert <u>TON (METRIC TON)</u> or <u>SQ YARD (SQ METER)</u> to agree with Pay Item Code.

Use <u>only</u> when you want a "B" quality aggregate and a gradation of RR3, 4, or 5.

This District Special Provision to be used as an erosion control material for backslopes, culvert outlets, etc. but <u>not</u> for river channels or locations with constant standing water. It reduces the aggregate quality requirement [Article 1005.01(b)], as well as, requiring a fabric for all RR gradations. Check with Materials for concurrence. Check with the Design Estimator for Code No. when using "SPL" to be paid in <u>Tons (Metric Tons)</u>.

## STONE RIPRAP

Effective November 5, 2010

This work shall be performed in accordance with <u>Section 281</u>. The aggregate shall meet an RR \_\_\_\_\_\_ gradation and "B" Quality except that the sodium sulfate loss shall not exceed 35%.

This work will be paid for at the contract unit price per \_\_\_\_\_ for STONE RIPRAP \_\_\_\_\_. The filter fabric will be measured and paid for separately.