

# Illinois Department of Transportation

## District 5

Home	>	Applications	>	Bureaus and Associations	>	Forms and Templates	>	Maps and Roadway Data	>	Phone Book	>
Other	>	Suggestions	>								

### ACTIVE SPECIAL PROVISIONS

#### TYPE: A CHECKSHEET

#### **BDE SPECIAL PROVISIONS FOR THE NOVEMBER, 2014 LETTING**

**Remarks Concerning Usage:**

USE ON ALL JOBS. CHECKSHEET FOR BDE SPECS.

**Category:** CONTRACT DOCUMENTS

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 11/1/2014 [2014NOV~1](#)

**Revised:**

#### **GUIDE BRIDGE SPECIAL PROVISIONS INDEX**

**Remarks Concerning Usage:**

USE ON JOBS REQUIRING THE GUIDE BRIDGE SPECIAL PROVISIONS. THE ACTUAL SPECIAL PROVISIONS CAN BE FOUND ON THE IDOT INTERNET PAGE "DOING BUSINESS."

**Category:** BRIDGES

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 7/27/2007

**Revised:**

#### **SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS**

**Remarks Concerning Usage:**

USE ON ALL JOBS. CHECK SHEET FOR SUPPLEMENTAL SPECS.

**Category:** CONTRACT DOCUMENTS

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 1/1/2014 [2014 INDEX](#)

**Revised:**

#### TYPE: BDE

#### **ABOVE GRADE INLET PROTECTION (BDE)**

**Remarks Concerning Usage:**

USE AT THE DISTRICT'S DISCRETION

**Category:** EROSION CONTROL

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 7/1/2009 [80240](#)

**Revised:** 1/1/2012

#### **ACCESSIBLE PEDESTRIAN SIGNALS (APS)(BDE)**

**Remarks Concerning Usage:**

USE ON ALL CONTRACTS USING APS.

WRITTEN SUPPORT OF LOCAL MUNICIPAL OFFICIALS WILL BE REQUIRED PRIOR TO APPROVING THE USE OF APS IN CONTRACTS.

**Category:** TRAFFIC SIGNALS

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 4/1/2003 [80099](#)

**Revised:** 1/1/2014

#### **AGGREGATE SUBGRADE IMPROVEMENT (BDE)**

**Category:** SUBGRADE

**Status:** JOB-SPECIFIC USE ONLY

**Remarks Concerning Usage:**

USE IN ALL CONTRACTS UTILIZING AGGREGATE SUBGRADE IMPROVEMENTS. VERIFY THICKNESS WITH DISTRICT GEOTECH ENGINEER. BDE SPECIAL PROVISION "RECLAIMED ASPHALT PAVEMENT (RAP) AND RECLAIMED ASPHALT SHINGLES (RAS) SHOULD ALSO BE INCLUDED IN THE CONTRACT.

**Effective:** 4/1/2012 [80274](#)**Revised:** 1/1/2013**AUTOMATED FLAGGER ASSISTANCE DEVICES (BDE)****Category:** TRAFFIC CONTROL**Status:** SPRINGFIELD SPEC IN USE**Remarks Concerning Usage:**

USE ON TWO-LANE HIGHWAYS WHERE TWO-WAY TRAFFIC WILL BE MAINTAINED OVER ONE LANE OF PAVEMENT.

**Effective:** 1/1/2008 [80192](#)

EXAMPLES BEING RURAL MILLING AND/OR RESURFACING PROJECTS, BRIDGE MAINTENANCE PROJECTS WHERE THE USE OF A FLAGGER IS REQUIRED.

**Revised:****BITUMINOUS MATERIALS COST ADJUSTMENTS (BDE) (RETURN FORM WITH BID)****Category:** MATERIAL COST ADJUSTMENTS**Status:** SPRINGFIELD SPEC IN USE**Remarks Concerning Usage:**

USE ON ALL PROJECTS WITH AT LEAST 1200 TONS (1100 METRIC TONS) OF APPLICABLE BITUMINOUS WORK. THE ADJUSTMENTS ARE APPLICABLE TO PERMANENT AND TEMPORARY HMA MIXTURES, BITUMINOUS SURFACE TREATMENTS (COVER AND SEAL COATS), AND PAVEMENT PRESERVATION TYPE SURFACE TREATMENTS.

**Effective:** 11/2/2006 [80173](#)**Revised:** 8/1/2013**BRIDGE DEMOLITION DEBRIS (BDE)****Category:** BRIDGES AND STRUCTURES  
REMOVAL ITEMS**Status:** SPRINGFIELD SPEC IN USE**Remarks Concerning Usage:**

USE IN CONTRACTS IN WHICH A UNIT OF LOCAL GOVERNMENT HAS EXPRESSED INTEREST IN THE DEBRIS AND HAS COORDINATED WITH THE DISTRICT BUREAU OF LOCAL ROADS & STREETS

**Effective:** 7/1/2009 [80241](#)**Revised:****BUILDING REMOVAL - CASE I (NON-FRIABLE AND FRIABLE ASBESTOS) (BDE)****Category:** ENVIRONMENTAL  
REMOVAL ITEMS**Status:** SPRINGFIELD SPEC IN USE**Remarks Concerning Usage:**

FOR CASES WITH BOTH FRIABLE AND NON-FRIABLE ASBESTOS. CONSULT WITH DENNIS MARTIN CONCERNING INVESTIGATION.

**Effective:** 9/1/1990 [5026i](#)**Revised:** 4/1/2010**BUILDING REMOVAL - CASE II (NON-FRIABLE ASBESTOS) (BDE)****Category:** ENVIRONMENTAL  
REMOVAL ITEMS**Status:** SPRINGFIELD SPEC IN USE**Remarks Concerning Usage:**

FOR CASES WITH ONLY NON-FRIABLE ASBESTOS. CONSULT WITH DENNIS MARTIN CONCERNING INVESTIGATION.

**Effective:** 9/1/1990 [5048i](#)**Revised:** 4/1/2010**BUILDING REMOVAL - CASE III (FRIABLE ASBESTOS) (BDE)****Category:** ENVIRONMENTAL  
REMOVAL ITEMS**Status:** SPRINGFIELD SPEC IN USE**Remarks Concerning Usage:**

FOR CASES WITH ONLY FRIABLE ASBESTOS. CONSULT WITH DENNIS MARTIN CONCERNING INVESTIGATION.

**Effective:** 9/1/1990 [5049i](#)

**Revised:** 4/1/2010

### **BUILDING REMOVAL - CASE IV (NO ASBESTOS) (BDE)**

**Remarks Concerning Usage:**

INCLUDE ON CONTRACTS INVOLVING BUILDING REMOVAL WITH NO ASBESTOS ABATEMENT WHATSOEVER.

**Category:** ENVIRONMENTAL  
REMOVAL ITEMS

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 9/1/1990 [5053i](#)

**Revised:** 4/1/2010

### **COARSE AGGREGATE IN BRIDGE APPROACH SLABS/FOOTINGS (BDE)**

**Remarks Concerning Usage:**

USE ON ALL CONTRACTS WITH BRIDGE APPROACH SLABS AND BRIDGE APPROACH FOOTINGS.

**Category:** AGGREGATES  
BRIDGE SUPERSTRUCTURE

**Status:** APPROVED WITHOUT  
RESTRICTION

**Effective:** 4/1/2012 [80292](#)

**Revised:** 4/1/2013

### **COATED GALVANIZED STEEL CONDUIT (BDE)**

**Remarks Concerning Usage:**

USE ON ALL CONTRACTS REQUIRING COATED GALVANIZED STEEL CONDUIT IN ELECTRICAL INSTALLATIONS.

**Category:** CONDUIT

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 1/1/2013 [80310](#)

**Revised:** 8/1/2014

### **COILABLE NONMETALLIC CONDUIT (BDE)**

**Remarks Concerning Usage:**

USE ON CONTRACTS REQUIRING COILABLE NONMETALLIC CONDUIT IN ELECTRICAL INSTALLATIONS

**Category:** ELECTRICAL CONDUIT

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 8/1/2014 [80341](#)

**Revised:**

### **COMPLETION DATE (VIA CALENDAR DAYS) (BDE)**

**Remarks Concerning Usage:**

SHOULD BE USED AT THE DISTRICT'S DISCRETION AND PER THE BDE PROCEDURE MEMORANDUM, "SELECTING CONTRACT TIME AND SELECTING PROJECT LETTING DATES."

**Category:** CONTRACT DOCUMENTS

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 4/1/2008 [80198](#)

**Revised:**

### **COMPLETION DATE (VIA CALENDAR DAYS) PLUS WORKING DAYS (BDE)**

**Remarks Concerning Usage:**

USE D5 SPECIAL PROVISION INSTEAD

**Category:** CONTRACT DOCUMENTS

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 4/1/2008 [80199](#)

**Revised:**

### **CONCRETE BOX CULVERTS WITH SKEWS < or = 30**

**Category:** BOX CULVERTS

**DEGREES REGARDLESS OF DESIGN FILL AND SKEWS > 30 DEGREES WITH DESIGN FILLS > 5 FEET (BDE)**

**Remarks Concerning Usage:**

USE ON ALL CONTRACTS WITH SKEW LESS THAN OR EQUAL TO 30 DEGREES REGARDLESS OF DESIGN FILL AND SKEWS >30 DEGREES AND DESIGN FILLS > 5 FEET.

**Status:** APPROVED WITHOUT RESTRICTION

**Effective:** 4/1/2012 [80294](#)

**Revised:** 4/1/2014

**CONCRETE BOX CULVERTS WITH SKEWS > 30 DEGREES AND DESIGN FILLS < or = 5 FEET (BDE)**

**Remarks Concerning Usage:**

USE ON ALL CONTRACTS WITH SKEW >30 DEGREES AND DESIGN FILL LESS THAN OR EQUAL TO 5 FEET.

**Category:** BOX CULVERTS

**Status:** APPROVED WITHOUT RESTRICTION

**Effective:** 4/1/2012 [80293](#)

**Revised:** 4/1/2014

**CONCRETE END SECTIONS FOR PIPE CULVERTS (BDE)**

**Remarks Concerning Usage:**

USE ON ALL CONTRACTS CONTAINING STANDARDS 542001, 542006, 542011, OR 542016

**Category:** PIPE CULVERTS

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 1/1/2013 [80311](#)

**Revised:**

**CONCRETE GUTTER, CURB, MEDIAN AND PAVED DITCH (BDE)**

**Remarks Concerning Usage:**

USE ON ALL CONTRACTS INVOLVING CONCRETE GUTTER, CURB, MEDIAN, AND PAVED DITCH

**Category:** CURB AND GUTTER

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 4/1/2014 [80334](#)

**Revised:** 8/1/2014

**CONCRETE MIX DESIGN - DEPARTMENT PROVIDED (BDE)**

**Remarks Concerning Usage:**

DO NOT USE FOR ANY 2013 OR LATER LET D5 PROJECTS.  
NOT IN USE IN D5

**Category:** CONCRETE  
1020

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 1/1/2012 [80277](#)

**Revised:** 1/1/2014

**CONSTRUCTION AIR QUALITY - DIESEL RETROFIT (BDE)**

**Remarks Concerning Usage:**

THIS BDE SPECIAL PROVISION DOES NOT APPLY IN DISTRICT 5

**Category:** EQUIPMENT

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 7/1/2010 [80261](#)

**Revised:** 11/1/2014

**CONTRACT CLAIMS (BDE)**

**Remarks Concerning Usage:**

USE ON ALL CONTRACTS

**Category:** CONTRACT DOCUMENTS

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 4/1/2014 [80335](#)

**Revised:**

**DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE)****Remarks Concerning Usage:**

USE ON ALL CONTRACTS WITH DBE GOALS.

**Category:** CONTRACT DOCUMENTS**Status:** SPRINGFIELD SPEC IN USE**Effective:** 9/1/2000 [80029](#)**Revised:** 8/2/2011**FRICTION AGGREGATE (BDE)****Remarks Concerning Usage:**

INSERT IN APPROPRIATE HMA CONTRACTS. BMPR VERSION APPEARS TO HAVE BEEN ELIMINATED.

**Category:** HOT-MIX ASPHALT AGGREGATE**Status:** SPRINGFIELD SPEC IN USE**Effective:** 1/1/2011 [80265](#)**Revised:** 11/1/2014**FUEL COST ADJUSTMENT (BDE)****Remarks Concerning Usage:**

USE IN ALL CONTRACTS WITH AT LEAST 25,000 CY (20,000 CM) OF EARTHWORK ITEMS; 5,000 TONS (4,500 METRIC TONS) OF APPL. AGGREGATE OR HMA BASE COURSES, PAVEMENT AND SHOULDER ITEMS; 7,500 SY (6,000 SM) OF APP. PCC BASE COURSES, PAVEMENT AND SHOULDER ITEMS; AND \$250,000 OF APPL. STRUCTURAL ITEMS. SEE DESIGNER NOTE FOR ADDITIONAL USES.

**Category:** MATERIAL COST ADJUSTMENTS**Status:** SPRINGFIELD SPEC IN USE**Effective:** 4/1/2009 [80229](#)**Revised:** 7/1/2009**GLARE SCREEN (BDE)****Remarks Concerning Usage:**

INSERT IN CONTRACT USING GLARE SCREENS.

**Category:** GLARE SCREEN**Status:** SPRINGFIELD SPEC IN USE**Effective:** 1/1/2014 [80329](#)**Revised:****GRANULAR MATERIALS (BDE)****Remarks Concerning Usage:**

INCLUDE IN ALL CONTRACTS UTILIZING GRANULAR EMBANKMENT, GRANULAR BACKFILL, POROUS GRANULAR EMBANKMENT, POROUS GRANULAR BACKFILL, BEDDING, TRENCH BACKFILL, OR FRENCH DRAINS

**Category:** AGGREGATE**Status:** SPRINGFIELD SPEC IN USE**Effective:** 11/1/2012 [80303](#)**Revised:****GROOVING FOR RECESSED PAVEMENT MARKINGS (BDE)****Remarks Concerning Usage:**

INCLUDE IN ALL CONTRACTS WHERE THE GROOVING OF PAVEMENT MARKING MATERIALS HAS BEEN SPECIFIED

**Category:** PAVEMENT MARKING**Status:** SPRINGFIELD SPEC IN USE**Effective:** 11/1/2012 [80304](#)**Revised:** 8/1/2014**HOT-MIX ASPHALT - DENSITY TESTING OF LONGITUDINAL JOINTS (BDE)****Remarks Concerning Usage:**

USE D5 SPECIAL "LONGITUDINAL JOINT DENSITY (D5-FG)" INSTEAD.

**Category:** HOT-MIX ASPHALT**Status:** DON'T USE**Effective:** 1/1/2010 [80246](#)**Revised:** 4/1/2012

---

**HOT-MIX ASPHALT - MIXTURE DESIGN COMPOSITION AND VOLUMETRIC REQUIREMENTS (BDE)**

**Remarks Concerning Usage:**  
USE ON ALL HMA CONTRACTS

**Category:** HOT MIX ASPHALT  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 11/1/2013 [80322](#)  
**Revised:** 11/1/2014

---

**HOT-MIX ASPHALT - MIXTURE DESIGN VERIFICATION AND PRODUCTION (BDE)**

**Remarks Concerning Usage:**  
USE ON ALL HMA CONTRACTS.

**Category:** HMA  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 11/1/2013 [80323](#)  
**Revised:** 11/1/2014

---

**HOT-MIX ASPHALT - PAY FOR PERFORMANCE USING PERCENT WITHIN LIMITS - JOBSITE SAMPLING (BDE)**

**Remarks Concerning Usage:**  
USE FOR INTERSTATE MAINLINE HIMA THAT HAS >8000 TONS PER MIX.

**Category:** HOT MIX ASPHALT  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 11/1/2014 [80347](#)  
**Revised:**

---

**HOT-MIX ASPHALT - PRIME COAT (BDE)**

**Remarks Concerning Usage:**  
USE IN ALL HMA CONTRACTS.

**Category:** HOT-MIX ASPHALT  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 11/1/2014 [80348](#)  
**Revised:**

---

**INSERTION LINING OF CULVERTS (BDE)**

**Remarks Concerning Usage:**  
USE IN CONTRACTS REQUIRING INSERTION LINING OF CULVERTS.

**Category:** CULVERTS  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 1/1/2013 [80315](#)  
**Revised:** 11/1/2013

---

**LONGITUDINAL JOINT AND CRACK PATCHING (BDE)**

**Remarks Concerning Usage:**  
USE ON ALL CONTRACTS INVOLVING LONGITUDINAL PARTIAL DEPTH PATCHING

**Category:** PATCHING  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 4/1/2014 [80336](#)  
**Revised:**

---

**LRFD PIPE CULVERT BURIAL TABLES (BDE)**

**Remarks Concerning Usage:**  
USE ON ALL CONTRACTS WITH PIPE CULVERT INSTALLATION.

**Category:** PIPE CULVERTS  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 11/1/2013 [80324](#)  
**Revised:** 11/1/2014

---

**LRFD STORM SEWER BURIAL TABLES (BDE)**

**Remarks Concerning Usage:**  
USE ON ALL CONTRACTS WITH STORM SEWER INSTALLATION.

**Category:** STORM SEWER  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 11/1/2013 [80325](#)

Revised: 11/1/2014

**MATERIAL TRANSFER DEVICE (BDE)****Remarks Concerning Usage:**

USE ON ALL INTERSTATE AND FULL-DEPTH HOT-MIX ASPHALT PAVING CONTRACTS. CAN BE INSERTED ON OTHER HOT-MIX ASPHALT PROJECTS AT THE DISTRICT'S DISCRETION. SPECIAL PROVISION CONTAINS 3 FILL IN THE BLANK AREAS WHICH MUST BE DETERMINED BY THE DISTRICT.

**Category:** HOT-MIX ASPHALT**Status:** SPRINGFIELD SPEC IN USE**Effective:** 6/15/1999 [80045](#)**Revised:** 8/1/2014**MECHANICAL SIDE TIE BAR INSERTER (BDE)****Remarks Concerning Usage:**

USE ON CONTRACTS WITH PORTLAND CEMENT CONCRETE PAVEMENT AND UTILIZING HIGHWAY STANDARD 420001.

**Category:** CONCRETE PAVEMENT**Status:** SPRINGFIELD SPEC IN USE**Effective:** 8/1/2014 [80342](#)**Revised:****MOISTURE CURED URETHANE PAINT SYSTEM (BDE)****Remarks Concerning Usage:**

USE ON ALL PROJECTS REQUIRING A MOISTURE CURED URETHANE PAINT SYSTEM.

**Category:** BRIDGE PAINTING**Status:** SPRINGFIELD SPEC IN USE**Effective:** 11/1/2006 [80165](#)**Revised:** 1/1/2010**PAVED SHOULDER REMOVAL (BDE)****Remarks Concerning Usage:**

USE IN CONTRACTS INVOLVING THE REMOVAL EITHER HMA OR PCC SHOULDERS

**Category:** SHOULDER REMOVAL**Status:** SPRINGFIELD SPEC IN USE**Effective:** 4/1/2014 [80337](#)**Revised:****PAVEMENT MARKING BLACKOUT TAPE (BDE)****Remarks Concerning Usage:**

USE IN CONTRACTS WHERE THE DISTRICT IS REQUIRING THE EXISTING PAVEMENT MARKINGS IN A WORK ZONE TO BE TEMPORARILY COVERED.

**Category:** WORK ZONE PAVEMENT MARKING**Status:** SPRINGFIELD SPEC IN USE**Effective:** 11/1/2014 [80349](#)**Revised:****PAVEMENT MARKING FOR BIKE SYMBOL (BDE)****Remarks Concerning Usage:**

INCLUDE IN CONTRACT USING HIGHWAY DESIGN STANDARD 780001.

**Category:** PAVEMENT MARKING**Status:** SPRINGFIELD SPEC IN USE**Effective:** 1/1/2014 [80330](#)**Revised:****PAVEMENT MARKING TAPE TYPE IV (BDE)****Remarks Concerning Usage:**

USE IN CONTRACTS WHERE THE USE OF THIS MATERIAL HAS BEEN APPROVED BY THE BUREAU OF MATERIALS AND PHYSICAL RESEARCH.

**Category:** PAVEMENT MARKING**Status:** JOB-SPECIFIC USE ONLY**Effective:** 4/1/2012 [80298](#)**Revised:**

**PAVEMENT PATCHING (BDE)****Remarks Concerning Usage:**

INSERT IN PROJECTS WITH PAVEMENT PATCHING

**Category:** PAVEMENT PATCHING

TRAFFIC CONTROL

**Status:** SPRINGFIELD SPEC IN USE**Effective:** 1/1/2010 [80254](#)**Revised:** 1/1/2012**PAYROLLS AND PAYROLL RECORDS (BDE)****Remarks Concerning Usage:**

USE IN ALL CONTRACTS.

**Category:** CONTRACT DOCUMENTS**Status:** SPRINGFIELD SPEC IN USE**Effective:** 1/1/2014 [80331](#)**Revised:****PORTLAND CEMENT CONCRETE - CURING OF ABUTMENTS AND PIERS (BDE)****Remarks Concerning Usage:**

USE IN CONTRACTS INVOLVING CAST-IN-PLACE, PRECAST, OR PRECAST PRESTRESSED CONCRETE ABUTMENTS AND/OR PIERS.

**Category:** BRIDGES & STRUCTURES**Status:** SPRINGFIELD SPEC IN USE**Effective:** 1/1/2014 [80332](#)**Revised:****PORTLAND CEMENT CONCRETE EQUIPMENT (BDE)****Remarks Concerning Usage:**

USE ON ALL CONTRACTS WITH CAST-IN-PLACE, PRECAST, AND PRECAST PRESTRESSED CONCRETE.

**Category:** CONCRETE**Status:** SPRINGFIELD SPEC IN USE**Effective:** 11/1/2013 [80326](#)**Revised:****PORTLAND CEMENT CONCRETE PARTIAL DEPTH HOT-MIX ASPHALT PATCHING (BDE)****Remarks Concerning Usage:**

USE IN CONTRACTS INVOLVING PARTIAL DEPTH PATCHING OF PCC PAVEMENT REPLACES RECURRING CHECK SHEET #15.

**Category:** PATCHING**Status:** SPRINGFIELD SPEC IN USE**Effective:** 4/1/2014 [80338](#)**Revised:****PRECAST CONCRETE HANDHOLE (BDE)****Remarks Concerning Usage:**

INSERT IN CONTRACTS WITH HANDHOLES AND DOUBLE HANDHOLES.

**Category:** HANDHOLES**Status:** SPRINGFIELD SPEC IN USE**Effective:** 8/1/2014 [80343](#)**Revised:****PREFORMED PLASTIC PAVEMENT MARKING TYPE D - INLAID (BDE)****Remarks Concerning Usage:**

USE IN CONTRACTS WHERE THE USE OF THIS MATERIAL AS BEEN APPROVED BY THE BUREAU OF MATERIALS AND PHYSICAL RESEARCH

**Category:** PAVEMENT MARKING**Status:** JOB-SPECIFIC USE ONLY**Effective:** 4/1/2012 [80300](#)**Revised:**

**PROGRESS PAYMENTS (BDE)**

**Remarks Concerning Usage:**  
USE ON ALL JOBS.

**Category:** CONTRACT DOCUMENTS

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 1/1/2014 [80328](#)

**Revised:**

**QUALITY CONTROL/QUALITY ASSURANCE OF CONCRETE MIXTURES (BDE)**

**Remarks Concerning Usage:**  
INCLUDE IN PROJECTS INVOLVING CAST-IN-PLACE CONCRETE AT THE DISTRICT'S DISCRETION.  
USE ONLY WHEN APPROVED BY D5 MATERIALS (IT IS CURRENTLY NOT IN USE).

**Category:** CONCRETE

QC/QA

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 1/1/2012 [80281](#)

**Revised:** 1/1/2014

**RAILROAD PROTECTIVE LIABILITY INSURANCE (5 AND 10) (BDE)**

**Remarks Concerning Usage:**  
DISCUSS WITH THE RAILROAD COORDINATOR. ONLY USE IN CONTRACTS INVOLVING CLASS 1 RAILROADS.

**Category:** RAILROADS

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 1/1/2006 [80157](#)

**Revised:**

**RAILROAD PROTECTIVE LIABILITY INSURANCE (BDE)**

**Remarks Concerning Usage:**  
DISCUSS WITH THE RAILROAD COORDINATOR. THIS SPECIAL PROVISION SHOULD ONLY BE USED FOR "SHORT-LINE" (MINOR) RAILROADS.

**Category:** CONTRACT DOCUMENTS  
RAILROADS

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 12/1/1986 [3426I](#)

**Revised:** 1/1/2006

**RECLAIMED ASPHALT PAVEMENT AND RECLAIMED ASPHALT SHINGLES (BDE)**

**Remarks Concerning Usage:**  
INCLUDE IN ALL HMA CONTRACTS

**Category:** HOT-MIX ASPHALT

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 11/1/2012 [80306](#)

**Revised:** 4/1/2014

**REINFORCEMENT BARS (BDE)**

**Remarks Concerning Usage:**  
USE ON ALL CONTRACTS WITH CAST-IN-PLACE, PRECAST, AND PRECAST PRESTRESSED CONCRETE.

**Category:** CONCRETE

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 11/1/2013 [80327](#)

**Revised:**

**REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (BDE)**

**Remarks Concerning Usage:**  
INCLUDE IN ALL PROJECTS INVOLVING EXCAVATION AND GRADING.

**Category:** ENVIRONMENTAL

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 1/1/2012 [80283](#)

**Revised:** 11/2/2012

**REMOVAL AND DISPOSAL OF SURPLUS MATERIALS (BDE)** **Category:** ENVIRONMENTAL  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 11/2/2012 [80319](#)  
**Revised:**

**Remarks Concerning Usage:**  
 INCLUDE IN ALL PROJECTS INVOLVING EXCAVATION AND GRADING.

**RIGID METAL CONDUIT (BDE)** **Category:** ELECTRICAL CONDUIT  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 8/1/2014 [80344](#)  
**Revised:**

**Remarks Concerning Usage:**  
 INSERT IN CONTRACTS REQUIRING STAINLESS STEEL CONDUIT IN ELECTRICAL INSTALLATIONS.

**SEEDING (BDE)** **Category:** SEEDING  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 11/1/2012 [80307](#)  
**Revised:**

**Remarks Concerning Usage:**  
 INCLUDE IN ALL CONTRACTS WITH SEEDING, CLASS 3

**SPEED DISPLAY TRAILER (BDE)** **Category:** TRAFFIC CONTROL  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 4/2/2014 [80340](#)  
**Revised:**

**Remarks Concerning Usage:**  
 INSERT INTO ALL FREEWAY AND EXPRESSWAY PROJECTS INVOLVING HIGHWAY STANDARD 701400.

**STABILIZED SUBBASE (BDE)** **Category:** STABILIZED SUBBASE  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 4/1/2014 [80339](#)  
**Revised:**

**Remarks Concerning Usage:**  
 USE IN CONTRACTS INVOLVING THE CONSTRUCTION OF HMA STABILIZED SUBBASE AND STABILIZED SUBBASE (WHICH WOULD ALLOW THE CONTRACTOR THE OPTION OF CHOOSING HMA)

**STEEL COST ADJUSTMENT (BDE)** **Category:** STEEL ITEMS  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 4/2/2004 [80127](#)  
**Revised:** 4/1/2009

**Remarks Concerning Usage:**  
 USE ON ALL CONTRACTS INVOLVING STEEL METAL PILING (EXCLUDING TEMPORARY SHEET PILING), STRUCTURAL STEEL, AND REINFORCING STEEL. IT SHOULD ALSO BE INCLUDED FOR OTHER MATERIALS SUCH AS DOWEL BARS, TIE BARS, MESH REINFORCEMENT, GUARDRAIL, ETC.

**SURFACE TESTING OF HOT-MIX ASPHALT OVERLAYS (BDE)** **Category:** HOT-MIX ASPHALT  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 1/1/2013 [80317](#)  
**Revised:**

**Remarks Concerning Usage:**  
 USE ON ALL HMA JOBS WITH 3-3/4" OR GREATER OVERLAYS.

**TRACKING THE USE OF PESTICIDES (BDE)**

**Remarks Concerning Usage:**  
USE ON ALL CONTRACTS.

**Category:** ENVIRONMENTAL  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 8/1/2012 [80301](#)  
**Revised:**

**TRAFFIC CONTROL SETUP AND REMOVAL FREEWAY/EXPRESSWAY (BDE)**

**Remarks Concerning Usage:**  
USE IN CONTRACTS USING HIGHWAY DESIGN STANDARD 701428.

**Category:** TRAFFIC CONTROL  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 1/1/2014 [80333](#)  
**Revised:**

**TRAINING SPECIAL PROVISIONS (BDE)**

**Remarks Concerning Usage:**  
DISCUSS WITH STACEY LAWTON (EEO OFFICER).

**Category:** CONTRACT DOCUMENTS  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 10/1/1975 [20338](#)  
**Revised:**

**TRAVERSABLE PIPE GRATE (BDE)**

**Remarks Concerning Usage:**  
USE ON ALL CONTRACTS THAT INCLUDE STANDARD 542311.

**Category:** CULVERTS  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 1/1/2013 [80318](#)  
**Revised:** 4/1/2014

**UNDERPASS LUMINAIRE (BDE)**

**Remarks Concerning Usage:**  
INSERT IN CONTRACTS REQUIRING UNDERPASS LUMINAIRES.

**Category:** HIGHWAY LIGHTING  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 8/1/2014 [80345](#)  
**Revised:**

**WARM MIX ASPHALT (BDE)**

**Remarks Concerning Usage:**  
INCLUDE IN ALL HMA CONTRACTS.

**Category:** WARM-MIX ASPHALT  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 1/1/2012 [80288](#)  
**Revised:** 11/1/2014

**WATERWAY OBSTRUCTION WARNING LUMINAIRE**

**Remarks Concerning Usage:**  
INSERT IN CONTRACTS REQUIRING WATERWAY OBSTRUCTION WARNING LUMINAIRES

**Category:** WATERWAY LIGHTING  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 8/1/2014 [80346](#)  
**Revised:**

**WEEKLY DBE TRUCKING REPORTS (BDE)**

**Remarks Concerning Usage:**  
INCLUDE IN ALL CONTRACTS

**Category:** CONTRACT DOCUMENTS  
**Status:** SPRINGFIELD SPEC IN USE  
**Effective:** 6/2/2012 [80302](#)  
**Revised:**

**WET REFLECTIVE THERMOPLASTIC PAVEMENT MARKING (BDE)****Remarks Concerning Usage:**

INCLUDE IN ALL PROJECTS INVOLVING WET REFLECTIVE THERMOPLASTIC PAVEMENT MARKING.

**Category:** PAVEMENT MARKING

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 1/1/2012 [80289](#)

**Revised:**

**WORKING DAYS (BDE)****Remarks Concerning Usage:**

USE ON ALL WORKING DAY CONTRACTS.

**Category:** CONTRACT DOCUMENTS

**Status:** SPRINGFIELD SPEC IN USE

**Effective:** 1/1/2002 [80071](#)

**Revised:**

**TYPE: OTHER****ADJUSTING OF FRAMES AND GRATES OF DRAINAGE AND UTILITY STRUCTURES****Remarks Concerning Usage:**

USE FOR ANY RESURFACING JOBS WITH ADJUSTMENT

OF FRAMES/LIDS/GRATES IN THE PAVEMENT. GRATES ARE ADJUSTED AFTER THE SURFACE COURSE HAS BEEN PLACED.

**Category:** MISCELLANEOUS  
STORM AND SANITARY SEWERS

**Status:** APPROVED WITHOUT  
RESTRICTION

**Effective:** 3/9/2001 [603](#)

**Revised:** 3/28/2007

**AGGREGATE BASE COURSE****Remarks Concerning Usage:**

MAY BE USED FOR AGGREGATE BASE COURSE TOP LIFT ON JURISDICTIONAL TRANSFER JOBS ONLY.

**Category:** AGGREGATE  
PAVEMENT STRUCTURE

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 9/11/1990 [351](#)

**Revised:** 1/1/2014

**BASE COURSE (OPTION)****Remarks Concerning Usage:**

DISCUSS WITH PROJECT ENGINEER BEFORE USING. THICKNESS OF EITHER OPTION TO BE DETERMINED BY PAVEMENT DESIGN. HOT-MIX ASPHALT MIXTURE DESIGNATION WILL COME FROM MATERIALS.

**Category:** BASE COURSE

**Status:** JOB SPECIFIC USE ONLY

**Effective:** 8/2/2004 [Z00290](#)

**Revised:** 1/1/2014

**BITUMINOUS SURFACE TREATMENT, SPECIAL (LONGITUDINAL)****Remarks Concerning Usage:**

DISCUSS WITH MATERIALS PRIOR TO USING.

**Category:** BITUMINOUS CONCRETE

**Status:** JOB SPECIFIC USE ONLY

**Effective:** 1/3/2006 [403A](#)

**Revised:** 1/1/2014

**BRIDGE DECK POUR WEATHER RESTRICTIONS**

**Category:** PROSECUTION & PROGRESS

**Remarks Concerning Usage:**

USE ON BRIDGE JOBS WHEN GBSP #78 IS CHECKED.  
INCLUDE QUANTITY FOR NIGHTTIME WORK ZONE LIGHTING IN THE PLANS.

**Status:** JOB SPECIFIC USE ONLY**Effective:** 4/1/2014 [10804](#)**Revised:****CHANGEABLE MESSAGE SIGN****Remarks Concerning Usage:**

USE WHEN "CALENDAR MONTH" IS TOO LARGE A UNIT FOR MEASURING USE OF THESE SIGNS.

DO NOT USE WHEN USING TRAFFIC CONTROL AND PROTECTION STANDARD 701400.

**Category:** TRAFFIC CONTROL**Status:** JOB-SPECIFIC USE ONLY**Effective:** 3/23/2004 [101pcms](#)**Revised:** 1/1/2014**COMPLETION DATE (VIA CALENDAR DAYS) PLUS WORKING DAYS****Remarks Concerning Usage:**

USE ON APPLICABLE NON-STRUCTURE PROJECTS.

**Category:** CONTRACT DOCUMENTS**Status:** DISTRICT SPEC IN USE**Effective:** 3/29/2012 [108B](#)**Revised:****COMPLETION DATE PLUS GUARANTEED WORKING DAYS****Remarks Concerning Usage:**

USE ON APPLICABLE STRUCTURE PROJECTS.

**Category:** CONTRACT DOCUMENTS**Status:** DISTRICT SPEC IN USE**Effective:** 3/19/2012 [108A](#)**Revised:****CONCRETE MEDIAN SURFACE REMOVAL****Remarks Concerning Usage:**

ESTABLISHES PAY ITEM.

**Category:** REMOVAL ITEMS**Status:** APPROVED WITHOUT RESTRICTION**Effective:** 9/11/1990 [440C](#)**Revised:** 1/1/2014**CONTRACTOR ACCESS****Remarks Concerning Usage:**

INCLUDE IN THE TRAFFIC CONTROL PLAN.

**Category:** ACCESS THRU JOB SITE**Status:** APPROVED WITHOUT RESTRICTION**Effective:** 9/11/1990 [101A](#)**Revised:** 1/1/2013**DETOUR SIGNING****Remarks Concerning Usage:**

JOB SPECIFIC USE. ASK YOUR PROJECT ENGINEER BEFORE USING.  
OPERATIONS ONLY PROVIDES THE "ROUTE SHIELD MARKERS."

**Category:** TRAFFIC CONTROL**Status:** JOB SPECIFIC USE ONLY**Effective:** 1/18/2005 [10404](#)**Revised:** 7/14/2011**EMBANKMENT****Remarks Concerning Usage:****Category:** EARTHWORK  
EMBANKMENT**Status:** JOB-SPECIFIC USE ONLY

PRIMARILY TO BE USED FOR SOILS THAT WILL BE PLACED UNDER PAVEMENT. USE WHEN RECOMMENDED BY THE GEOTECHNICAL ENGINEER.

**Effective:** 4/18/2002 [205](#)

**Revised:** 1/1/2014

## EXCAVATION

**Remarks Concerning Usage:**

THIS SHOULD BE INCLUDED IN THE TRAFFIC CONTROL PLAN IF IT APPLIES.

**Category:** TRAFFIC CONTROL  
EARTHWORK

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 9/11/1990 [202](#)

**Revised:** 1/1/2013

## FILLING EXISTING CULVERTS

**Remarks Concerning Usage:**

USE WHEN EXISTING CULVERTS TO BE ABANDONED IN PLACE

**Category:** MISCELLANEOUS

**Status:** DISTRICT SPEC IN USE

**Effective:** 1/5/2010 [Z0023](#)

**Revised:**

## FLAGGER RESTRICTIONS

**Remarks Concerning Usage:**

USE ON HIGH ADT INTERSTATE AND BUSINESS LOOP MULTILANE ROADWAY

**Category:** TRAFFIC CONTROL

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 1/1/2014 [701F](#)

**Revised:** 4/8/2014

## GRANULAR EMBANKMENT, SPECIAL

**Remarks Concerning Usage:**

ADDITIONAL SPECS REQUIRED BY THE DISTRICT

**Category:** AGGREGATE  
EMBANKMENT

**Status:** DISTRICT SPEC IN USE

**Effective:** 10/25/2001 [206](#)

**Revised:** 1/1/2014

## GUARD POST REMOVAL

**Remarks Concerning Usage:**

USE TO ESTABLISH THIS PAY ITEM IF NEEDED.

**Category:** REMOVAL ITEMS

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 9/11/1990 [632A](#)

**Revised:** 1/1/2014

## GUARD POSTS

**Remarks Concerning Usage:**

GIVES DIMENSIONS FOR GUARD POSTS.

**Category:** GUARDRAIL, FENCE &  
APPURTENANCES

**Status:** DISTRICT SPEC IN USE

**Effective:** 3/5/1997 [634](#)

**Revised:** 1/1/2014

## GUARDRAIL INSTALLATION TIME

**Remarks Concerning Usage:**

USE ON JOBS WITH GUARDRAIL.

**Category:** TRAFFIC CONTROL AND  
PROTECTION

GUARDRAIL

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 1/29/1999 [701B](#)

Revised: 1/1/2014

**GUARDRAIL REMOVAL AND INSTALLATION****Remarks Concerning Usage:**

PLACE IN THE TRAFFIC CONTROL PLAN. USE WHEN DOING  
GUARDRAIL WORK ADJACENT TO OPEN LANES.

**Category:** GUARDRAIL, FENCE &  
APPURTENANCES  
TRAFFIC CONTROL

**Status:** APPROVED WITHOUT  
RESTRICTION

**Effective:** 9/11/1990 [101C](#)

**Revised:** 1/1/2014

**HISTORIC CONCRETE PAVEMENT RESTORATION (BMPR)****Remarks Concerning Usage:**

USE ON PROJECTS WITHIN THE HISTORIC SECTION. MAP (TO BE DELETED BY  
DESIGNER) FOLLOWS THE SPECIAL PROVISION

**Category:** HISTORIC CONCRETE  
PAVEMENT

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 6/14/2013 [histconc](#)

**Revised:**

**HMA SURFACE REMOVAL FOR SUBSEQUENT RESURFACING****Remarks Concerning Usage:**

USE ON ALL JOBS THAT INCLUDE MILLING

**Category:** PAVEMENT MILLING

**Status:** APPROVED WITHOUT  
RESTRICTION

**Effective:** 9/16/2009 [440J](#)

**Revised:**

**HOT MIX ASPHALT QUALITY CONTROL FOR PERFORMANCE (BMPR)****Remarks Concerning Usage:**

DISCUSS USE WITH BUREAU OF MATERIALS.

**Category:** HOT MIX ASPHALT  
QC/QA

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 1/1/2012 [HMA OCP](#)

**Revised:** 12/1/2013

**HOT-MIX ASPHALT - REQUIRED FIELD TESTS****Remarks Concerning Usage:**

USE FOR ALL PROJECTS WITH HMA

**Category:** HOT-MIX ASPHALT

**Status:** DISTRICT SPEC IN USE

**Effective:** 1/1/2011 [103005-d3](#)

**Revised:**

**HOT-MIX ASPHALT MIXTURE IL-19.0FG****Remarks Concerning Usage:**

USE AS DIRECTED BY BUREAU OF MATERIALS

**Category:** HOT-MIX ASPHALT

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 12/1/2009 [HMA IL-19 0 FG](#)

**Revised:** 10/12/2011

**HOT-MIX ASPHALT MIXTURE IL-9.5FG****Remarks Concerning Usage:**

USE AS DIRECTED BY BUREAU OF MATERIALS

**Category:** HOT-MIX ASPHALT

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 7/1/2005 [HMA IL-9 5 FG](#)

**Revised:** 4/14/2014

**HOT-MIX ASPHALT SHOULDERS, SPECIAL****Remarks Concerning Usage:**

FOR USE AS WEARING SURFACE FOR SHOULDERS  
SUBJECT TO EQUESTRIAN LOADINGS.

**Category:** HOT-MIX ASPHALT SHOULDERS**Status:** JOB-SPECIFIC USE ONLY**Effective:** 3/9/2001 [482C](#)**Revised:** 1/1/2014**HOT-MIX ASPHALT SURFACE REMOVAL****Remarks Concerning Usage:**

USE ON ALL RURAL OR INTERSTATE JOBS WITH HMA SURFACE REMOVAL

**Category:** REMOVAL ITEMS**Status:** JOB SPECIFIC USE ONLY**Effective:** 10/1/2009 [440-3 mill](#)**Revised:****HOT-MIX ASPHALT SURFACE REMOVAL, SPECIAL****Remarks Concerning Usage:**

FOR DAYLIGHTING SIDEROADS AND ENTRANCES ON MILLING AND RESURFACING  
CONTRACTS.

**Category:** REMOVAL ITEMS**Status:** JOB-SPECIFIC USE ONLY**Effective:** 6/6/1995 [440H](#)**Revised:** 1/1/2014**HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH****Remarks Concerning Usage:**

USE ONLY WHEN ADVISED BY PROJECT ENGINEER.

**Category:** REMOVAL ITEMS**Status:** JOB-SPECIFIC USE ONLY**Effective:** 12/11/2000 [440-2MILL](#)**Revised:** 1/1/2014**IL 19.0 BINDER DENSITY REQUIREMENT WHEN PLACING  
< 2.25"****Remarks Concerning Usage:**

THIS SPECIAL PROVISION IS NEEDED SINCE THE HOT-MIX ASPHALT SPECIAL  
PROVISION GIVES A MINIMUM LIFT THICKNESS OF 2.25" FOR IL 19.0 AND  
REQUIRES 93.0 - 96.0 % DENSITY.

93.0% DENSITY IS NOT PRACTICAL FOR THE THINNER INLAY THICKNESSES.

**Category:** HOT-MIX ASPHALT**Status:** DISTRICT SPEC IN USE**Effective:** 5/15/2006 [40616](#)**Revised:** 1/1/2014**ILLINOIS ENVIRONMENTAL PROTECTION AGENCY  
NOTIFICATION FOR BRIDGE DEMOLITION (ASBESTOS  
PRESENT)****Remarks Concerning Usage:**

USE ON ALL JOBS IF WORKING ON STRUCTURE >20'  
SPAN, AND THERE IS KNOWN ASBESTOS.

**Category:** BRIDGES AND STRUCTURES**Status:** APPROVED WITHOUT  
RESTRICTION**Effective:** 3/29/2001 [107ASB2](#)**Revised:** 1/1/2014**IMPACT ATTENUATORS****Remarks Concerning Usage:**

USE IN ALL CONTRACTS REQUIRING IMPACT ATTENUATORS. USE IN PLACE OF  
IMPACT ATTENUATORS (BDE).

SPECIFIES CONCRETE ATTENUATOR PADS

**Category:** TRAFFIC CONTROL AND  
PROTECTION**Status:** APPROVED WITHOUT  
RESTRICTION**Effective:** 11/1/2008 [80109a](#)**Revised:** 1/1/2014

---

**INDIVIDUAL DENSITY SITES****Remarks Concerning Usage:**

USE ON ALL HMA PROJECT EXCEPT BRIDGES WITH &lt;1000 TONS HMA.

**Category:** HOT MIX ASPHALT**Status:** DISTRICT SPEC IN USE**Effective:** 9/1/2007 [103005\(a\)\(4\)](#)**Revised:** 7/15/2013

---

**LONGITUDINAL JOINT DENSITY (D5-FG)****Remarks Concerning Usage:**

USE ON ALL HMA RESURFACING CONTRACTS.

**Category:** HOT MIX ASPHALT**Status:** DISTRICT SPEC IN USE**Effective:** 1/1/2010 [103005\(d\)\(3\)-2](#)**Revised:** 7/15/2013

---

**NEW DOMESTIC SANITARY SERVICE****Remarks Concerning Usage:**

USE WHEN NEEDED. ESTABLISHES PAY ITEMS.

**Category:** STORM & SANITARY SEWERS & APPURTENANCES**Status:** JOB-SPECIFIC USE ONLY**Effective:** 9/11/1990 [Z00059](#)**Revised:** 1/1/2014

---

**NON-VERTICAL IMPACT ROLLER FOR HOT-MIX ASPHALT****Remarks Concerning Usage:**

USE ON ALL CONTRACTS WITH HMA.

**Category:** HOT-MIX ASPHALT**Status:** DISTRICT SPEC IN USE**Effective:** 10/13/2011 [NON-VERTICAL ROLLER](#)**Revised:**

---

**OPENING LANES FOR HOME FOOTBALL PERIODS****Remarks Concerning Usage:**

CONFER WITH PROJECT ENGINEER FOR JOBS IN CHAMPAIGN OR ADJACENT COUNTIES.

**Category:** TRAFFIC CONTROL**Status:** JOB-SPECIFIC USE ONLY**Effective:** 9/10/2001 [10709A](#)**Revised:** 1/1/2014

---

**OPENING PARAGRAPH****Remarks Concerning Usage:**

USE ON ALL JOBS.

**Category:** CONTRACT DOCUMENTS**Status:** SPRINGFIELD SPEC IN USE**Effective:** 1/1/2002 [OPENING PARAGRAPH 2012](#)**Revised:** 1/1/2012

---

**PAVEMENT GRINDING****Remarks Concerning Usage:**

USE IF NEEDED. ESTABLISHES PAY ITEM.

**Category:** MISCELLANEOUS  
REMOVAL ITEMS**Status:** JOB-SPECIFIC USE ONLY**Effective:** 9/11/1990 [Z00373](#)**Revised:** 1/1/2014

---

**PAVEMENT GROOVING****Category:** MISCELLANEOUS**Status:** JOB-SPECIFIC USE ONLY

**Remarks Concerning Usage:**  
USE IF NEEDED. ESTABLISHES PAY ITEM.

**Effective:** 9/1/2006 [Z0373A](#)

**Revised:** 1/1/2014

## PAVEMENT MARKING

**Remarks Concerning Usage:**  
USE WHERE PAVEMENTS ARE BUILT WITHOUT TRAFFIC ON THEM.  
REQUIRES STRIPING PRIOR TO OPENING THE NEW SECTION.

**Category:** TRAFFIC CONTROL

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 9/11/1990 [101D](#)

**Revised:** 1/1/2014

## PAVEMENT MARKINGS

**Remarks Concerning Usage:**  
USE ON THE ROUT AND SEAL CONTRACTS.

**Category:** PAVEMENT STRIPING

**Status:** APPROVED WITHOUT RESTRICTION

**Effective:** 1/17/2006 [101E](#)

**Revised:** 1/1/2014

## PAVEMENT PATCHING - CLASS D AND PARTIAL DEPTH

**Remarks Concerning Usage:**  
SPECIFIES MINIMUM AND MAXIMUM ALLOWABLE LIFT THICKNESSES

**Category:** PATCHING

**Status:** DISTRICT SPEC IN USE

**Effective:** 4/1/2012 [442.08](#)

**Revised:** 1/1/2014

## PAVEMENT SENSOR REMOVAL AND REPLACEMENT

**Remarks Concerning Usage:**  
CURRENT SENSOR LOCATIONS ARE I-74 AT SALT FORK BRIDGE, VERMILION COUNTY; I-57 & US 45 AT PESOTUM, CHAMPAIGN COUNTY; US 36 AT HEYWORTH.  
SHOW LOCATION IN PLANS. CONTACT OPERATIONS TECHNICIAN AT 466-7294 PRIOR TO USE.

**Category:** CONTRACT DOCUMENTS  
ELECTRICAL

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 7/10/2000 [10905](#)

**Revised:** 1/1/2014

## PPF QUALITY LEVEL ANALYSIS (HMAFG D5)

**Remarks Concerning Usage:**  
USE ON CONTRACTS THAT SPECIFY PPF AND 19.0FG MIX.

**Category:** HOT-MIX ASPHALT

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 6/29/2011 [HMA FG](#)

**Revised:**

## PIPE UNDERDRAIN, 4" (100 mm)

**Remarks Concerning Usage:**  
USE ON PROJECTS THAT NEW UNDERDRAINS WILL BE INSTALLED ON.

**Category:** PIPE DRAINS AND UNDERDRAINS

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 9/1/2006 [601B](#)

**Revised:** 1/1/2014

## PIPE UNDERDRAINS 4" (100 mm) (SPECIAL)

**Remarks Concerning Usage:**  
USE FOR OUTLETS OF NEW UNDERDRAIN INSTALLATIONS

**Category:** PIPE DRAINS & UNDERDRAINS

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 2/22/1999 [601](#)

ALONG THE EDGE OF PAVEMENT WITH HOT-MIX ASPHALT SHOULDERS.

**Revised:** 6/21/2013

---

### **PNEUMATIC-TIRED ROLLER FOR HOT-MIX ASPHALT**

**Remarks Concerning Usage:**

USE WHEN CONTRACT INCLUDES HOT-MIX ASPHALT PAY ITEMS.

**Category:** HOT-MIX ASPHALT

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 10/1/1998 [406](#)

**Revised:** 9/1/2006

---

### **POROUS GRANULAR BACKFILL**

**Remarks Concerning Usage:**

USE FOR BACKFILLING NEW AR PIPE CULVERTS.

**Category:** AGGREGATE

EARTHWORK

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 7/7/1998 [209](#)

**Revised:** 3/14/2008

---

### **POROUS GRANULAR EMBANKMENT**

**Remarks Concerning Usage:**

USE FOR BACKFILLING NEW A.R. BOX CULVERTS

**Category:** AGGREGATE

EARTHWORK

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 8/11/2009 [207](#)

**Revised:**

---

### **RAISED REFLECTIVE PAVEMENT MARKER REMOVAL**

**Remarks Concerning Usage:**

REQUIRES COMPLETE REMOVAL OF MARKERS, AND REQUIRES FILLING HOLES PRIOR TO MILLING IN MOST CASES.

**Category:** REMOVAL ITEMS

PAVEMENT MARKINGS

**Status:** DISTRICT SPEC IN USE

**Effective:** 10/22/1997 [783](#)

**Revised:** 1/1/2014

---

### **RESETTING OF SECTION CORNERS**

**Remarks Concerning Usage:**

USE ON PROJECTS THAT HAVE SECTION CORNERS THAT WILL BE DISTURBED DURING CONSTRUCTION.

**Category:** SURVEY MARKERS

**Status:** JOB SPECIFIC USE ONLY

**Effective:** 1/17/2006 [668](#)

**Revised:** 1/1/2014

---

### **RIPRAP, SPECIAL**

**Remarks Concerning Usage:**

DISCUSS WITH THE HYDRAULICS UNIT BEFORE USING ON A PROJECT.

**Category:** RIPRAP

**Status:** JOB SPECIFIC USE ONLY

**Effective:** 11/1/1997 [281](#)

**Revised:** 1/1/2014

---

### **ROUTING DEBRIS CLEAN UP**

**Remarks Concerning Usage:**

USE ON THE ROUT AND SEAL CONTRACTS.

**Category:** MISCELLANEOUS

**Status:** APPROVED WITHOUT RESTRICTION

**Effective:** 1/17/2006 [451](#)

**Revised:** 1/1/2014

**SEEDING****Remarks Concerning Usage:**

USE WHEN EARTH SLOPES ARE DISTURBED AS A RESULT OF WIDENING OR SHOULDER OPERATIONS. USE ONLY WHEN SEEDING LIMITS ARE SHOWN ON TYPICAL CROSS SECTIONS.

SPECIFIES USING CLASS 2 SEEDING AND MULCH METHOD 2.

**Category:** EROSION CONTROL

**Status:** JOB SPECIFIC USE ONLY

**Effective:** 9/11/1990 [250](#)

**Revised:** 1/1/2014

**SEEDING, AND EROSION CONTROL BLANKET, AT CONCRETE HEAD WALLS FOR PIPE DRAINS****Remarks Concerning Usage:**

LUMPS EXCELSIOR BLANKET AND SEEDING INTO THE EXCELSIOR BLANKET PAY ITEM.

**Category:** PIPE DRAINS & UNDERDRAINS  
EROSION CONTROL

**Status:** OK TO USE PENDING REVIEW

**Effective:** 9/11/1990 [251](#)

**Revised:** 1/1/2014

**SEEDING, CLASS 4A****Remarks Concerning Usage:**

DELETES PRAIRIE DROPSEED. IF ANY QUESTION, CONTACT JIM ALWILL @ 309-671-4484.

**Category:** EROSION CONTROL

**Status:** OK TO USE PENDING REVIEW

**Effective:** 9/11/1990 [250A](#)

**Revised:** 1/1/2014

**STAGE CONSTRUCTED ACROSS ROAD DRAINAGE STRUCTURES****Remarks Concerning Usage:**

INCLUDE IN THE TRAFFIC CONTROL PLAN.

**Category:** TRAFFIC CONTROL

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 9/11/1990 [442A](#)

**Revised:** 1/1/2014

**STAGE CONSTRUCTION TIME RESTRICTION****Remarks Concerning Usage:**

TYPICAL USE IS FOR BRIDGE WORK LET AT A TIME WHEN IT CAN'T BE COMPLETED IN THE CURRENT CONSTRUCTION SEASON.

**Category:** TRAFFIC CONTROL AND PROTECTION

**Status:** JOB-SPECIFIC USE ONLY

**Effective:** 10/22/1998 [101Y](#)

**Revised:** 1/1/2014

**STATUS OF UTILITIES****Remarks Concerning Usage:**

PLACE IN THE SPECIAL PROVISIONS.

USE ON ALL CONTRACTS THAT WILL REQUIRE DIGGING. DISCUSS WITH DAN MAGEE.

**Category:** UTILITIES

**Status:** APPROVED WITHOUT RESTRICTION

**Effective:** 1/17/2006 [ZZZ](#)

**Revised:** 9/1/2006

**STATUS OF UTILITIES****Remarks Concerning Usage:**

PLACE IN THE SPECIAL PROVISIONS.

USE ON PROJECTS THAT HAVE NO DIGGING INVOLVED.

**Category:** UTILITIES

**Status:** APPROVED WITHOUT RESTRICTION

**Effective:** 1/17/2006 [ZZZ1](#)

**Revised:** 7/26/2007

**STATUS OF UTILITIES****Remarks Concerning Usage:**

PLACE IN THE SPECIAL PROVISIONS.  
USE ON THE BRIDGE PAINTING PROJECTS.

**Category:** UTILITIES**Status:** APPROVED WITHOUT RESTRICTION**Effective:** 1/17/2006 [ZZZZ](#)**Revised:** 7/26/2007**STORM SEWER WATERMAIN AND STORM SEWER, RUBBER GASKET, CLASS A****Remarks Concerning Usage:**

USE WHEN HORIZONTAL AND/OR VERTICAL SEPARATION OF WATER AND SEWER CANNOT BE MET.

**Category:** STORM & SANITARY SEWERS & APPURTENANCES**Status:** JOB-SPECIFIC USE ONLY**Effective:** 8/3/1999 [550A](#)**Revised:** 1/1/2014**STORM WATER POLLUTION PREVENTION PLAN****Remarks Concerning Usage:**

USE ON ALL JOBS DISTURBING MORE THAN 1 ACRE.  
THE CURRENT FORM CAN BE FOUND ON THE FORMS MANAGEMENT PAGE. THE FORM NUMBER IS BDE 2342.

**Category:** EROSION CONTROL**Status:** SPRINGFIELD SPEC IN USE**Effective:** 1/1/1992**Revised:** 1/28/2011**STRINGLINE****Remarks Concerning Usage:**

CLARIFIES THAT A STRINGLINE IS REQUIRED FOR ESTABLISHING PROFILE AND THAT IT'S NOT A PAY ITEM.

**Category:** CONSTRUCTION METHODS**Status:** JOB-SPECIFIC USE ONLY**Effective:** 11/27/1991 [440D](#)**Revised:** 8/1/2012**TEMPORARY DRAINAGE INTO PROPOSED DRAINAGE STRUCTURES****Remarks Concerning Usage:**

USE WHEN PLACING NEW CURB AND GUTTER WITH INLETS PRIOR TO RESURFACING.

**Category:** STORM & SANITARY SEWERS & APPURTENANCES**Status:** APPROVED WITHOUT RESTRICTION**Effective:** 9/11/1990 [602A](#)**Revised:** 1/1/2014**TEMPORARY TRAFFIC CONTROL DEVICE DEPLOYMENT AND REMOVAL****Remarks Concerning Usage:**

USE ON HIGH ADT INTERSTATE AND BUSINESS LOOP MULTILANE ROADWAYS

**Category:** TRAFFIC CONTROL**Status:** JOB-SPECIFIC USE ONLY**Effective:** 1/1/2014 [701G](#)**Revised:****TRAFFIC CONTROL & PROTECTION DEVICES (ROAD & SIDEROAD/STREET CLOSURES)****Remarks Concerning Usage:**

PUT INTO THE TRAFFIC CONTROL PLAN. USE THE CADD DETAIL TITLED "TRAFFIC CONTROL AND PROTECTION DEVICES (ROAD & SIDEROAD/STREET CLOSURES)" IN CONJUNCTION WITH THIS SPECIAL PROVISION.

**Category:** TRAFFIC CONTROL**Status:** JOB-SPECIFIC USE ONLY**Effective:** 9/11/1990 [101L](#)**Revised:** 1/1/2014

**TRAFFIC CONTROL AND PROTECTION, STANDARD 701201** **Category:** TRAFFIC CONTROL  
**Status:** JOB-SPECIFIC USE ONLY  
**Remarks Concerning Usage:**  
 USE WHEN 701201 WILL BE USED FOR PATCHING.  
**Effective:** 2/11/1999 [101Z](#)  
**Revised:** 4/1/2009

---

**TRAFFIC CONTROL AND PROTECTION, STANDARD 701316 AND 701321** **Category:** TRAFFIC CONTROL AND PROTECTION  
**Status:** DISTRICT SPEC IN USE  
**Remarks Concerning Usage:**  
 USE ON JOBS ALL JOBS WITH TC&P 701316 OR 701321.  
 THE FAR LOOP IS 115 FEET BACK FROM THE STOP BAR.  
**Effective:** 5/1/2002 [701C](#)  
**Revised:** 3/1/2009

---

**TRAFFIC CONTROL AND PROTECTION, STANDARD 701401** **Category:** TRAFFIC CONTROL  
**Status:** JOB-SPECIFIC USE ONLY  
**Remarks Concerning Usage:**  
 USE FOR INTERSTATE AND SIMILAR INLAYS.  
 USE WITH DISTRICT CADD DETAIL  
**Effective:** 1/1/2014 [701H](#)  
**Revised:**

---

**TRAFFIC CONTROL AND PROTECTION, STANDARD 701402** **Category:** TRAFFIC CONTROL  
**Status:** APPROVED WITHOUT RESTRICTION  
**Remarks Concerning Usage:**  
 INCLUDE IN THE TRAFFIC CONTROL PLAN.  
**Effective:** 8/20/2004 [101G](#)  
**Revised:** 4/1/2009

---

**TRAFFIC CONTROL PLAN** **Category:** TRAFFIC CONTROL  
**Status:** APPROVED WITHOUT RESTRICTION  
**Remarks Concerning Usage:**  
 NEEDED ON ALL JOBS.  
**Effective:** 9/11/1990 [101](#)  
**Revised:** 1/1/2014

---

**TRAFFIC CONTROL REMOVAL** **Category:** TRAFFIC CONTROL  
**Status:** DISTRICT SPEC IN USE  
**Remarks Concerning Usage:**  
 USE ON ALL MULTI-LANE RESURFACING PROJECTS.  
**Effective:** 10/13/2011 [701E](#)  
**Revised:**

---

**TREATMENT OF EXISTING FIELD TILE SYSTEMS** **Category:** STORM AND SANITARY SEWERS EARTHWORK  
**Status:** APPROVED WITHOUT RESTRICTION  
**Remarks Concerning Usage:**  
 USE IN CONTRACTS WHEN FIELD TILE WORK IS ANTICIPATED.  
 SEE PLAN PREP MEMORANDUM 60-10 .  
**Effective:** 12/12/1998 [611](#)  
**Revised:** 1/1/2014

---

**UNEVEN LANES** **Category:** TRAFFIC CONTROL AND PROTECTION

**Remarks Concerning Usage:**

PLACE IN THE TRAFFIC CONTROL PLAN AS REQUIRED BY BSE POLICY 4-8:  
[http://www.dot.state.il.us/IllinoisSHSP/pdf/20100827WZ\\_SupPolicySubpart\\_K.pdf](http://www.dot.state.il.us/IllinoisSHSP/pdf/20100827WZ_SupPolicySubpart_K.pdf)

**Status:** JOB SPECIFIC USE ONLY**Effective:** 12/11/2009 [701D](#)**Revised:** 1/1/2014**VERTICAL ADJUSTMENT OF GUARDRAIL****Remarks Concerning Usage:**

ESTABLISHES PAY ITEM.

**Category:** GUARDRAIL**Status:** DISTRICT SPEC IN USE**Effective:** 11/3/2000 [633](#)**Revised:** 1/1/2014**VERTICAL CLEARANCE NOTIFICATION****Remarks Concerning Usage:**

USE ON JOBS WHICH HAVE STRUCTURES THAT HAVE LESS THAN 14 FEET 6 INCHES OF CLEARANCE.

PPM 70-02 HAS A LIST OF THE STRUCTURES. THE LIST HAS NOT BEEN RECENTLY UPDATED, SO SHOULD BE VERIFIED WITH BRIDGE & HYDRAULICS ENGINEER.

**Category:** BRIDGE CLEARANCE**Status:** JOB SPECIFIC USE ONLY**Effective:** 9/1/2006 [10709B](#)**Revised:** 1/1/2014**WATER MAIN REMOVAL****Remarks Concerning Usage:**

ESTABLISHES PAY ITEM.

**Category:** WATER MAIN & APPURTENANCES**Status:** JOB-SPECIFIC USE ONLY**Effective:** 9/11/1990 [561](#)**Revised:** 1/1/2014**WATER SERVICE LINE****Remarks Concerning Usage:**

ESTABLISHES PAY ITEM.

**Category:** WATER MAIN & APPURTENANCES**Status:** JOB-SPECIFIC USE ONLY**Effective:** 9/11/1990 [562](#)**Revised:** 1/1/2014**WIDTH RESTRICTION AND MAXIMUM WIDTH SIGNING****Remarks Concerning Usage:**

SEE DISTRICT DETAIL.

**Category:** TRAFFIC CONTROL**Status:** APPROVED WITHOUT RESTRICTION**Effective:** 12/7/1999 [101AA](#)**Revised:** 5/28/2008