

				LE	gend	:				
	9	SEC CORI			-((16 15	QUARTER SECTION CORNER	LLINOIS SYSTEM 37)		
		<u>e</u>	SECTION LINE QUARTER SEC QUARTER, QUA PLATTED LOT PROPERTY (DE	RTER SEC	TION LINE		N	BASED ON ILLINOIS COORDINATE SYSTEM .A.D. 83 (2007)		
K FENCE NCE NE			APPARENT PRI CENTERLINE EXISTING RIGH PROPOSED RIG PROPOSED EA:	DPERTY LIN FOFWAY HTOFWAY	LINE			BEARINGS ARE E STATE PLANE C EAST ZONE, N.A		
			EXISTING ACCE PROPOSED ACC RECORD DATA	CESS CONT				шол		
			EXISTING BUI	LDING	0	4 504	0 LE : 1" =	80 = 40'	120	
 IRON PIPE OR ROD FOUND CUT CROSS FOUND OR SET PK FOLIND PK NAIL OPK SET PK NAIL 										
-	• TI T	THESE STAK	ES REFERENC	REFERENCE FOUND OR SET MONUMENTATION.						
	T2 SET 5/8 INCH REBAR FLUSH WITH GROUND TO TIE FOUND IRON STAKE. IDENTIFIED T3 BY COLORED PLASTIC CAP AND BEARING SURVEYORS PROFESSIONAL NUMBER.									
BTI THESE STAKES, IN CULTIVATED AREAS, REFERENCE FOUND OR SET MONUMENTATION. BT2 BURIED 5\8 INCH REBAR 20 INCHES BELOW GROUND TO TIE FOUND IRON STAKE. BT3 IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS PROFESSIONAL NUMBER.										
	■ STAKING OF PROPOSED RIGHT OF WAY. SET DIVISION OF HIGHWAYS SURVEY MARKER TO MONUMENT THE POSITION SHOWN. IDENTIFIED BY INSCRIPTION DATA AND SURVEYORS PROFESSIONAL NUMBER.									
	■M STAKING OF PROPOSED RIGHT OF WAY IN CULTIVATED AREAS. BURIED 5/8 INCH REBAR 20 INCHES BELOW GROUND TO MARK FUTURE SURVEY MARKER POSITION. IDENTIFIED BY COLORED PLASTIC CAP BEARING SURVEYORS PROFESSIONAL NUMBER.									
PERMANENT SURVEY MARKER, IDOT STD. 2135 (TO BE SET BY OTHERS)										
☐ RIGHT OF WAY STAKING PROPOSED TO BE SET. STATE OF ILLINOIS)) SS COUNTY OF DUPAGE)										
THIS IS TO CERTIFY THAT WE, MIDWEST TECHNICAL CONSULTANTS, INC., AN ILLINOIS PROFESSIONAL DESIGN FIRM LAND SURVEYING CORPORATION NUMBER 184-002917, HAVE SURVEYED THE PLAT OF HIGHWAYS SHOWN HEREON BETWEEN SECTION 15, TOWNSHIP 38 NORTH, RANGE 9 EAST, AND SECTION 16, TOWNSHIP 38 NORTH, RANGE 9 EAST OF THE THIRD PRINCIPAL MERIDIAN, DUPAGE COUNTY, THAT THE SURVEY IS TRUE AND COMPLETE AS SHOWN TO THE BEST OF MY KNOWLEDGE AND BELIEF, THAT THE PLAT CORRECTLY REPRESENTS SAID SURVEY, THAT ALL MONUMENTS FOUND AND ESTABLISHED ARE OF PERMANENT QUALITY AND OCCUPY THE POSITIONS SHOWN THEREON AND THAT THE MONUMENTS ARE SUFFICIENT TO ENABLE THE SURVEY TO BE RETRACED. THIS SURVEY CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A BOUNDARY SURVEY. MADE FOR THE DEPARTMENT OF TRANSPORTATION, STATE OF ILLINOIS. DATED AT NAPERVILLE, ILLINOIS THIS DAY OF, 2010 A.D.										
RUSSELL W. OLSEN ILLINOIS PROFESSIONAL LAND SURVEYOR NO. 035-002718 LICENSE EXPIRES NOVEMBER 30, 2010 THIS PROFESSIONAL SERVICE CONFORMS TO THE CURRENT ILLINOIS MINIMUM STANDARDS FOR A										
			1840 Cen Naperville	est Technical Consultants, Inc. 1840 Centre Point Circle Naperville, ILLINOIS 60563 (6301505-010)						
1) ALL COORDINATES SHOWN HEREON ARE PROJECT. ALL DISTANCES SHOWN HEREON ARE GROUND.										
2) BEARINGS SHOWN HEREON ARE BASED ON ILLINOIS STATE PLANE COORDINATE SYSTEM EAST ZONE, NAD 83, (2007).										
3) THE COMBINATION FACTOR USED FOR THIS PROJECT = 0.99994777.										
4) COORDINATE CONVERSION NAD83 (2007) STATE PLANE COORDINATES TO PROJECT COORDINATES: A) DIVIDE THE STATE PLANE NAD83 GRID COORDINATES BY THE COMBINATION FACTOR. JUL 2 0 2010										
B) SUBTRACT 1,000,000.00 FROM THESE NORTHINGS AND EASTINGS. PLATE & LEGALS PROJECT COORDINATES TO NAD83 (2007) STATE PLANE COORDINATES: A) ADD 1,000,000,00 TO THE PROJECT NORTHINGS AND EASTINGS. D) NUM TRUE TO THE PROJECT NORTHINGS AND EASTINGS.										
B) MULTIPLY THESE COORDINATES BY THE COMBINATION FACTOR. 5) THE NGS MONUMENT HELD FOR THIS PROJECT IS IS FIRST ORDER P.I.D. AA3730.										
					PLAT (STATE	OF HI	GHWA)	/S		
			^{*6B-47}		MENT	OF TR	ANSPO	ORTATIO	V	
S.P. PROJE	CT (GRC				P. <i>338</i> RD. TO AL TE 59		'E. D	UPAGE CO 0. R-91-03		
048 N. 869	655.594	49		DN 3967	+50		TO ST	ATION 397	3+00	
			STATIO		BUREAU O			TION	_47	
BY: JB			+ 80r	SCH	201 WE AUMBURG		ER COUR IS 60196			
				CONT	RACT 6	50P42	SHE	ET 226 (OF 234	