

MAINLINE SCHEDULE

LOCATION	DESCRIPTION	LENGTH	AREA	GRANULAR MATERIAL TYPE A 4"	PCC BSE. CSE. WID. 7"	POLY, HMA BSE. CSE. WID. 7"	POLY, BIT MATERIAL (PR CT)	POLY, LEVEL BINDER, N90 (MM)	TEMP RAMP	POLY, HMA MIX D, N90 SURF. CSE.	INCIDENTAL HMA SURF	HMA SURF REM 2 1/2"	AGG SHOULDERS TYPE B 6"	HMA SHOULDERS 8"	CC&G TYPE B 6,24
STA. TO STA.		FOOT	SQ YD	SQ YD	SQ YD	SQ YD	GALLON	TON	SQ YD	TON	TON	SQ YD	SQ YD	SQ YD	FOOT
STA. 1340+15 TO STA. 1342+73.43	IL 50	258.43	1780.3	100.5			231.4	99.7	34.4	150		1780.3			203
STA. 2+73.62 TO STA. 4+55	IL 50	181.38	1310				170.3	73.4	36.1	110		1310			
STA. 2401+25 TO STA. 2404+90	LARRY POWER WEST	365	1084.9	276		85	141	60.8	12.5	91	19	1084.9	64.3	245.3	96
STA. 2404+90 TO STA. 2407+12.94	LARRY POWER WEST	222.94	792.7	117.5	50		103.1	44.4		67		792.7			
STA. 10+00 TO STA. 15+85	LARRY POWER EAST	585	2340				304.2	131	20	197		2340			
TOTALS				494	50	85	950	409	103	615	19	7308	64	245	299

PAVEMENT MARKING

LOCATION	DESCRIPTION	LENGTH	SHORT TERM PAVEMENT MARKING		WORK ZONE PAVT' MK REMOVAL	THERMOPLASTIC PAVEMENT MARKING LINE							PRISMATIC CURB REFLECTOR	RAISED REFLECTIVE PAVEMENT MARKER			RAISED REFLECTIVE PAVEMENT MARKER REMOVAL
			WHITE	YELLOW		4 INCH		6 INCH	8 INCH	12 INCH	24 INCH	LETTERS AND SYMBOLS		CRYSTAL			
						WHITE	YELLOW							ONE WAY	ONE WAY	TWO WAY	
STA		FOOT	FOOT	FOOT	SQ FT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	SQ FT	EACH	EACH	EACH	EACH	EACH
2401+25 TO 2406+45	LPR WEST	520	876	183.1	117	1040	1831		280	43	28	31.2	6	3	20	6	29
3+42 TO 4+55	IL 50 NORTH	113	1363.2	23	152	211	230	229	115		54	31.2		3		6	9
10+65 TO 15+85	LPR EAST	520	822	183.1	111	1020	1831		280		25	31.2		3	20	6	29
1340+15 TO 1342+50	IL 50 SOUTH	235	1595.7	46.8	181	619	468	466	233	63	53	46.8		6		12	18
SUB-TOTALS			4657	436		2890	4360							15	40	30	
TOTALS				5093	561		7250	695	908	106	160	140.4	6		85		85

TEMPORARY PAVEMENT MARKING

LOCATION	DESCRIPTION	LENGTH	4 INCH WHITE	4 INCH YELLOW	6 INCH WHITE	8 INCH WHITE	12 INCH YELLOW	24 INCH WHITE	LETTERS AND SYMBOLS
STA		FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	FOOT	SQ FT
2401+25 TO 2406+45	LPR WEST	520	1040	1831		280	43	28	31.2
3+42 TO 4+55	IL 50 NORTH	113	211	230	229	115		54	31.2
10+65 TO 15+85	LPR EAST	520	1020	1831		280		25	31.2
1340+15 TO 1342+50	IL 50 SOUTH	235	619	468	466	233	63	53	46.8
SUB-TOTALS			2890	4360					
TOTALS				7250	695	908	106	160	140.4

DRAINAGE SCHEDULE

LOCATION	MANHOLE TO BE REMOVED	INLET TO BE REMOVED	MANHOLE TY A TY 5 F, C.L.	INLET TY A TY 3 F&G	CATCH BASIN TO BE INSTALLED	RIP RAP CL A3	TRENCH BACKFILL	
STA. TO STA.	EACH	EACH	EACH	EACH	EACH	TON	CU YD	
STA. 1340+15 TO STA. 1342+73.43	1	1	1	1				
STA. 2+73.62 TO STA. 4+55								
STA. 2401+25 TO STA. 2404+90					2	4	5	
STA. 2404+90 TO STA. 2407+12.94							13	
STA. 10+00 TO STA. 15+85								
TOTAL								18

EARTHWORK SCHEDULE

LOCATION			EARTH EXCAVATION	EARTH EXCAVATION ADJ FOR SHRINKAGE	EMBANKMENT	(FURNISHED EX.) EARTHWORK BALANCE WASTE
NO.	STA.	DESCRIPTION	(CUTS) CU YD	25% CU YD	(FILLS) CU YD	(+) OR SHORTAGE (-) CU YD
KANKAKEE COUNTY						
1	1340+00 - 1343+00	IL 50	25.8	19.3	10.0	9.4
2	2401+50 - 2405+00	LARRY POWER (WEST LEG)	110.7	83.0	0.0	83.0
TOTALS			136.5			92.4

LANDSCAPING SCHEDULE

LOCATION	DESCRIPTION	LENGTH	AREA	SOD	SEEDING CLASS 3	NITROGEN FERT. NUTRIENTS	PHOSPHORUS FERT. NUTRIENTS	POTASSIUM FERT. NUTRIENTS	MULCH METHOD 2
STA. TO STA.		FOOT	SQ YD	SQ YD	ACRE	POUND	POUND	POUND	ACRE
STA. 1340+15 TO STA. 1342+73.43	IL 50	258.43	1780.3	182					
STA. 2+73.62 TO STA. 4+55	IL 50	181.38	1310						
STA. 2401+25 TO STA. 2404+90	LARRY POWER WEST	365	1084.9		0.1	8	8	8	0.1
STA. 2404+90 TO STA. 2407+12.94	LARRY POWER WEST	222.94	792.7	116.6					
STA. 10+00 TO STA. 15+85	LARRY POWER EAST	585	2340						
TOTALS				299	0.1	8	8	8	0.1