

INLET AND PIPE PROTECTION: 28000500			
LOCATION	STATION	OFFSET	EACH
I-74 MEDIAN			
	1763+74.00	CL	3
	1774+08.33	CL	1
	1783+10.34	CL	1
	1792+57.45	CL	1
	1801+07.28	CL	1
	1825+71.00	CL	1
	1843+44.93	CL	3
	1858+43.28	CL	1
	1873+94.50	CL	1
	1890+04.00	CL	1
	1898+58.10	CL	1
	1909+00.50	2' LT	1
	1912+06.90	CL	1
	1913+97.81	CL	1
	1916+66.40	CL	1
	1916+99.73	10' LT	1
	1927+78.64	CL	1
	1928+20.24	9' LT	1
	1934+67.80	CL	1
	1941+52.50	CL	1
	1947+98.91	CL	1
	1960+98.72	2' LT	1
	1970+26.89	CL	1
	1978+99.15	3' RT	1
	1987+98.33	CL	1
	2000+90.78	CL	1
	2039+66.50	CL	1
	2051+78.00	LT	1
	2069+38.87	RT	1
	2070+02.00	RT	1
	2078+08.50	RT	1
	2087+15.00	RT	1
	2097+97.00	RT	1
	2110+97.00	RT	1
	2125+43.00	RT	1
	2140+95.52	CL	1
	2141+46.47	RT	1
	2153+95.74	CL	1
	2162+94.98	CL	1
	2180+44.93	4' LT	1
	2180+44.93	CL	1
	2187+28.18	4' LT	1
	2187+44.72	LT	1
	2187+60.34	4' LT	1
	2192+95.63	CL	1
	2212+44.19	CL	1
	2221+94.30	CL	1
	2231+78.24	CL	1
<b>TOTAL</b>			<b>52</b>

INLET BOX, STANDARD 542521: 54245005			
LOCATION	STATION	OFFSET	EACH
I-74 MEDIAN			
	2110+97.00	RT	1
<b>TOTAL</b>			<b>1</b>

  

INLET BOX, STANDARD 542531: 54246405			
LOCATION	STATION	OFFSET	EACH
I-74 MEDIAN			
	1763+44.94	2.8' RT	1
	1763+03.07	2.7' RT	1
	1843+15.93	1.9' LT	1
	1843+74.07	1.7' LT	1
	2187+28.18	4' LT	1
	2187+60.34	4' LT	1
<b>TOTAL</b>			<b>6</b>

FLUSH INLET BOX FOR MEDIAN, STANDARD 542546: 54244405			
LOCATION	STATION	OFFSET	EACH
I-74 MEDIAN			
	1858+43.28	CL	1
	1873+94.50	0.6' RT	1
	1909+00.50	2.4' LT	1
	1960+98.72	1.8' LT	1
	1978+99.15	2.9' RT	1
	2039+66.50	CL	1
	2069+38.87	RT	1
	2070+02.00	RT	1
	2087+15.00	RT	1
	2180+44.93	4' LT	1
<b>TOTAL</b>			<b>10</b>

INLET BOXES TO BE ADJUSTED (SPECIAL): X0931400			
LOCATION	STATION	OFFSET	EACH
I-74 MEDIAN			
	1774+08.83	CL	1
	1783+10.34	CL	1
	1792+57.45	CL	1
	1801+07.28	CL	1
	1825+71.00	CL	1
	1912+06.90	CL	1
	1913+97.81	6.7' LT	1
	1941+52.50	CL	1
	1947+98.91	CL	1
	1970+26.89	11.0' LT	1
	1987+98.33	CL	1
	2051+98.76	CL	1
	2078+08.50	CL	1
	2097+97.00	RT	1
	2125+21.00	RT	1
	2141+46.47	RT	1
	2162+94.98	CL	1
	2192+95.63	CL	1
	2221+94.3	CL	1
<b>TOTAL</b>			<b>19</b>

MEDIAN INLET BOX REMOVAL: X0484300			
LOCATION	STATION	OFFSET	EACH
I-74 MEDIAN			
	1763+74.00	CL	1
	1843+44.90	CL	1
	1857+66.78	CL	1
	1857+97.70	CL	1
	1858+43.28	CL	1
	1873+94.34	CL	1
	1909+00.43	CL	1
	1960+98.81	CL	1
	1978+98.44	CL	1
	2039+59.42	CL	1
	2069+35.58	CL	1
	2087+17.83	CL	1
	2110+96.85	CL	1
	2180+44.93	CL	2
	2187+44.72	CL	1
<b>TOTAL</b>			<b>16</b>

STORM SEWERS, CLASS A, TYPE 1 15": 550A0070				
LOCATION	FROM STA.	TO STA.	OFFSET	FOOT
I-74 MEDIAN				
	1763+61.97	1763+72.52	RT	7
<b>TOTAL</b>				<b>7</b>

STORM SEWERS, CLASS A, TYPE 1 18": 550A0090				
LOCATION	FROM STA.	TO STA.	OFFSET	FOOT
I-74 MEDIAN				
	1763+75.50	1763+85.99	RT	7
	1843+36.33	1843+43.45	LT	7
	1843+46.42	1843+53.32	LT	7
	1913+99.15	1916+64.98	LT	267
	2067+40.87	2070+00.00	RT	62
	2087+15.00		CL	20
<b>TOTAL</b>				<b>370</b>

STORM SEWERS, CLASS A, TYPE 1 24": 550A120				
LOCATION	FROM STA.	TO STA.	OFFSET	FOOT
I-74 MEDIAN				
	1763+74.00		LT	2
	1843+45.00		LT	2
	1909+00.43		RT	3
	1960+98.72		RT	3
	1978+99.15		LT	2
	2039+66.50		RT	9
	2069+38.87		RT	9
	2110+97.00		RT	4
	2180+44.93		RT/LT	8
	2187+44.72		LT	6
	2187+28.18	2187+41.18	LT	13
	2187+52.34	2187+60.34	LT	8
<b>TOTAL</b>				<b>69</b>

STORM SEWER REMOVAL, 18": 55100900				
LOCATION	FROM STA.	TO STA.	OFFSET	FOOT
I-74 MEDIAN				
	2171+66.93	2172+20.32	1 LT	54
<b>TOTAL</b>				<b>54</b>

STORM SEWER REMOVAL, 24": 55101200					
LOCATION	FROM STA.	TO STA.	FROM O/S	TO O/S	FOOT
I-74 MEDIAN					
	2069+35.58		RT		5
	2087+00.00	2087+17.83	RT	RT	18
	2180+44.93		1' RT	6' RT	5
	2180+44.93		1' LT	6' LT	5
<b>TOTAL</b>					<b>33</b>

CONCRETE COLLAR: 54248510			
LOCATION	STATION	PIPE SIZE	CU YD
I-74 MEDIAN			
	1763+74.01	24	0.5
	1843+44.81	24	0.5
	1909+00.43	24	0.5
	1960+98.72	24	0.5
	1978+99.15	24	0.5
	2039+59.42	24	0.5
	2069+35.58	24	0.5
	2087+17.83	24	0.5
	2110+96.85	24	0.5
	2180+44.93	24	0.9
	2187+44.12	24	0.5
<b>TOTAL</b>			<b>5.5</b>

MANHOLES, TYPE A, 5'-DIAMETER, TYPE 1 FRAME, CLOSED LID: 60221100			
LOCATION	STATION	OFFSET	EACH
I-74 MEDIAN			
	1763+74.01	2.7' RT	1
	1843+44.93	1.7' LT	1
	2187+44.12	CL	1
<b>TOTAL</b>			<b>3</b>

TRENCH BACKFILL: 20800150				
LOCATION	FROM STA.	TO STA.	OFFSET	CU YD
I-74 MEDIAN				
	1913+99.15	1916+64.98	LT	54.63
	2180+44.93		RT/LT	1.64
	2187+44.72		LT	1.23
	2187+28.18	2187+41.18	LT	2.67
	2187+52.34	2187+60.34	LT	1.64
<b>TOTAL</b>				<b>62</b>

PAVED DITCH REMOVAL: 4404000			
LOCATION	FROM STA.	TO STA.	FOOT
I-74 MEDIAN			
	2097+90.00	2110+61.00	1,271
	2187+33.00	2197+72.00	1,039
<b>TOTAL</b>			<b>2,310</b>

FABRIC FORMED CONCRETE REVETMENT MAT: 28500100				
LOCATION	FROM STA.	TO STA.	OFFSET	SQ YD
I-74 MEDIAN				
	1763+30.14	1763+44.93		35
	1764+03.07	1764+16.66		32
	1783+10.34	1783+40.34		70
	1825+70.00	1826+02.72		76
	1842+90.67	1843+15.93		59
	1843+74.07	1844+01.12		63
	1912+07.37	1912+19.47		28
	1916+68.05	1916+95.73		65
	1927+77.78	1928+07.70		70
	2111+89.00			59
	2125+40.00			22
	2163+14.35	2163+55.00		99
	2186+80.00	2187+10.41		74
	2187+80.83	2188+15.00		84
	2192+97.63	2193+33.00		87
	2221+51.00	2221+84.08		81
<b>TOTAL</b>				<b>1,003</b>

USER NAME = jcracker	DESIGNED - DR	REVISED -
DRAWN - JC	REVISED -	
PLOT SCALE = 48.0000' / in.	CHECKED - RB	REVISED -
PLOT DATE = 8/2/2012	DATE - 08/02/2012	REVISED -

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

SCHEDULE OF QUANTITIES

SCALE: SHEET 3 OF 5 SHEETS STA. TO STA.

F.A.I. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
74	MEDIAN CABLE 2012-3	VERMILION	232	13
CONTRACT NO. 70968			ILLINOIS FED. AID PROJECT	