

PROPOSED DRAINAGE STRUCTURE SCHEDULE

DRAWING NUMBER	STRUCTURE NUMBER	STATION	OFFSET	REINFORCED CONC		PRECAST REINFORCED CONCRETE			CATCH BASINS, TYPE A				CB, TYPE C		MANHOLES, TYPE A				MH DT		INLETS		JUNCTION CHAMBERS		SANITARY	RESTRICTOR	SS PLUGS	
				END SECTIONS		FLARED END SECTIONS			4' DIAMETER				TYPE 1F	TYPE 8	4' DIA.	5' DIA.	6' DIA.	5' DIA.	TYPE A		TYPE		MANHOLE	MH TA 6'	INSTALL			
				DOUBLE 24"	TRIPLE 24"	12"	18"	EQ RS 30"	T8 GRATE	T23 F&G	T24 F&G	T24 F&G	OPEN LID	GRATE	T1F CL	T1F CL	T1F CL	T1F CL	T8 GRATE	T24 F&G	SPECIAL	1	4' DIA	DIA TIF CL	INSTALL			
				EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH	EACH		
DU-5	432R	432+27.00	61.8' RT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	433L	433+10.10	49.5' LT	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	433L4	433+25.10	9.0' LT	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	433R	433+25.08	52.0' RT	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	433R2	433+25.08	61.8' RT	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	433R1	433+35.08	52.1' RT	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	433L6	433+07.80	58.3' LT	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	433L5	433+35.08	9.0' LT	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	433L1	433+30.10	51.1' LT	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	433L3	433+38.70	61.4' LT	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	433L2	433+40.10	53.8' LT	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	435R3	435+92.10	9.0' RT	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	435L	435+55.98	52.0' LT	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	435L1	435+65.98	52.0' LT	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	436R3	436+02.10	9.0' RT	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	435R1	435+65.98	52.1' RT	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	435R2	435+78.10	52.0' RT	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	435R5	435+78.09	9.0' RT	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	435L2	435+78.10	60.3' LT	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	435R	435+95.30	52.0' RT	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	436R2	436+05.40	52.0' RT	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	436L	436+25.09	52.0' LT	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	436L1	436+25.09	60.1' LT	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	436R1	436+70.00	9.0' RT	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	436R	436+84.87	51.0' RT	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	437L	437+25.09	52.0' LT	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	437L1	437+25.09	60.0' LT	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	438L1	438+75.10	59.0' LT	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	438L	438+75.10	52.0' LT	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	438R1	438+75.10	6.0' RT	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	438R	438+75.10	40.0' RT	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	440R	440+75.10	40.0' RT	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	440	440+75.10	0.0' LT	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	440L	440+75.10	44.8' LT	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-5	440L1	440+75.10	54.5' LT	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-6	442L	441+99.80	46.3' LT	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-6	442R	442+00.00	11.6' RT	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-6	444L	444+86.08	34.0' LT	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-6	445R	445+25.09	46.0' RT	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-6	447L1	447+11.89	38.4' LT	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-6	447L	447+20.00	42.2' LT	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-6	447L2	447+20.00	3.0' LT	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
DU-6	447R	447+20.00	53.6' RT	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
SUBTOTAL3						0	0	0	0	0	2	7	21	0	0	0	8	4	1	0	0	0	0	0	0	0	0	0
TOTAL						0	0	0	0	0	6	14	70	0	0	4	21	16	1	0	0	2	1	1	5	1		

2

• FLAT SLAB TOP

GRATING FOR CONCRETE FLARED END SECTION 12" = 2 EACH
 GRATING FOR CONCRETE FLARED END SECTION 18" = 2 EACH
 GRATING FOR CONCRETE FLARED END SECTION EQUIVALENT ROUND SIZE 30" = 1 EACH

REVISIONS	NAME	DATE

ILLINOIS DEPARTMENT OF TRANSPORTATION
 US RTE 6 (159TH ST) AT US RTE 45 (LAGRANGE RD)

SCHEDULE OF QUANTITIES

SCALE: N/A
 DATE: 7-07-06
 DRAWN BY: JTF
 CHECKED BY: RCH

McDonough Associates Inc.
 Engineers / Architects

Rev. 11-1-06

E:\Dgn\sc01005.sht
 10/28/2006
 8:24:04 PM