



	L	R	Δ
Curve A	16.10'	24.00'	40°25'40"
Curve B	24.17'	20.00'	69°14'04"

**TWO APPROACH PAVEMENTS
BILL OF MATERIAL**

Item	Unit	Quantity
Bridge Approach Pavement (Special)	Sq. Yd.	207

DESIGN STRESSES

$f'_c = 3,500$ p.s.i.
 $f_y = 60,000$ p.s.i.
 $n = 8.5$

- NOTES:**
- For Back of Curb Horizontal Alignment see Sheet 7.
 - See Bridge Approach Pavement Std. 420401 for additional details.
 - All reinforcement bars shall be Epoxy Coated.

REVISIONS	NAME	DATE

Clorba Group, Inc.
CONSULTING ENGINEERS
887 WOODLAWN AVENUE • CHICAGO, ILLINOIS 60614 • (773) 778-4000

VILLAGE OF WINNETKA, ILLINOIS
BRIDGE APPROACH PAVEMENT (SPECIAL)
PINE STREET OVER THE UNION PACIFIC R.R.
R.R. MILE POST 16.89 KENOSHA SUBDIVISION
COOK COUNTY STA. 101+09.96
STRUCTURE NO. 016-8259

SCALE: NONE
DATE: MARCH 2006
FILE: 3278

DRAWN BY: RCD
DESIGN BY:
CHECKED BY: SCD

DATE: 4/22/2006
FILENAME: N:\PROJ\3278\Pine\Design\Structural_Pine_3278\CAD\Final_plan_3278-Pine-bapp01.dgn