

DATE: _____
 BY: _____
 PLAN NO. _____
 CHECKED BY: _____
 DATE: _____

DATE: _____
 BY: _____
 PROFILE NO. _____
 CHECKED BY: _____
 DATE: _____

STRUCTURE TABLE										
NO.	STATION	OFFSET	TYPE	FRAME	FST	RIM	N. INV.	E. INV.	S. INV.	W. INV.
31	496+10	30.0' RT	INL-A	T-24	*	867.45	862.95			
32	496+10	30.0' LT	CB-A4	T-24	*	867.45	862.65		862.65	
33	496+10	37.5' LT	MH-A5	1-CL	*	866.7		862.61	862.61	862.61
34	497+85	48.0' RT	ES D24-1.5	--	--		861.00			
35	497+85	30.0' RT	CB-A5	T-24	*	866.78	861.03		861.03	
36	497+85	30.0' LT	CB-A5	T-24	*	866.78	861.14		861.14	
37	497+85	37.5' LT	MH-A5	1-CL	*	866.0		861.15	861.15	
38	498+50	48.0' RT	ES D36-1.5	--	--		860.91			
39	498+50	48.0' LT	RWALL	--	--			860.65		
40	499+20	30.0' RT	INL-A	T-24	*	866.16	862.58			
41	499+20	30.0' LT	INL-A	T-24	*	866.16	862.86			
42	499+47	30.0' RT	CB-A5	T-24	*	866.14	862.46	862.46	862.46	
42A	499+47	48.0' RT	FES 15	--	--		862.43			
43	499+47	30.0' LT	CB-A4	T-24	*	866.14	862.74	862.74	862.74	862.74
44	499+47	42.0' LT	INL-A	1-OL		864.75		862.79		
45	499+75	30.0' RT	INL-A	T-24	*	866.17			862.59	
46	499+75	30.0' LT	INL-A	T-24	*	866.17			862.87	

STRUCTURE TABLE										
NO.	STATION	OFFSET	TYPE	FRAME	FST	RIM	N. INV.	E. INV.	S. INV.	W. INV.
47	501+50	30.0' RT	INL-A	T-24	*	866.86	863.13			
48	501+50	30.0' LT	CB-A4	T-24	*	866.86	862.85		862.85	
49	501+50	37.5' LT	MH-A5	1-CL	*	866.0	862.83	862.83	862.83	
49A	501+50	48.0' LT	RWALL	--	--	866.0		862.80		
50	502+95	30.0' RT	INL-A	T-24	*	867.69	863.56			
51	502+95	30.0' LT	CB-A4	T-24	*	867.69	863.27		863.27	
52	502+95	37.5' LT	MH-A4	1-CL	*	866.8	863.25	863.25	863.25	
53	504+60	30.0' RT	INL-A	T-24	*	868.52	864.12			
54	504+60	30.0' LT	CB-A4	T-24	*	868.52	863.83		863.83	
55	504+60	37.5' LT	MH-A4	1-CL	*	867.8	863.81	863.81	863.81	
56	506+25	30.0' RT	INL-A	T-24	*	869.60	865.10			
57	506+25	30.0' LT	CB-A4	T-24	*	869.60	864.80		864.80	
58	506+25	37.5' LT	MH-A4	1-CL	*	868.9	864.76	864.76	864.76	
58A	507+50	48.0' LT	RWALL	--	--	869.9		866.00		
58B	507+50	37.5' LT	MH-A4	1-CL	*	869.9	866.05	866.05		
59	508+75	30.0' RT	INL-A	T-24	*	873.91	869.41			
60	508+75	30.0' LT	CB-A4	T-24	*	873.91	869.11		869.11	
61	508+75	37.5' LT	MH-A4	1-CL	*	873.2	869.07	869.07	869.07	
122	499+92	46.0' RT	FES 15	--	--		862.92			
123	500+24	46.0' RT	FES 15	--	--				863.24	
124	501+32	46.0' RT	FES 15	--	--			864.32		
125	501+59	46.0' RT	FES 15	--	--				864.59	
126	503+88	46.0' RT	FES 15	--	--		866.88			
127	504+13	46.0' RT	FES 15	--	--				867.13	

PIPE TABLE									
NO.	TYPE	UPSTREAM STATION	DOWNSTREAM STATION	MAT.	SIZE	SLOPE	LIN. FT.	TBF (CYD)	
28	SS-T1-A	494+55 37.5 LT	496+10 37.5 LT	RCP	18"	0.44%	151'	--	
29	SS-T1-A	496+10 30.0 RT	496+10 30.0 LT	RCP	12"	0.50%	57'	13	
30	SS-T1-A	496+10 30.0 LT	496+10 37.5 LT	RCP	12"	1.30%	3'	1	
31	SS-T1-A	496+10 37.5 LT	497+85 37.5 LT	RCP	21"	0.86%	170'	29	
32	SS-T1-A	497+85 37.5 LT	497+85 30.0 LT	RCP	24"	0.40%	3'	1	
33	SS-T1-A	497+85 30.0 LT	497+85 30.0 RT	RCP	24"	0.20%	55'	18	
34	SS-T1-A	497+85 30.0 RT	497+85 48.0 RT	RCP	24"	0.22%	13'	1	
37	SS-T1-A	511+25 37.5 LT	508+75 37.5 LT	RCP	12"	1.70%	246'	--	
38	SS-T1-A	508+75 30.0 RT	508+75 30.0 LT	RCP	12"	0.50%	57'	13	
39	SS-T1-A	508+75 30.0 LT	508+75 37.5 LT	RCP	12"	1.14%	4'	1	
40	SS-T1-A	508+75 37.5 LT	507+50 37.5 LT	RCP	12"	2.50%	121'	--	
40A	SS-T1-A	507+50 37.5 LT	507+50 48.0 LT	RCP	12"	0.60%	9'	--	
41	SS-T1-A	506+25 30.0 RT	506+25 30.0 LT	RCP	12"	0.50%	57'	13	
42	SS-T1-A	506+25 30.0 LT	506+25 37.5 LT	RCP	12"	1.10%	4'	1	
43	SS-T1-A	506+25 37.5 LT	504+60 37.5 LT	RCP	12"	0.60%	161'	--	
44	SS-T1-A	504+60 30.0 RT	504+60 30.0 LT	RCP	12"	0.50%	57'	12	
45	SS-T1-A	504+60 30.0 LT	504+60 37.5 LT	RCP	12"	0.60%	4'	1	

PIPE TABLE									
NO.	TYPE	UPSTREAM STATION	DOWNSTREAM STATION	MAT.	SIZE	SLOPE	LIN. FT.	TBF (CYD)	
46	SS-T1-A	504+60 37.5 LT	502+95 37.5 LT	RCP	15"	0.35%	161'	--	
47	SS-T1-A	502+95 30.0 RT	502+95 30.0 LT	RCP	12"	0.50%	57'	10	
48	SS-T1-A	502+95 30.0 LT	502+95 37.5 LT	RCP	12"	0.60%	4'	1	
49	SS-T1-A	502+95 37.5 LT	501+50 37.5 LT	RCP	18"	0.30%	141'	--	
50	SS-T1-A	501+50 30.0 RT	501+50 30.0 LT	RCP	12"	0.50%	57'	8	
51	SS-T1-A	501+50 30.0 LT	501+50 37.5 LT	RCP	12"	0.70%	3'	1	
52	SS-T1-A	501+50 37.5 LT	501+50 48.0 LT	RCP	18"	0.38%	8'	--	
53	SS-T1-A	499+75 30.0 RT	499+47 30.0 RT	RCP	12"	0.50%	25'	4	
54	SS-T1-A	499+20 30.0 RT	499+47 30.0 RT	RCP	12"	0.50%	24'	4	
55	SS-T1-A	499+47 30.0 LT	499+47 30.0 RT	RCP	12"	0.50%	56'	8	
56	SS-T1-A	499+75 30.0 LT	499+47 30.0 LT	RCP	12"	0.50%	25'	4	
57	SS-T1-A	499+20 30.0 LT	499+47 30.0 LT	RCP	12"	0.50%	24'	4	
58	SS-T1-A	499+47 42.0 LT	499+47 30.0 LT	RCP	12"	0.60%	9'	1	
59	SS-T1-A	499+47 30.0 RT	499+47 48.0 RT	RCP	15"	0.32%	9'	1	
60	PC-T1-D	498+50 48.0 RT	498+50 48.0 LT	RCP	36"	0.28%	93'	37	
61	SS-T2-A	498+50 37.5 LT	498+50 48.0 LT	RCP	36"	0.27%	8'	--	
121	PC-T1-D	500+24 46.0 RT	499+92 46.0 RT	RCP	15"	1.00%	20'	4	
122	PC-T1-D	501+59 46.0 RT	501+32 46.0 RT	RCP	15"	1.00%	15'	2	
123	PC-T1-D	504+13 46.0 RT	503+88 46.0 RT	RCP	15"	1.00%	13'	2	

