

BEAM 9

BEAM 10

W.B. CROWN

BEAM 11

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	197+55.75	-12.33	699.50	699.50
☉ Brg. W. Abut.	197+58.04	-12.33	699.55	699.55
A	197+68.04	-12.33	699.77	699.76
B	197+78.04	-12.33	699.97	699.97
C	197+88.04	-12.33	700.18	700.17
☉ Pier 1	198+01.46	-12.33	700.45	700.45
D	198+11.46	-12.33	700.65	700.67
E	198+21.46	-12.33	700.84	700.88
F	198+31.46	-12.33	701.03	701.09
G	198+41.46	-12.33	701.22	701.29
H	198+51.46	-12.33	701.40	701.47
I	198+61.46	-12.33	701.58	701.64
J	198+71.46	-12.33	701.76	701.79
K	198+81.46	-12.33	701.93	701.94
☉ Pier 2	198+88.54	-12.33	702.05	702.05
L	198+98.54	-12.33	702.22	702.21
M	199+08.54	-12.33	702.38	702.38
N	199+18.54	-12.33	702.54	702.54
O	199+28.54	-12.33	702.70	702.70
P	199+38.54	-12.33	702.85	702.85
☉ Pier 3	199+49.63	-12.33	703.02	703.02
Q	199+59.63	-12.33	703.16	703.17
R	199+69.63	-12.33	703.31	703.32
S	199+79.63	-12.33	703.44	703.47
T	199+89.63	-12.33	703.58	703.60
☉ Brg. E. Abut.	200+02.29	-12.33	703.75	703.75
Bk. E. Abut.	200+04.59	-12.33	703.78	703.78


Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	197+59.94	-19.16	699.70	699.70
☉ Brg. W. Abut.	197+62.23	-19.16	699.75	699.75
A	197+72.23	-19.16	699.96	699.96
B	197+82.23	-19.16	700.17	700.16
C	197+92.23	-19.16	700.37	700.36
☉ Pier 1	198+05.65	-19.16	700.64	700.64
D	198+15.65	-19.16	700.83	700.85
E	198+25.65	-19.16	701.03	701.07
F	198+35.65	-19.16	701.22	701.28
G	198+45.65	-19.16	701.40	701.48
H	198+55.65	-19.16	701.58	701.66
I	198+65.65	-19.16	701.76	701.82
J	198+75.65	-19.16	701.94	701.97
K	198+85.65	-19.16	702.11	702.12
☉ Pier 2	198+92.73	-19.16	702.23	702.23
L	199+02.73	-19.16	702.39	702.39
M	199+12.73	-19.16	702.56	702.55
N	199+22.73	-19.16	702.71	702.72
O	199+32.73	-19.16	702.87	702.87
P	199+42.73	-19.16	703.02	703.02
☉ Pier 3	199+53.82	-19.16	703.19	703.19
Q	199+63.82	-19.16	703.33	703.34
R	199+73.82	-19.16	703.47	703.49
S	199+83.82	-19.16	703.61	703.63
T	199+93.82	-19.16	703.74	703.76
☉ Brg. E. Abut.	200+06.48	-19.16	703.91	703.91
Bk. E. Abut.	200+08.78	-19.16	703.94	703.94

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	197+61.06	-21.00	699.75	699.75
☉ Brg. W. Abut.	197+63.36	-21.00	699.80	699.80
A	197+73.36	-21.00	700.01	700.01
B	197+83.36	-21.00	700.22	700.22
C	197+93.36	-21.00	700.42	700.42
☉ Pier 1	198+06.78	-21.00	700.69	700.69
D	198+16.78	-21.00	700.89	700.91
E	198+26.78	-21.00	701.08	701.12
F	198+36.78	-21.00	701.27	701.33
G	198+46.78	-21.00	701.45	701.52
H	198+56.78	-21.00	701.63	701.70
I	198+66.78	-21.00	701.81	701.87
J	198+76.78	-21.00	701.99	702.02
K	198+86.78	-21.00	702.16	702.17
☉ Pier 2	198+93.86	-21.00	702.28	702.28
L	199+03.86	-21.00	702.44	702.44
M	199+13.86	-21.00	702.60	702.60
N	199+23.86	-21.00	702.76	702.76
O	199+33.86	-21.00	702.92	702.92
P	199+43.86	-21.00	703.07	703.07
☉ Pier 3	199+54.94	-21.00	703.23	703.23
Q	199+64.94	-21.00	703.37	703.38
R	199+74.94	-21.00	703.52	703.53
S	199+84.94	-21.00	703.65	703.68
T	199+94.94	-21.00	703.79	703.80
☉ Brg. E. Abut.	200+07.61	-21.00	703.95	703.95
Bk. E. Abut.	200+09.91	-21.00	703.98	703.98

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. W. Abut.	197+64.12	-25.99	699.74	699.74
☉ Brg. W. Abut.	197+66.42	-25.99	699.79	699.79
A	197+76.42	-25.99	700.00	700.00
B	197+86.42	-25.99	700.20	700.20
C	197+96.42	-25.99	700.41	700.40
☉ Pier 1	198+09.84	-25.99	700.67	700.67
D	198+19.84	-25.99	700.87	700.89
E	198+29.84	-25.99	701.06	701.10
F	198+39.84	-25.99	701.24	701.31
G	198+49.84	-25.99	701.43	701.50
H	198+59.84	-25.99	701.61	701.68
I	198+69.84	-25.99	701.79	701.84
J	198+79.84	-25.99	701.96	702.00
K	198+89.84	-25.99	702.13	702.14
☉ Pier 2	198+96.92	-25.99	702.25	702.25
L	199+06.92	-25.99	702.41	702.41
M	199+16.92	-25.99	702.57	702.57
N	199+26.92	-25.99	702.73	702.73
O	199+36.92	-25.99	702.88	702.89
P	199+46.92	-25.99	703.03	703.03
☉ Pier 3	199+58.00	-25.99	703.20	703.20
Q	199+68.00	-25.99	703.34	703.35
R	199+78.00	-25.99	703.48	703.50
S	199+88.00	-25.99	703.62	703.64
T	199+98.00	-25.99	703.75	703.76
☉ Brg. E. Abut.	200+10.67	-25.99	703.91	703.91
Bk. E. Abut.	200+12.97	-25.99	703.94	703.94

Notes:
Work this sheet with sheet 6 of 39.
Stations and offsets measured along ☉ Galena Blvd.

(Sheet 5 of 6)



USER NAME =	DESIGNED - MTH	REVISED -
FILE NAME =	CHECKED - ADB	REVISED -
PLOT SCALE =	DRAWN - AJF	REVISED -
PLOT DATE =	CHECKED - MTH	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

TOP OF SLAB ELEVATIONS
STRUCTURE NO. 045-0037

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
573	61HB-1-R	KANE	110	60
SHEET NO. 10 OF 39 SHEETS			CONTRACT NO. 60K76	
ILLINOIS FED. AID PROJECT				