



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

November 9, 2011

SUBJECT: FAU 1103 (State Parkway)
Project M-9003(827)
Section 11-00106-00-RS (Schaumburg)
Cook County
Contract No. 63637
Item 020
November 18, 2011 Letting
Addendum (A)

TO PROSPECTIVE BIDDERS:

Due to clarify information necessary to revise the following:

**Proposal – Page 3, 4 & 5 of the Schedule of Prices.
Index of Special Provisions.
Page 7 of the Special Provisions.**

Plans – Sheet 3, 6 & 7.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

Scott Stitt
Acting Engineer of Design and Environment

A handwritten signature in cursive script, reading "Ted B. Walschleger" followed by the initials "AE".

By: Ted B. Walschleger
Engineer of Project Development
and Implementation

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
42001300	PROTECTIVE COAT	SQ YD	3,023.000 X	=			
42300400	PCC DRIVEWAY PAVT 8	SQ YD	992.000 X	=			
42400200	PC CONC SIDEWALK 5 *	SQ FT	2,607.000 X	=			
42400410	PC CONC SIDEWALK 8 *	SQ FT	4,680.000 X	=			
42400800	DETECTABLE WARNINGS	SQ FT	378.000 X	=			
44000100	PAVEMENT REM	SQ YD	522.000 X	=			
44000161	HMA SURF REM 3	SQ YD	29,700.000 X	=			
44000200	DRIVE PAVEMENT REM	SQ YD	1,639.000 X	=			
44000500	COMB CURB GUTTER REM	FOOT	5,280.000 X	=			
44000600	SIDEWALK REM	SQ FT	2,643.000 X	=			
44201749	CL D PATCH T1 9	SQ YD	743.000 X	=			
44201753	CL D PATCH T2 9	SQ YD	743.000 X	=			
44201757	CL D PATCH T3 9	SQ YD	743.000 X	=			
44201759	CL D PATCH T4 9	SQ YD	743.000 X	=			
60265700	VV ADJUST	EACH	4.000 X	=			

*Revised 11/9/11

FAU 1103
 11-00106-00-RS (SCHAUMBURG)
 COOK

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT NUMBER - 63637

ECMS002 DTGECM03 ECMR003 PAGE 4 *
 RUN DATE - 11/07/11
 RUN TIME - 191922

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
60404805	FR & GRATES T11V	EACH	5.000	X	=	=	=
60406100	FR & LIDS T1 CL	EACH	5.000	X	=	=	=
60603800	COMB CC&G TB6.12	FOOT	5,280.000	X	=	=	=
67000400	ENGR FIELD OFFICE A	CAL MO	5.000	X	=	=	=
67100100	MOBILIZATION	L SUM	1.000	X	=	=	=
70102620	TR CONT & PROT 701501	L SUM	1.000	X	=	=	=
70102635	TR CONT & PROT 701701	L SUM	1.000	X	=	=	=
70102640	TR CONT & PROT 701801	L SUM	1.000	X	=	=	=
70106800	CHANGEABLE MESSAGE SN	CAL MO	4.000	X	=	=	=
70300100	SHORT TERM PAVT MKING	FOOT	1,657.000	X	=	=	=
70300210	TEMP PVT MK LTR & SYM	SQ FT	378.000	X	=	=	=
70300220	TEMP PVT MK LINE 4	FOOT	7,969.000	X	=	=	=
70300240	TEMP PVT MK LINE 6	FOOT	1,252.000	X	=	=	=
70300260	TEMP PVT MK LINE 12	FOOT	552.000	X	=	=	=
70300280	TEMP PVT MK LINE 24	FOOT	165.000	X	=	=	=

*Revised 11/9/11

ITEM NUMBER	PAY ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT PRICE		TOTAL PRICE	
				DOLLARS	CENTS	DOLLARS	CTS
70301000	WORK ZONE PAVT MK REM	SQ FT	455.000 X	=		=	
72000100	SIGN PANEL T1	SQ FT	9.000 X	=		=	
72900100	METAL POST TY A	FOOT	30.000 X	=		=	
78000200	THPL PVT MK LINE 4	FOOT	13,281.000 X	=		=	
78000400	THPL PVT MK LINE 6	FOOT	1,042.000 X	=		=	
78000600	THPL PVT MK LINE 12	FOOT	240.000 X	=		=	
78004200	PREF PL PM TB INL L&S	SQ FT	630.000 X	=		=	
78004230	PREF PL PM TB INL L6	FOOT	1,044.000 X	=		=	
78004250	PREF PL PM TB INL L12	FOOT	680.000 X	=		=	
78004280	PREF PL PM TB INL L24	FOOT	274.000 X	=		=	
78300200	RAISED REF PVT MK REM	EACH	100.000 X	=		=	
88600600	DET LOOP REPL	FOOT	597.000 X	=		=	

TOTAL \$

NOTE:
 *** PLEASE TURN PAGE FOR IMPORTANT NOTES ***

*Revised 11/9/11

Index of Special Provisions

PAGE NO.

LOCATION OF PROJECT 1

DESCRIPTION OF PROJECT..... 1

CONSTRUCTION SEQUENCING AND STAGING 1

MAINTENANCE OF ROADWAYS 2

STATUS OF UTILITIES TO BE ADJUSTED 2

TRAFFIC CONTROL PLAN..... 4

TOPSOIL, SODDING, AND FERTILIZER NUTRIENTS 5

INLET FILTER CLEANING 5

DRIVEWAY PAVEMENT REMOVAL AND PORTLAND CEMENT CONCRETE
DRIVEWAY PAVEMENT, 8 INCH 6

SIDEWALK REMOVAL AND PORTLAND CEMENT CONCRETE SIDEWALK, ~~5 INCH~~..... 7

COMBINATION CURB AND GUTTER REMOVAL AND COMBINATION CONCRETE
CURB AND GUTTER 7

CLASS D PATCHES, 9 INCH..... 9

TEMPERATURE CONTROL FOR CONCRETE PLACEMENT (DISTRICT ONE) 9

FINE AGGREGATE FOR HOT-MIX ASPHALT (HMA) (D-1)..... 9

TEMPORARY INFORMATION SIGNING..... 10

SIDEWALK REMOVAL AND PORTLAND CEMENT CONCRETE SIDEWALK

This work shall be in accordance with Sections 311, 424, and 440 of the Standard Specifications insofar as applicable, the details in the plans, and the following provisions.

This work shall consist of the removal, satisfactory disposal, excavation, and replacement of the existing sidewalk. Removal of the sidewalk shall be to a point to allow placement and compaction of 2 inches of bedding material (CA 6) beneath the proposed 5-inch PCC sidewalk.

The Contractor shall saw cut full depth the joint between the sidewalk being removed and that remaining. The portion of the sidewalk remaining will be determined in the field by the Engineer.

Expansion joints shall be placed every 100 feet, where the proposed sidewalk abuts existing sidewalk, between driveway pavement and sidewalk, and between sidewalk and back of curb.

Curing and protection shall be in accordance with Article 1020.13 (a) and Article 1020.13 (c). Membrane curing compound shall be Type III (white-pigmented)

This work shall be paid for at the contract unit price per square ^{foot} yard for SIDEWALK REMOVAL, per square ^{foot} yard for PORTLAND CEMENT CONCRETE SIDEWALK 5 INCH and PORTLAND CEMENT CONCRETE SIDEWALK 8 INCH, and per square yard for SUB-BASE GRANULAR MATERIAL, TYPE B 2" which prices shall include all labor, materials and equipment required to complete the work as specified.

COMBINATION CURB AND GUTTER REMOVAL AND COMBINATION CONCRETE CURB AND GUTTER

This work shall be in accordance with Sections 311, 440, and 606 of the Standard Specifications insofar as applicable, the details in the plans, and the following provisions.

This work shall consist of the removal, satisfactory disposal, excavation, and replacement of the existing combination curb and gutter. Removal of the existing curb and gutter shall be to a point to allow placement and compaction of 2" of bedding material (CA 6) beneath the proposed combination concrete curb and gutter.

The Contractor shall saw cut full depth the joint between the curb and gutter to be removed and that remaining. The portion of the curb and gutter remaining will be determined in the field by the Engineer.