

SUMMARY OF QUANTITIES				0005 ROADWAY 70% STP 30% LA
* CODE NO	PAY ITEM	UNIT	QUANTITY	
20200100	EARTH EXCAVATION	CU YD	196	196
20201200	REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL	CU YD	170	170
21101615	TOPSOIL FURNISH AND PLACE, 4"	SO YD	1,760	1,760
25000400	NITROGEN FERTILIZER NUTRIENT	POUND	22	22
25000500	PHOSPHORUS FERTILIZER NUTRIENT	POUND	22	22
25000600	POTASSIUM FERTILIZER NUTRIENT	POUND	22	22
25200110	SODDING, SALT TOLERANT	SO YD	1,760	1,760
25200200	SUPPLEMENTAL WATERING	UNIT	5	5
28000510	INLET FILTERS	EACH	34	34
31101180	SUBBASE GRANULAR MATERIAL, TYPE B 2"	SO YD	3,237	3,237
35102100	AGGREGATE BASE COURSE, TYPE B 9"	SO YD	148	148
35300400	PORTLAND CEMENT CONCRETE BASE COURSE 9"	SO YD	336	336
35800100	PREPARATION OF BASE	SO YD	29,700	29,700
40600100	BITUMINOUS MATERIALS (PRIME COAT)	GALLON	5,940	5,940
40600300	AGGREGATE (PRIME COAT)	TON	119	119
40600400	MIXTURE FOR CRACKS, JOINTS, AND FLANGEWAYS	TON	30	30
40600982	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT	SO YD	207	207
40600990	TEMPORARY RAMP	SO YD	414	414
40603310	HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N50	TON	25	25
40603340	HOT-MIX ASPHALT SURFACE COURSE, MIX "D", N70	TON	3,327	3,327
42001300	PROTECTIVE COAT	SO YD	3,023	3,023
42300400	PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 8 INCH	SO YD	992	992
42400200	PORTLAND CEMENT CONCRETE SIDEWALK 5 INCH	SO FT	2,605,285	2,605,285
42400410	PORTLAND CEMENT CONCRETE SIDEWALK 8 INCH	SO FT	4,680	4,680
42400800	DETECTABLE WARNINGS	SO FT	378	378
44000100	PAVEMENT REMOVAL	SO YD	522	522
44000161	HOT-MIX ASPHALT SURFACE REMOVAL, 3"	SO YD	29,700	29,700
44000200	DRIVEWAY PAVEMENT REMOVAL	SO YD	1,639	1,639
44000500	COMBINATION CURB AND GUTTER REMOVAL	FOOT	5,280	5,280
44000600	SIDEWALK REMOVAL	SO FT	2,643	2,643
44201749	CLASS D PATCHES, TYPE I, 9 INCH	SO YD	743	743
44201753	CLASS D PATCHES, TYPE II, 9 INCH	SO YD	743	743
44201757	CLASS D PATCHES, TYPE III, 9 INCH	SO YD	743	743
44201759	CLASS D PATCHES, TYPE IV, 9 INCH	SO YD	743	743
60265700	VALVE VAULTS TO BE ADJUSTED	EACH	4	4
60404805	FRAMES AND GRATES, TYPE IIV	EACH	5	5
60406100	FRAMES AND LIDS, TYPE I, CLOSED LID	EACH	5	5
60603800	COMBINATION CONCRETE CURB AND GUTTER, TYPE B-6.12	FOOT	5,280	5,280
67000400	ENGINEER'S FIELD OFFICE, TYPE A	CAL MO	5	5
67100100	MOBILIZATION	L SUM	1	1
70102620	TRAFFIC CONTROL AND PROTECTION, STANDARD 701501	L SUM	1	1
70102635	TRAFFIC CONTROL AND PROTECTION, STANDARD 701701	L SUM	1	1
70102640	TRAFFIC CONTROL AND PROTECTION, STANDARD 701801	L SUM	1	1
70106800	CHANGEABLE MESSAGE SIGN	CAL MO	4	4
70300100	SHORT TERM PAVEMENT MARKING	FOOT	1,657	1,657
70300210	TEMPORARY PAVEMENT MARKING LETTERS AND SYMBOLS	SO FT	378	378
70300220	TEMPORARY PAVEMENT MARKING - LINE 4"	FOOT	7,969	7,969
70300240	TEMPORARY PAVEMENT MARKING - LINE 6"	FOOT	1,252	1,252
70300260	TEMPORARY PAVEMENT MARKING - LINE 12"	FOOT	552	552
70300280	TEMPORARY PAVEMENT MARKING - LINE 24"	FOOT	165	165
70301000	WORK ZONE PAVEMENT MARKING REMOVAL	SO FT	455	455

SUMMARY OF QUANTITIES				0005 ROADWAY 70% STP 30% LA
* CODE NO	PAY ITEM	UNIT	QUANTITY	
* 72000100	SIGN PANEL - TYPE I	SO FT	9	9
* 72900100	METAL POST - TYPE A	FOOT	30	30
* 78000200	THERMOPLASTIC PAVEMENT MARKING - LINE 4"	FOOT	13,281	13,281
* 78000400	THERMOPLASTIC PAVEMENT MARKING - LINE 6"	FOOT	1,042	1,042
* 78000600	THERMOPLASTIC PAVEMENT MARKING - LINE 12"	FOOT	240	240
* 78004200	PREFORMED PLASTIC PAVEMENT MARKING, TYPE B - INLAID - LETTERS AND SYMBOLS	SO FT	630	630
* 78004230	PREFORMED PLASTIC PAVEMENT MARKING, TYPE B - INLAID - LINE 6"	FOOT	1,044	1,044
* 78004250	PREFORMED PLASTIC PAVEMENT MARKING, TYPE B - INLAID - LINE 12"	FOOT	680	680
* 78004280	PREFORMED PLASTIC PAVEMENT MARKING, TYPE B - INLAID - LINE 24"	FOOT	274	274
78300200	RAISED REFLECTIVE PAVEMENT MARKER REMOVAL	EACH	100	100
* 88600600	DETECTOR LOOP REPLACEMENT	FOOT	597	597
X4060826	POLYMERIZED LEVELING BINDER (MACHINE METHOD), IL-4.75, N50	TON	1,664	1,664
X2800510	INLET FILTER CLEANING	EACH	68	68
X6026050	SANITARY MANHOLES TO BE ADJUSTED	EACH	1	1
X6030310	FRAMES AND LIDS TO BE ADJUSTED (SPECIAL)	EACH	6	6
Z0004530	HOT-MIX ASPHALT DRIVEWAY PAVEMENT, 8"	SO YD	128	128
Z0013798	CONSTRUCTION LAYOUT	L SUM	1	1
Z0018400	DRAINAGE STRUCTURES TO BE ADJUSTED	EACH	28	28
Z0030850	TEMPORARY INFORMATION SIGNING	SO FT	402	402
Z0042002	POROUS GRANULAR EMBANKMENT, SUBGRADE	CU YD	50	50
** Z0076600	TRAINEES	HOURL	500	500

* SPECIALTY ITEM
** TRAINEES CONSTRUCTION TYPE CODE = 0042


FILE NAME = g:\veh11\8039\road\sheets\0-182A-S00.SHT	USER NAME = .USER.	DESIGNED -	REVISED - 11/8/11
		DRAWN - CEC	REVISED -
		CHECKED - DWB	REVISED -
		DATE - 9/9/2011	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION


STATE PARKWAY SUMMARY OF QUANTITIES			
NOT TO SCALE	SHEET NO. 1 OF 1 SHEETS	STA.	TO STA.

F.A.U. RTE. 1103	SECTION 11-00106-00-RS	COUNTY COOK	TOTAL SHEETS 19	SHEET NO. 3
FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT				

CONTRACT NO. 63637





- NOTES:
- 1) CLASS D PATCHES, 9' AS DIRECTED BY ENGINEER
 - 2) EXISTING PAVEMENT FROM STATION 112+62 TO STATION 127+30 FROM THE EDGE OF PAVEMENT TO 1' INSIDE EDGE OF PAVEMENT SHALL BE REMOVED AS PAVEMENT REMOVAL (SEE TYPICAL SECTIONS).
 - 3) REMOVAL AND DISPOSAL OF THE MATERIAL UNDER THE PROPOSED CURB AND GUTTER, HMA BIKE PATH, SIDEWALK AND DRIVEWAYS IN ORDER TO CONSTRUCT THE PROPOSED SUB-BASE GRANULAR MATERIAL, TYPE B 2" OR AGGREGATE BASE COURSE, TYPE B 9" SHALL BE PAID FOR AS EARTH EXCAVATION.
 - 4) THE SLOPE OF THE DRIVEWAYS AND APRONS SHOULD BE NO MORE THAN A MAXIMUM OF 8%.
 - 5) DETECTABLE WARNINGS SHALL BE ARMOR TILE MANUFACTURED BY ENGINEERED PLASTICS OR APPROVED EQUAL.
 - 6) ALL EXISTING DRAINAGE STRUCTURES WHICH ARE TO BE ADJUSTED SHALL BE CLEANED IN ACCORDANCE WITH ARTICLE 602.15 OF THE STANDARD SPECIFICATIONS. THE CONTRACTOR AND THE ENGINEER OR REPRESENTATIVE OF THE ENGINEER SHALL INSPECT ALL STRUCTURES PRIOR TO CONSTRUCTION, NOTING THE EXISTING CONDITION. THE COST OF THIS WORK SHALL BE INCLUDED IN THE COST OF THE RESPECTIVE ITEM TO BE ADJUSTED.



- LEGEND**
- [A] DRAINAGE STRUCTURE TO BE ADJUSTED
 - [AS/P] FRAMES AND LIDS TO BE ADJUSTED, SPECIAL
 - [VVA] VALVE VAULTS TO BE ADJUSTED
 - [SANA] SANITARY MANHOLES TO BE ADJUSTED
 - [Hatched Box] SODDING, SALT TOLERANT TOPSOIL FURNISH AND PLACE, 6"

FILE NAME = g:\ch11\0039\road\sheet\PP-281.shx	USER NAME = .USER.	DESIGNED - CEC	REVISED - 11/8/11	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	STATE PARKWAY IMPROVEMENT PLAN	F.A.U. RTE. 1103	SECTION 11-00106-00-R5	COUNTY COOK	TOTAL SHEETS 19	SHEET NO. 6	
PLOT SCALE = 50.00' / 1" IN.	CHECKED - DWB	DATE - 9/9/2011	SCALE: 1"=50'			SHEET NO. 1 OF 2 SHEETS	STA. 100+57 TO STA. 129+00	CONTRACT NO. 63637			
PLOT DATE = 9/8/2011	DATE - 9/9/2011							FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT			

- NOTES: 1) CLASS D PATCHES, 9" AS DIRECTED BY ENGINEER
 2) REMOVAL AND DISPOSAL OF THE MATERIAL UNDER THE PROPOSED CURB AND GUTTER, HMA BIKE PATH, SIDEWALK, AND DRIVEWAYS IN ORDER TO CONSTRUCT THE PROPOSED SUB-BASE GRANULAR MATERIAL, TYPE B 2" OR AGGREGATE BASE COURSE TYPE B, 9" SHALL BE PAID FOR AS EARTH EXCAVATION.
 3) THE SLOPE OF THE DRIVEWAYS AND APRONS SHOULD BE NO MORE THAN A MAXIMUM OF 8%.
 4) DETECTABLE WARNINGS SHALL BE ARMOR-TILE MANUFACTURED BY ENGINEERED PLASTICS OR APPROVED EQUAL.
 5) ALL EXISTING DRAINAGE STRUCTURES WHICH ARE TO BE ADJUSTED SHALL BE CLEANED IN ACCORDANCE WITH ARTICLE 602.15 OF THE STANDARD SPECIFICATIONS. THE CONTRACTOR AND THE ENGINEER OR REPRESENTATIVE OF THE ENGINEER SHALL INSPECT ALL STRUCTURES PRIOR TO CONSTRUCTION, NOTING THE EXISTING CONDITION. THE COST OF THIS WORK SHALL BE INCLUDED IN THE COST OF THE RESPECTIVE ITEM TO BE ADJUSTED.



FILE NAME = g:\ch11\0839\road\sheet\pp-282.sht	USER NAME = _USER_	DESIGNED - CEC	REVISED - 11/8/11	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	STATE PARKWAY IMPROVEMENT PLAN	F.A.U. RTE. 1103	SECTION 11-00106-00-RS	COUNTY COOK	TOTAL SHEETS 19	SHEET NO. 7	
PLOT SCALE = 50.00' / 1"	CHECKED - DWB	REVISOR -	SCALE: 1"=50'			SHEET NO. 2 OF 2 SHEETS	STA. 129+00 TO STA. 154+38	CONTRACT NO. 63637		FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT	
PLOT DATE = 9/8/2011	DATE - 9/9/2011	REVISOR -									