

HOT-MIX ASPHALT SCHEDULE

LOCATION	REMARKS	BITUMINOUS										
		PAVEMENT			HMA SHOULDER							
		LENGTH	WIDTH	AREA	HMA AVE WIDTH/DEPTH				HMA AREA	AGG BS CRS AVE WIDTH		AGG AREA
STATION TO STATION	FT	FT	SQ YD	FT - LT SIDE	INCH - LT SIDE	FT - RT SIDE	INCH - RT SIDE	SQ YD	FT - LT SIDE	FT - RT SIDE	SQ YD	
308 + 45.00 - 308 + 57.50		12.50	26	36.1	6.81	8	9.62	8	22.8	7.81	10.62	25.6
308 + 57.50 - 309 + 25.00	Taper	67.50	26	195.0	7.00	8	14.97	8	164.8	8.00	15.97	179.8
309 + 25.00 - 310 + 29.37		104.37	26	301.5	13.62	9.58	10.47	9.10	279.4	14.62	11.47	302.6
310 + 29.37 - 312 + 61.87	BRIDGE OMISSION	232.50										
312 + 61.87 - 313 + 95.00		133.13	26	384.6	12.11	9.52	11.78	9.31	313.6	13.11	12.78	339.9
313 + 95.00 - 314 + 62.50	Taper	67.50	26	195.0	13.56	8.09	3.33	8	126.6	14.56	4.33	141.6
314 + 62.50 - 315 + 30.44		67.94	26	196.3	7.90	8	1.48	8	70.8	8.90	2.48	85.9
322 + 00.00 - 322 + 82.50		82.50	26	238.3	2.30	8	1.99	8	39.3	3.30	2.99	57.7
322 + 82.50 - 323 + 50.00	Taper	67.50	26	195.0	3.99	9.15	5.21	9.01	69.1	4.99	6.21	84.1
323 + 50.00 - 328 + 20.00		470.00	26	1357.8	10.73	10.15	11.74	10.17	1173.6	11.73	12.74	1278.1
328 + 20.00 - 328 + 87.50	Taper	67.50	26	195.0	2.31	8.31	3.61	8.42	44.4	3.31	4.61	59.4
328 + 87.50 - 329 + 50.00		62.50	26	180.6	2.29	8	2.55	8	33.6	3.29	3.55	47.5
415 + 25.00 - 416 + 07.50		82.50	26	238.3	7.03	8	7.00	8	128.6	8.03	8.00	146.9
416 + 07.50 - 416 + 75.00	Taper	67.50	26	195.0	7.00	8	7.00	8	105.0	8.00	8.00	120.0
416 + 75.00 - 419 + 65.63		290.63	26	839.6	9.27	8	10.08	8	624.9	10.27	11.08	689.4
419 + 65.63 - 421 + 43.63	BRIDGE OMISSION	178.00										
421 + 43.63 - 423 + 50.00		206.37	26	596.2	10.84	8	9.96	8	442.2	11.84	10.96	484.7
423 + 50.00 - 424 + 17.50	Taper	67.50	26	195.0	7.00	8	7.01	8	105.1	8.00	8.01	120.1
424 + 17.50 - 425 + 00.00		82.50	26	238.3	7.00	8	7.00	8	128.4	8.00	8.00	146.7

LOCATION	REMARKS	35100100		40600525		40600625		40600990		40603310		44000155		48101200		48203023		Z0028415	
		AGGREGATE BASE COURSE, TYPE A	BIT MAT'L'S (PRIME COAT) 2 APPLICATION	AGGREGATE (PRIME COAT) 1 APPLICATION	LEVELING BINDER (HM) N50	VOLUME OF VAR. DEPTH LEVEL BINDER	LEVELING BINDER (MM) N50	TEMPORARY RAMP	HMA SURF CSE MIX "C" N50 (HMA SHOULDERS)	HMA SURF CSE MIX "C" N50 (PAVEMENT)	ESTIMATED DEPTH OF MILLING	HOT-MIX ASPHALT SURFACE REMOVAL, 1	AREA FOR AGGREGATE SHOULDERS, TYPE B	AGGREGATE SHOULDERS, TYPE B	HOT-MIX ASPHALT SHOULDERS, 6 1/2"	GEOTECHNICAL REINFORCEMENT			
		TON	TON	TON	TON	CU YD	TON	SQ YD	TON	TON	INCH	SQ YD	SQ YD	TON	SQ YD	SQ YD			
308 + 45.00 - 308 + 57.50		8.75	0.02	0.05	0.04	---	---	14.44	1.92	3.03	1.5	36.1	---	---	22.8	25.6			
308 + 57.50 - 309 + 25.00	Taper	61.44	0.11	0.29	0.19	1.053	2.12	---	13.85	16.38	0 - 1.5	130.0	---	---	164.8	179.8			
309 + 25.00 - 310 + 29.37		103.39	0.17	0.45	0.30	15.436	31.12	39.35	44.93	25.33	0	0	---	---	279.4	302.6			
310 + 29.37 - 312 + 61.87	BRIDGE OMISSION																		
312 + 61.87 - 313 + 95.00		116.13	0.22	0.58	0.38	21.061	42.46	41.53	57.73	32.31	0	0	---	---	313.6	339.9			
313 + 95.00 - 314 + 62.50	Taper	48.39	0.11	0.29	0.19	1.053	2.12	---	11.15	16.38	0 - 1.5	130.0	24.2	11.01	126.6	141.6			
314 + 62.50 - 315 + 30.44		29.35	0.11	0.29	0.19	---	---	14.44	5.95	16.49	1.5	196.3	33.6	15.28	70.8	85.9			
322 + 00.00 - 322 + 82.50		19.70	0.14	0.36	0.23	---	---	14.44	3.30	20.02	1.5	238.3	48.0	21.88	39.3	57.7			
322 + 82.50 - 323 + 50.00	Taper	28.72	0.11	0.29	0.19	1.053	2.12	---	9.94	16.38	0 - 1.5	130.0	39.8	18.11	69.1	84.1			
323 + 50.00 - 328 + 20.00		436.68	0.78	2.04	1.34	37.263	75.12	---	240.58	114.05	0	0	15.2	6.93	1173.6	1278.1			
328 + 20.00 - 328 + 87.50	Taper	20.29	0.11	0.29	0.19	1.053	2.12	---	4.66	16.38	0 - 1.5	130.0	69.9	31.83	44.4	59.4			
328 + 87.50 - 329 + 50.00		16.24	0.10	0.27	0.18	---	---	14.44	2.82	15.17	1.5	180.6	50.1	22.83	33.6	47.5			
415 + 25.00 - 416 + 07.50		50.19	0.14	0.36	0.23	---	---	14.44	10.80	20.02	1.5	238.3	---	---	128.6	146.9			
416 + 07.50 - 416 + 75.00	Taper	41.01	0.11	0.29	0.19	1.053	2.12	---	8.82	16.38	0 - 1.5	130.0	---	---	105.0	120.0			
416 + 75.00 - 419 + 65.63		235.56	0.48	1.26	0.83	213.337	430.09	14.44	52.49	70.53	0	0	---	---	624.9	689.4			
419 + 65.63 - 421 + 43.63	BRIDGE OMISSION																		
421 + 43.63 - 423 + 50.00		165.60	0.34	0.89	0.59	221.338	446.22	14.44	37.14	50.08	0	0	---	---	442.2	484.7			
423 + 50.00 - 424 + 17.50	Taper	41.03	0.11	0.29	0.19	1.053	2.12	---	8.83	16.38	0 - 1.5	130.0	---	---	105.1	120.1			
424 + 17.50 - 425 + 00.00		50.12	0.14	0.36	0.23	---	---	14.44	10.78	20.02	1.5	238.3	---	---	128.4	146.7			
TOTALS		1,472.58	3.3	8.7	6		1,038	196	526	485		1,908		128	3,872	4,310			