




F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
326	(5CS,13C,108,109R)	KENDALL	931	411
STA.		TO STA.		
FED. ROAD DIST. NO.		ILLINOIS FED. AID PROJECT		

- [P181] STORM SEWER, CL.A, R.G., 1050
58.709m AT 0.90%
- [P184] STORM SEWER, CL.A, R.G., 1050
58.709m AT 0.90%
- [P187] STORM SEWER, CL.A, R.G., 1050
51.709m AT 0.90%
- [P190] STORM SEWER, CL.A, R.G., 1050
25.709m AT 0.90%
- [P182] STORM SEWER, CL.A, R.G., 300
19.647m AT 2.0%
- [P185] STORM SEWER, CL.A, R.G., 300
19.647m AT 2.0%
- [P188] STORM SEWER, CL.A, R.G., 300
19.647m AT 2.0%
- [P189] STORM SEWER, CL.A, R.G., 300
1.982m AT 2.0%
- [P183] STORM SEWER, CL.A, R.G., 300
1.832m AT 2.0%
- [P186] STORM SEWER, CL.A, R.G., 300
1.982m AT 2.0%



- [182] INLET TY. A, TY. 3V F&G
STA. 19+205, 10.067m LT.
GRATE 209.639
INV. 208.750
- [184] MH. TY. A, 1.8m DIA.,
TY. 8 GRATE
STA. 19+205, 13.35m RT.
GRATE 209.349
INV. (N,S) 207.410
INV. (W) 208.282
- [186] INLET TY. B, TY. 3V F&G
STA. 19+265, 10.217m RT.
GRATE 208.847
INV. 207.558
- [188] INLET TY. A, TY. 3V F&G
STA. 19+318, 10.067m LT.
GRATE 208.096
INV. 207.207
- [183] INLET TY. B, TY. 3V F&G
STA. 19+205, 10.217m RT.
GRATE 209.633
INV. 208.344
- [185] INLET TY. A, TY. 3V F&G
STA. 19+265, 10.067m LT.
GRATE 208.853
INV. 207.964
- [187] MH. TY. A, 1.8m DIA.,
TY. 1 FRAME, CL. LID
STA. 19+265, 13.5m RT.
GRATE 209.949
INV. (S) 206.870
INV. (N) 206.565
INV. (W) 207.493
- [189] INLET TY. B, TY. 3V F&G
STA. 19+318, 10.217m RT.
GRATE 208.089
INV. 206.801
- [190] MH. TY. A, 1.8m DIA.,
TY. 1 FRAME, CL. LID
STA. 19+318, 13.5m RT.
GRATE 208.466
INV. (S) 206.088
INV. (N) 205.478
INV. (W) 206.736



FILE: 411stn47_08.dgn
PLOTID: 8/11/2011
Sheet: 3
Angle: 93.9081
Color: P1147