

RIPRAP SCHEDULE				
APPROXIMATE STATION	APPROXIMATE OFFSET	APPROXIMATE DIMENSIONS LENGTH x WIDTH	STONE RIPRAP, CL A4	FILTER FABRIC
			TON	SQ YD
965+50	46' RT	20' x 16'	32	73
968+20 TO 970+20	48' RT TO 28' RT	200' x 16'	326	733
TOTAL			358	806

REMOVAL SCHEDULE				
LOCATION	PAVEMENT REMOVAL	APPROACH SLAB REMOVAL	PAVED SHOULDER REMOVAL	BRIDGE APPROACH SHOULDER REMOVAL
STA TO STA	SQ YD	SQ YD	SQ YD	SQ YD
WEST OF STRUCTURE	22	74	9	38
EAST OF STRUCTURE	22	74	9	38
TOTAL	44	148	18	76

MAINLINE SCHEDULE												
LOCATION		LENGTH	PVMT AREA	HMA SURF CSE	LEVEL BINDER (MM)	HMA BINDER CSE	HMA SURF REM BUTT JT	HMA SURF REM VAR DEPTH	TEMP RAMP	BIT MAT (PR CT)	MIX FOR CRACKS, JOINTS & FLGWYS	LEVEL BINDER (HM)
STA TO STA		FOOT	SQ YD	TON	TON	TON	SQ YD	SQ YD	SQ YD	POUNDS	TON	TON
964+35 TO 965+47.8	BUTT JOINT	112.8	401.1	33.7	16.8		213.3		13.3	271	0.1	0.2
965+47.8 TO 966+59.86		112.06	398.4	33.5	17.3	95.8				269	0.1	0.2
	SN 006-0140											
968+60.24 TO 969+50.5		90.26	320.9	27.0	13.9	74.2				217	0.1	0.2
969+50.5 TO 970+24	BUTT JOINT	73.5	261.3	21.9	11.0		213.3		13.3	176	0.1	0.1
964+35 TO 966+59.86	LEFT SHOULDER*	224.86						99.9				
968+60.24 TO 970+24	LEFT SHOULDER*	163.76						72.8				
TOTAL			1381.7	116.1	59	170	426.6	172.7	26.6	933	0.4	0.7

* SEE SHOULDER DETAIL

GUARDRAIL STABILIZATION	
LOCATION	HMA STABILIZATION 6" AT STEEL PLATE BEAM GUARDRAIL
STA TO STA	SQ YD
NW QUADRANT	47
SW QUADRANT	47
NE QUADRANT	43
SW QUADRANT	46
TOTAL	183

SEEDING SCHEDULE					
	SEEDING CL 3	EROSION CONTROL BLANKET	NIT FERT NUT	PHOS FERT NUT	POT FERT NUT
DESCRIPTION	ACRE	SQ YD	LB	LB	LB
SW QUADRANT	0.176	852.3	15.8	15.8	15.8
SE QUADRANT	0.106	511.1	9.5	9.5	9.5
NW QUADRANT	0.095	459.1	8.6	8.6	8.6
NE QUADRANT	0.139	674.0	12.5	12.5	12.5
TOTAL	0.516	2496.5	46.4	46.4	46.4

BRIDGE APPROACH PAVEMENT CONNECTOR (FLEXIBLE)	
LOCATION	SQ YD
966+65.86 TO 966+95.86	23.4
968+24.24 TO 968+54.24	23.4
TOTAL	46.8