

FRAME & GRATE TO BE ADJUSTED
STA. 61+60.39 29.6' LT
1.0 EACH

REMOVE EXISTING CONCRETE MEDIAN
& REPLACE WITH CONCRETE MEDIAN,
TYPE SM (DOWELLED)

CURB REMOVAL (SPECIAL)

PRECAST REINFORCED CONCRETE
FLARED END SECTION, 36" (TYP.)
INV= 844.68
1.0 EACH

FRAME & GRATE TO BE ADJUSTED
STA. 65+20.56 28.5' LT
1.0 EACH

TYPE E INLET BOX
STANDARD 610001 (SPECIAL)
STA. 65+75.13 32.3' RT
PROP \bar{H} = 857.74
PROP INV= 855.07
1.0 EACH

EXISTING R.O.W.

CONCRETE CURB, TYPE B

PIPE CULVERT, CLASS A,
TYPE 2 36" - 8.0'

CONCRETE COLLAR
0.69 CU YD/ EACH

TREE REMOVAL

MATCHLINE STA. 60+00.00

MATCHLINE STA. 66+00.00

F.A.P. 704 WESTBOUND

F.A.P. 704 EASTBOUND

CLASS SI CONCRETE OUTLET
2.08 CU YD - SEE DETAIL SHEET 142

PIPE DRAIN 12" - 20.0'
SEE DETAIL SHEET 144

EXISTING R.O.W.

CLASS A4 RIPRAP
20.7 SQ YD

EXISTING STRUCTURE:
4'X6' R.C. BOX CULVERT
STA. 63+94.35 0° SKEW

INSERTION CULVERT LINER 36"
84' - SEE DETAIL SHEET 138

CONCRETE COLLAR
0.69 CU YD/ EACH

PRECAST REINFORCED CONCRETE
FLARED END SECTION, 36" (TYP.)
INV= 841.95
1.0 EACH

CLASS A4 RIPRAP
25.7 SQ YD





CAST IN PLACE CONCRETE
THRUST BLOCK, 2'X2'X2', 1.0 EACH

CONCRETE COLLAR
0.03 CU YD
METAL END SECTION, 12"
INV.= 851.63
1.0 EACH

PAVED DITCH REMOVAL - 31.0'

PIPE CULVERT, CLASS A,
TYPE 2 36" - 8.0'

CLASS A4 RIPRAP
20.7 SQ YD

-  STONE RIPRAP, CLASS A4, 16" W/
6" BEDDING STONE & FILTER FABRIC
-  HMA SURFACE REMOVAL, 1 1/2"
-  PCC SURFACE REMOVAL, 3/4"
-  CONCRETE MEDIAN REMOVAL

FILE NAME : c:\pwork\p\p\p\p\dodgema\08267571\0570338\shs-plan-BUS55.dgn	USER NAME : dodgema	DESIGNED : -	REVISED : -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	BUS 55 PLAN SHEET			F.A.P. RTE. 704	SECTION 157-7/RS-1&RS-3	COUNTY McLean	TOTAL SHEETS 273	SHEET NO. 62
PLOT SCALE : 1/4" = 40.0000'	CHECKED : -	REVISIONS : -	DATE : -		SCALE: 1" = 20'	SHEET 14	OF 18 SHEETS	STA. 60+00.00	TO STA. 66+00.00	CONTRACT NO. 70838		
PLOT DATE : 6/11/2014	DATE : -	REVISIONS : -	DATE : -		ILLINOIS FED. AID PROJECT							