





SECTION AT CURB



CURB SECTION AT MAIN SPAN




CURB SECTION AT VAULTED SPAN



SECTION A-A SHOWING REMOVAL


Hatched area indicates Concrete and Exp. Joint Removal. The cost of removing the existing steel in the expansion joints shall be included with Concrete Removal.



BILL OF MATERIAL (2 JOINTS)

BAR	NO.	SIZE	LENGTH	SHAPE
a(E)	40	#6	15'-0"	—
a1(E)	12	#6	4'-0"	┌
d1(E)	16	#5	3'-6"	┌
d2(E)	16	#4	2'-1"	┌
d3(E)	16	#4	4'-6"	┌
x(E)	62	#5	2'-4"	┌
Concrete Superstructure			Cu. Yd.	5.5
Reinforcement Bars (Epoxy Coated)			Lbs.	1,240
Silicone Joint Sealer			Fl.	59
Polymer Concrete			Cu. Fl.	4.2


Reinforcement bars designated (E) shall be Epoxy Coated



SILICONE JOINT SEALER DETAIL



END TREATMENT



PROPOSED SECTION A-A

① See Sh.#3 of 4 for Stage Construction

DETAILS
C.H. 15 (FARMINGDALE RD) OVER F.A.I. RTE. 72
DISTRICT 6 RESURFACING 2001 & 3I-7
SANGAMON COUNTY
STATION 393+63.08
STR. NO 084-0145

FOR INFORMATION ONLY