

| AGGREGATE (PRIME COAT) | | | | | | |
|---|---------------|--------------|--------------|----------------|--|--|
| LOCATION | LENGTH (FOOT) | WIDTH (FOOT) | AREA (SQ YD) | QUANTITY (TON) | | |
| STA 734+05.88 TO STA 737+82.88 | 377.00 | VARIES | 1,467.66 | 2.9 | | |
| STA 737+82.88 TO STA 747+37.14 | 954.26 | 26 | 2,756.75 | 5.5 | | |
| STA 747+37.14 TO STA 750+12.49 | 275.35 | VARIES | 902.50 | 1.8 | | |
| STA 750+12.49 TO STA 752+03.47 | 190.98 | 32 | 679.04 | 1.4 | | |
| OMISSION: STA 752+03.47 TO STA 759+98.44 | | | | | | |
| STA 759+98.44 TO STA 765+20.17 | 521.73 | VARIES | 1,767.85 | 3.5 | | |
| STA 765+20.17 TO STA 785+68.95 | 2,048.78 | 26 | 5,918.70 | 11.8 | | |
| STA 785+68.95 TO STA 789+28.86 | 359.91 | VARIES | 1,148.38 | 2.3 | | |
| OMISSION: STA 789+28.86 TO STA 791+35.99 | | | | | | |
| STA 791+35.99 TO STA 793+95.04 | 259.05 | VARIES | 859.75 | 1.7 | | |
| STA 793+95.04 TO STA 825+58.82 | 3,163.78 | 26 | 9,139.81 | 18.3 | | |
| STA 825+58.82 TO STA 839+99.07 | 1,440.25 | VARIES | 5,678.05 | 11.4 | | |
| STA 839+99.07 TO STA 843+20.70 | 321.63 | 26 | 929.15 | 1.9 | | |
| STA EQN: STA 843+20.70(BK) = STA 843+21.23 (AH) | | | | | | |
| STA 843+21.23 TO STA 891+26.09 | 4,804.86 | 31 | 16,550.07 | 33.1 | | |
| STA 891+26.09 TO STA 891+89.52 | 63.43 | 26 | 183.24 | 0.4 | | |
| STA 891+89.52 TO STA 893+65.32 | 175.80 | 31 | 605.53 | 1.2 | | |
| STA 893+65.32 TO STA 905+45.03 | 1,179.71 | 26 | 3,408.05 | 6.8 | | |
| STA 905+45.03 TO STA 906+48.19 | 103.16 | 31 | 355.33 | 0.7 | | |
| STA 906+48.19 TO STA 908+09.02 | 160.83 | 36 | 643.32 | 1.3 | | |
| STA 908+09.02 TO STA 909+11.87 | 102.85 | 31 | 354.26 | 0.7 | | |
| STA 909+11.87 TO STA 940+61.30 | 3,149.43 | 26 | 9,098.35 | 18.2 | | |
| STA EQN: STA 940+61.30(BK) = STA 940+66.53 (AH) | | | | | | |
| STA 940+66.53 TO STA 1004+06.48 | 6,339.95 | 26 | 18,315.41 | 36.6 | | |
| STA 1004+06.48 TO STA 1021+25.21 | 1,718.73 | 29 | 5,538.13 | 11.1 | | |
| STA 1021+25.21 TO STA 1043+34.67 | 2,209.46 | 26 | 6,382.88 | 12.8 | | |
| STA 1043+34.67 TO STA 1061+56.46 | 1,821.79 | 29 | 5,870.21 | 11.7 | | |
| STA 1061+56.46 TO STA 1100+83.60 | 3,927.14 | 26 | 11,345.07 | 22.7 | | |
| TOTAL: | | | | 219.8 | | |

| EXCAVATING AND GRADING EXISTING SHOULDER | | | | |
|--|---------------|-----------------|--|-------------|
| LOCATION | LENGTH (FOOT) | QUANTITY (UNIT) | | |
| LT STA 734+24.71 TO STA 737+05.69 | 281 | 2.81 | | |
| OMISSION: STA 752+03.47 TO STA 759+98.44 | | | | |
| LT STA 760+17.75 TO LT STA 761+82.02 | 164 | 1.64 | | |
| RT STA 760+17.75 TO RT STA 761+22.86 | 105 | 1.05 | | |
| RT STA 787+56.08 TO RT STA 789+28.86 | 173 | 1.73 | | |
| OMISSION: STA 789+28.86 TO STA 791+35.99 | | | | |
| RT STA 791+35.99 TO RT STA 792+68.66 | 133 | 1.33 | | |
| STA EQN: STA 843+20.70 (BK) = STA 843+21.23 (AH) | | | | |
| LT STA 889+50.28 TO LT STA 891+26.09 | 176 | 1.76 | | |
| LT STA 891+89.52 TO LT STA 893+65.32 | 176 | 1.76 | | |
| RT STA 905+45.03 TO RT STA 908+09.01 | 264 | 2.64 | | |
| LT STA 906+48.19 TO LT STA 909+11.89 | 264 | 2.64 | | |
| STA EQN: STA 940+61.30 (BK) = STA 940+66.53 (AH) | | | | |
| STA 1004+06.48 TO STA 1021+25.21 | 1,719 | 17.19 | | |
| STA 1043+34.67 TO STA 1061+56.46 | 1,822 | 18.22 | | |
| TOTAL: | | | | 52.8 |

| HMA SURFACE COURSE, 1 1/2" | | | | | | |
|---|---------------|--------------|--------------|----------------|----------------|-----|
| LOCATION | LENGTH (FOOT) | WIDTH (FOOT) | AREA (SQ YD) | THICKNESS (IN) | QUANTITY (TON) | |
| STA 734+05.88 TO STA 737+82.88 | 377.00 | 26 | 1,089.11 | 1.50 | 91 | |
| STA 737+82.88 TO STA 747+37.14 | 954.26 | 26 | 2,756.75 | 1.50 | 232 | |
| STA 747+37.14 TO STA 750+12.49 | 275.35 | 26 | 795.46 | 1.50 | 67 | |
| STA 750+12.49 TO STA 752+03.47 | 190.98 | 32 | 679.04 | 1.50 | 57 | |
| OMISSION: STA 752+03.47 TO STA 759+98.44 | | | | | | |
| STA 759+98.44 TO STA 765+20.17 | 521.73 | 26 | 1,507.22 | 1.50 | 127 | |
| STA 765+20.17 TO STA 785+68.95 | 2,048.78 | 26 | 5,918.70 | 1.50 | 497 | |
| STA 785+68.95 TO STA 789+28.86 | 359.91 | 26 | 1,039.74 | 1.50 | 87 | |
| OMISSION: STA 789+28.86 TO STA 791+35.99 | | | | | | |
| STA 791+35.99 TO STA 793+95.04 | 259.05 | 26 | 748.37 | 1.50 | 63 | |
| STA 793+95.04 TO STA 825+58.82 | 3,163.78 | 26 | 9,139.81 | 1.50 | 768 | |
| STA 825+58.82 TO STA 826+52.76 | 93.94 | 24 | 250.51 | 1.50 | 21 | |
| STA 826+52.76 TO STA 836+60.28 | 1,007.52 | 24 | 2,686.72 | 1.50 | 226 | |
| STA 836+60.28 TO STA 839+99.07 | 338.79 | 24.5 | 922.26 | 1.50 | 77 | |
| STA 839+99.07 TO STA 843+20.70 | 321.63 | 26 | 929.15 | 1.50 | 78 | |
| STA EQN: STA 843+20.70(BK) = STA 843+21.23 (AH) | | | | | | |
| STA 843+21.23 TO STA 889+50.29 | 4,629.06 | 26 | 13,372.84 | 1.50 | 1,123 | |
| STA 889+50.29 TO STA 891+26.09 | 175.80 | 25 | 488.33 | 1.50 | 41 | |
| STA 891+26.09 TO STA 891+89.52 | 63.43 | 26 | 183.24 | 1.50 | 15 | |
| STA 891+89.52 TO STA 893+65.32 | 175.80 | 25 | 488.33 | 1.50 | 41 | |
| STA 893+65.32 TO STA 905+45.03 | 1,179.71 | 26 | 3,408.05 | 1.50 | 286 | |
| STA 905+45.03 TO STA 906+48.19 | 103.16 | 25 | 286.56 | 1.50 | 24 | |
| STA 906+48.19 TO STA 908+09.02 | 160.83 | 24 | 428.88 | 1.50 | 36 | |
| STA 908+09.02 TO STA 909+11.87 | 102.85 | 25 | 285.69 | 1.50 | 24 | |
| STA 909+11.87 TO STA 940+61.30 | 3,149.43 | 26 | 9,098.35 | 1.50 | 764 | |
| STA EQN: STA 940+61.30(BK) = STA 940+66.53 (AH) | | | | | | |
| STA 940+66.53 TO STA 1004+06.48 | 6,339.95 | 26 | 18,315.41 | 1.50 | 1,538 | |
| STA 1004+06.48 TO STA 1021+25.21 | 1,718.73 | 25 | 4,774.25 | 1.50 | 401 | |
| STA 1021+25.21 TO STA 1043+34.67 | 2,209.46 | 26 | 6,382.88 | 1.50 | 536 | |
| STA 1043+34.67 TO STA 1061+56.46 | 1,821.79 | 25 | 5,060.53 | 1.50 | 425 | |
| STA 1061+56.46 TO STA 1100+83.60 | 3,927.14 | 26 | 11,345.07 | 1.50 | 953 | |
| SAFETY EDGE: | | | | 35,669.86 | 90.32 | 162 |
| TOTAL: | | | | | 8,762 | |

| REMOVE AND REERECT STEEL PLATE BEAM GUARDRAIL, TYPE A | | | | |
|---|--------|------------------------------------|----------|-----------|
| LOCATION | LENGTH | REM & RE-ERECT TBT TERM T1, SP TAN | MARKERS | |
| LT STA 890+00.00 TO LT STA 890+75.00 | 75 | 2 | 4 | |
| LT STA 892+39.00 TO LT STA 893+14.00 | 75 | 2 | 4 | |
| RT STA 905+95.00 TO RT STA 907+59.00 | 164 | 2 | 4 | |
| LT STA 906+98.00 TO LT STA 908+62.00 | 164 | 2 | 4 | |
| TOTAL: | | 478 | 8 | 16 |