

ALPHABETIC INDEX OF DISTRICT SPECIAL PROVISIONS

| <u>Item/Description</u> | <u>Standard Specification</u> | <u>Filename</u> |
|--|-------------------------------|-----------------|
| ADJUST EXISTING DETECTOR LOOP RISER | 886.01 | 88601 |
| AGGREGATE QUALITY | 1004.04 | 100404 |
| BACKFILL - PIPE CULVERTS | 542.04e | 54204e |
| BACKFILL, BUILDING REMOVAL | 550.07 | 55007 |
| CLEAN EXISTING PAVEMENT EDGE JOINT | 406.00 | 40600 |
| COARSE AGGREGATE FOR BITUMINOUS COURSES, CLASS A | 1004.03b | 100403b |
| CONCRETE HANDRAIL REMOVAL | 501.04 | 50104 |
| CONCRETE HEADWALL REMOVAL | 501.03 | 50103 |
| CONSTRUCTION LAYOUT RESPONSIBILITY | 105.01 | 10501 |
| CONSTRUCTION LAYOUT UTILIZING GPS EQUIPMENT | 105.02 | 10502 |
| CONSTRUCTION LAYOUT EQUIPMENT | 105.03 | 10503 |
| CONSTRUCTION STATION LAYOUT | 105.00 | 10500 |
| DATE OF COMPLETION | 108.05a | 10805a |
| DATE OF COMPLETION (PLUS WORKING DAYS) | 108.05b | 10805b |
| DETECTOR LOOPS, TYPE 1 | 886.00a | 88600a |
| DRAINAGE HOLES | 606.12 | 60612 |
| EMBANKMENT RESTRICTIONS | 205.04 | 20504 |
| EQUIPMENT VAULT FOR NUCLEAR TESTING EQUIPMENT | 670.05 | 67005 |
| FILLING EXISTING CULVERTS | 605.04a | 60504a |
| FILLING DRAINAGE STRUCTURES | 605.04b | 60504b |
| FILLING EXISTING INLETS | 605.04d | 60504d |
| FLAGGERS | 701.01 | 70101 |
| FLEXIBLE DELINEATOR MAINTENANCE | 635.00 | 63500 |
| FLEXIBLE DELINEATORS | 635.01 | 63501 |

ALPHABETIC INDEX OF DISTRICT SPECIAL PROVISIONS

| <u>Item/Description</u> | <u>Standard Specification</u> | <u>Filename</u> |
|---|-------------------------------|-----------------|
| FLOOR DRAIN EXTENSION | 503.12a | 50312a |
| GEOTECHNICAL REINFORCEMENT | 205.00 | 20500 |
| GRANULAR BACKFILL FOR STRUCTURES | 503.01 | 50301 |
| GROOVED-IN RUMBLE STRIP | 407.13 | 40713 |
| GROUT FOR USE WITH RIPRAP | 281.00 | 28100 |
| GUARD POST REMOVAL | 632.00 | 63200 |
| GUARDRAIL AGGREGATE EROSION CONTROL | 630.01 | 63001 |
| HOT-MIX ASPHALT JOINT TRIMMING | 440.04 | 44004 |
| HOT-MIX ASPHALT SHOULDER RESURFACING CONSTRUCTED SIMULTANEOUSLY WITH MAINLINE PAVING | 482.06 | 48206 |
| HOT-MIX ASPHALT SHOULDER RESURFACING REQUIRED TO BE CONSTRUCTED SIMULTANEOUSLY WITH MAINLINE PAVING | 482.05 | 48205 |
| HOT-MIX ASPHALT SURFACE COURSE SURFACE TESTS | 406.04a | 40604a |
| HOT-MIX ASPHALT SURFACE REMOVAL, *** (** MM) | 440.03a | 44003a |
| HOT-MIX ASPHALT SURFACE REMOVAL, *** (** MM) | 440.03b | 44003b |
| HOT-MIX ASPHALT – TRACKLESS TACK COAT (SPECIAL) OPTIONS | 406.07 | 40607 |
| INLET-MANHOLE, TYPE G-1, 4' (1.2 M) DIAMETER | 602.00d | 60200d |
| INLET-MANHOLE, TYPE G-1, 4' (1.2 M) DIAMETER, SPECIAL | 602.00e | 60200e |
| INLET-MANHOLE, TYPE G-1, 5' (1.5 M) DIAMETER | 602.00f | 60200f |
| INLET-MANHOLE, TYPE G-1, 5' (1.5 M) DIAMETER, DOUBLE, SPECIAL | 602.00h | 60200h |
| INLET-MANHOLE, TYPE G-1, 5' (1.5 M) DIAMETER, SPECIAL | 602.00g | 60200g |
| INLET-MANHOLE, TYPE G-1, 8' (2.4 M) DIAMETER, DOUBLE, SPECIAL | 602.00i | 60200i |
| INLETS, TYPE G-1 | 602.00a | 60200a |
| INLETS, TYPE G-1, DOUBLE | 602.00m | 60200m |
| INLETS, TYPE G-1, DOUBLE, SPECIAL | 602.00c | 60200c |
| INLETS, TYPE G-1, SPECIAL | 602.00b | 60200b |

ALPHABETIC INDEX OF DISTRICT SPECIAL PROVISIONS

| <u>Item/Description</u> | <u>Standard Specification</u> | <u>Filename</u> |
|---|-------------------------------|-----------------|
| INLETS, TYPE G-2 | 602.00l | 60200l |
| INLETS, TYPE "*", WITH SPECIAL FRAME AND GRATE | 602.00n | 60200n |
| ISLAND PAVEMENT CONSTRUCTED ON EXISTING PAVEMENT | 606.08 | 60608 |
| LINEAR DELINEATOR PANELS, 4 INCH | 782.01 | 78201 |
| LOCATION OF UNDERGROUND STATE MAINTAINED FACILITIES | 107.31 | 10731 |
| LONGITUDINAL JOINT REPAIR | 440.02 | 44002 |
| MAINTENANCE OF NAVIGATION | 107.13b | 10713b |
| MANHOLE TO BE ADJUSTED WITH NEW TYPE G-1 FRAME AND GRATE | 602.00j | 60200j |
| MANHOLE, TYPE A, OF THE DIAMETER SPECIFIED WITH SPECIAL FRAME AND GRATE | 602.00o | 60200o |
| MEMBRANE CURING METHOD | 1020.13 | 102013 |
| MISCELLANEOUS ELECTRICAL WORK | 886.02 | 88602 |
| MORTARED STONE WALL | 683.00 | 68300 |
| MOWING | 250.06a | 250.06a |
| MOWING | 250.06b | 250.06b |
| PARTIAL DEPTH PATCHING | 440.00 | 44000 |
| PAVEMENT DRAINAGE AFTER COLD MILLING | 440.03c | 44003c |
| PAVEMENT PATCHING WITH HOT-MIX ASPHALT SURFACE REMOVAL | 440.03e | 44003e |
| PCC AUTOMATIC BATCHING EQUIPMENT | 1103.03 | 110303 |
| PCC PLACEMENT BY PUMP REQUIREMENTS | 503.07 | 50307 |
| PCC QMP ELECTRONIC REPORTS SUBMITTAL | 1103.00 | 110300 |
| PCC SLIPFORM PAVING AGGREGATE OPTIMIZATION | 1004.00 | 100400 |
| PCC SUPERSTRUCTURE AGGREGATE OPTIMIZATION | 1004.02 | 100402 |
| PERMANENT SURVEY MARKER, TYPE I, BRIDGE PLACEMENT | 667.04 | 66704 |
| PERMANENT SURVEY TIES | 668.02 | 66802 |

ALPHABETIC INDEX OF DISTRICT SPECIAL PROVISIONS

| <u>Item/Description</u> | <u>Standard Specification</u> | <u>Filename</u> |
|---|-------------------------------|-----------------|
| PIPE CULVERTS (JACKED) | 542.02 | 54202 |
| PLUG EXISTING DECK DRAINS | 503.12 | 50312 |
| PROOF ROLLING | 301.01 | 30101 |
| PROTECTION OF FRAMES AND LIDS OF UTILITY STRUCTURES | 440.03 | 44003 |
| PROTECTION OF THE ILLINOIS RIVER | 107.13a | 10713a |
| PROTECTIVE COAT (SPECIAL) | 503.19 | 50319 |
| RAILROAD TIES REMOVAL AND DISPOSAL | 680.00a | 68000a |
| RAILROAD TRACK REMOVAL | 680.00 | 68000 |
| RECOVERABLE DELINEATORS | 635.02 | 63502 |
| REMOVAL OF ABANDONED UNDERGROUND UTILITIES | 105.07 | 10507 |
| REMOVE AND RELAY PIPE CULVERT (SPECIAL) | 542.01 | 54201 |
| REQUIREMENTS WHEN WORKING WITH THE RAILROAD | 107.12 | 10712 |
| RE-TIGHTENING ANCHOR BOLTS FOR CANTILEVER SIGN STRUCTURES | 733.00 | 73300 |
| RIGHT-OF-WAY RESTRICTIONS | 107.32 | 10732 |
| ROCKFILL | 311.00 | 31100 |
| GROOVED-IN V RUMBLE STRIP | 407.13 | 40713 |
| SAWCUTTING OF PCC BASE COURSE AND BASE COURSE WIDENING | 353.00 | 35300 |
| SEEDING, MINOR AREAS | 250.00 | 25000 |
| SEEDLINGS | 253.00b | 15300b |
| SEEPAGE COLLAR | 542.00 | 54200 |
| SIDEWALK DRAINS | 424.01 | 42401 |
| SLOPE WALL SLURRY PUMPING | 593.00 | 59300 |
| SOIL MODIFICATION | 302.00 | 30200 |
| STATUS OF UTILITIES/UTILITIES TO BE ADJUSTED | 105.07 | 10507 |

ALPHABETIC INDEX OF DISTRICT SPECIAL PROVISIONS

| <u>Item/Description</u> | <u>Standard Specification</u> | <u>Filename</u> |
|---|-------------------------------|-----------------|
| STEEL CASINGS (") INCHES | 561.00 | 56100 |
| STEEL CASINGS (") INCHES | 561.01 | 56101 |
| STEEL PIPE CULVERT, SPECIAL (JACKED) "" (* MM) | 552.00 | 55200 |
| STORM SEWER/PIPE CULVERT) JACKED IN PLACE *** (** MM) | 552.01 | 55201 |
| STORM SEWER (WATER MAIN QUALITY PIPE) | 550.00 | 55000 |
| SUBGRADE TREATMENT | 301.03 | 30103 |
| SURFACE FILLER (SPECIAL) | 503.02 | 50302 |
| TEMPORARY BASE COURSE WIDENING | 356.00 | 35600 |
| TEMPORARY CONCRETE BARRIER REFLECTORS | 704.00a | 70400a |
| TEMPORARY CONCRETE BARRIER, STATE OWNED & TEMPORARY CONCRETE BARRIER TERMINAL SECTIONS, STATE OWNED | 704.00d | 70400d |
| TEMPORARY INLET DRAINAGE TREATMENT | 602.00k | 60200k |
| TEMPORARY PAVEMENT | 355.00 | 35500 |
| TEMPORARY SIDEWALKS | 424.02 | 42402 |
| TRAFFIC BARRIER TERMINALS | 631.11c | 63111c |
| TRAFFIC CONTROL AND PROTECTION STANDARD 701331 (SPECIAL) | 701.08b | 70108b |
| TRAFFIC CONTROL AND PROTECTION BLR 21 | 701.20 | 70120 |
| TRAFFIC CONTROL AND PROTECTION BLR 22 | 701.21 | 701.21 |
| TRAFFIC CONTROL PLAN | 701.00 | 70100 |
| TRENCH & BACKFILL, SPECIAL FOR CONDUIT INSTALLATION BENEATH BITUMINOUS SHOULDERS | 815.00 | 81500 |
| UTILITIES – LOCATIONS/INFORMATION ON PLANS | 105.07b | 10507b |
| WIDTH RESTRICTION SIGNING | 701.14 | 70114 |

s:\mgr1\winword\progdev\special provisions\district spec provs\district spec prov alpha list.doc