

# Index of Active Special Provisions

Monday, April 18, 2016

## A CHECKSHEET

### BDE SPECIAL PROVISIONS FOR THE JULY 29 AND SEPTEMBER 16, 2016 LETTINGS

Remarks Concerning Usage:

USE ON ALL JOBS. CHECKSHEET FOR BDE SPECS.

Category CONTRACT DOCUMENTS Document  
Status: SPRINGFIELD SPEC IN USE [2016JULY~1](#)  
Effective: 7/1/2016  
Revised:

### GUIDE BRIDGE SPECIAL PROVISIONS INDEX

Remarks Concerning Usage:

USE ON JOBS REQUIRING THE GUIDE BRIDGE SPECIAL PROVISIONS. THE ACTUAL SPECIAL PROVISIONS CAN BE FOUND ON THE IDOT INTERNET PAGE "DOING BUSINESS."

Category BRIDGES Document  
Status: SPRINGFIELD SPEC IN USE  
Effective: 7/27/2007  
Revised:

### SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS

Remarks Concerning Usage:

USE ON ALL JOBS. CHECK SHEET FOR SUPP SPECS.

Category CONTRACT DOCUMENTS Document  
Status: SPRINGFIELD SPEC IN USE [2016\\_INDE X](#)  
Effective: 4/1/2016  
Revised:

## BDE

### ACCESSIBLE PEDESTRIAN SIGNALS (APS)(BDE)

Remarks Concerning Usage:

USE ON ALL CONTRACTS USING APS.

WRITTEN SUPPORT OF LOCAL MUNICIPAL OFFICIALS WILL BE REQUIRED PRIOR TO APPROVING THE USE OF APS IN CONTRACTS.

Category TRAFFIC SIGNALS Document  
Status: SPRINGFIELD SPEC IN USE [80099](#)  
Effective: 4/1/2003  
Revised: 1/1/2014

**BDE**

**AGGREGATE SUBGRADE IMPROVEMENT (BDE)**

Remarks Concerning Usage:

USE IN ALL CONTRACTS UTILIZING AGGREGATE SUBGRADE IMPROVEMENTS. VERIFY THICKNESS WITH DISTRICT GEOTECH ENGINEER. BDE SPECIAL PROVISION "RECLAIMED ASPHALT PAVEMENT (RAP) AND RECLAIMED ASPHALT SHINGLES (RAS) SHOULD ALSO BE INCLUDED IN THE CONTRACT.

Category SUBGRADE Document  
Status: JOB-SPECIFIC USE ONLY [80274](#)  
Effective: 4/1/2012  
  
Revised: 4/1/2016

**AUTOMATED FLAGGER ASSISTANCE DEVICES (BDE)**

Remarks Concerning Usage:

USE ON TWO-LANE HIGHWAYS WHERE TWO-WAY TRAFFIC WILL BE MAINTAINED OVER ONE LANE OF PAVEMENT.

EXAMPLES BEING RURAL MILLING AND/OR RESURFACING PROJECTS, BRIDGE MAINTENANCE PROJECTS WHERE THE USE OF A FLAGGER IS REQUIRED.

Category TRAFFIC CONTROL Document  
Status: SPRINGFIELD SPEC IN USE [80192](#)  
Effective: 1/1/2008  
  
Revised:

**BITUMINOUS MATERIALS COST ADJUSTMENTS (BDE) (RETURN FORM WITH BID)**

Remarks Concerning Usage:

USE ON ALL PROJECTS WITH AT LEAST 1200 TONS (1100 METRIC TONS) OF APPLICABLE BITUMINOUS WORK. THE ADJUSTMENTS ARE APPLICABLE TO PERMANENT AND TEMPORARY HMA MIXTURES, BITUMINOUS SURFACE TREATMENTS (COVER AND SEAL COATS), AND PAVEMENT PRESERVATION TYPE

SURFACE TREATMENTS.

Category MATERIAL COST Document  
ADJUSTMENTS [80173](#)  
Status: SPRINGFIELD SPEC IN USE  
Effective: 11/2/2006  
  
Revised: 7/1/2015

**BRIDGE DEMOLITION DEBRIS (BDE)**

Remarks Concerning Usage:

USE IN CONTRACTS IN WHICH A UNIT OF LOCAL GOVERNMENT HAS EXPRESSED INTEREST IN THE DEBRIS AND HAS COORDINATED WITH THE DISTRICT BUREAU OF LOCAL ROADS & STREETS

Category BRIDGES AND STRUCTURES Document  
Status: SPRINGFIELD SPEC IN USE [80241](#)  
Effective: 7/1/2009  
  
Revised:

**BDE**

**BUILDING REMOVAL - CASE I (NON-FRIABLE AND FRIABLE ASBESTOS) (BDE)**

Remarks Concerning Usage:

FOR CASES WITH BOTH FRIABLE AND NON-FRIABLE ASBESTOS. CONSULT WITH DENNIS MARTIN CONCERNING INVESTIGATION.

Category ENVIRONMENTAL Document  
Status: SPRINGFIELD SPEC IN USE [5026i](#)  
Effective: 9/1/1990  
Revised: 4/1/2010

**BUILDING REMOVAL - CASE II (NON-FRIABLE ASBESTOS) (BDE)**

Remarks Concerning Usage:

FOR CASES WITH ONLY NON-FRIABLE ASBESTOS. CONSULT WITH DENNIS MARTIN CONCERNING INVESTIGATION.

Category ENVIRONMENTAL Document  
Status: SPRINGFIELD SPEC IN USE [5048i](#)  
Effective: 9/1/1990  
Revised: 4/1/2010

**BUILDING REMOVAL - CASE III (FRIABLE ASBESTOS) (BDE)**

Remarks Concerning Usage:

FOR CASES WITH ONLY FRIABLE ASBESTOS. CONSULT WITH DENNIS MARTIN CONCERNING INVESTIGATION.

Category ENVIRONMENTAL Document  
Status: SPRINGFIELD SPEC IN USE [5049i](#)  
Effective: 9/1/1990  
Revised: 4/1/2010

**BUILDING REMOVAL - CASE IV (NO ASBESTOS) (BDE)**

Remarks Concerning Usage:

INCLUDE ON CONTRACTS INVOLVING BUILDING REMOVAL WITH NO ASBESTOS ABATEMENT WHATSOEVER.

Category ENVIRONMENTAL Document  
Status: SPRINGFIELD SPEC IN USE [5053i](#)  
Effective: 9/1/1990  
Revised: 4/1/2010

**BDE**

**BUTT JOINTS (BDE)**

Remarks Concerning Usage:  
INCLUDE IN ALL HMA RESURFACING PROJECTS.

Category HMA RESURFACING Document  
Status: SPRINGFIELD SPEC IN USE [80366](#)  
Effective: 7/1/2016  
Revised:

**COARSE AGGREGATE QUALITY (BDE)**

Remarks Concerning Usage:  
USE ON ALL JOBS WITH HOT-MIX ASPHALT OR PORTLAND CEMENT CONCRETE

Category AGGREGATE Document  
Status: SPRINGFIELD SPEC IN USE [80360](#)  
Effective: 7/1/2015  
Revised:

**COMPLETION DATE (VIA CALENDAR DAYS) (BDE)**

Remarks Concerning Usage:  
SHOULD BE USED AT THE DISTRICT'S DISCRETION AND PER THE BDE PROCEDURE MEMORANDUM, "SELECTING CONTRACT TIME AND SELECTING PROJECT LETTING DATES."

Category CONTRACT DOCUMENTS Document  
Status: SPRINGFIELD SPEC IN USE [80198](#)  
Effective: 4/1/2008  
Revised:

**COMPLETION DATE (VIA CALENDAR DAYS) PLUS WORKING DAYS (BDE)**

Remarks Concerning Usage:  
USE D5 SPECIAL PROVISION INSTEAD

Category CONTRACT DOCUMENTS Document  
Status: SPRINGFIELD SPEC IN USE [80199](#)  
Effective: 4/1/2008  
Revised:

**CONCRETE BOX CULVERTS WITH SKEWS > 30 DEGREES AND DESIGN FILLS < or = 5 FEET (BDE)**

Remarks Concerning Usage:  
USE ON ALL CONTRACTS WITH SKEW >30 DEGREES AND DESIGN FILL LESS THAN OR EQUAL TO 5 FEET.

Category BOX CULVERTS Document  
Status: APPROVED WITHOUT RESTRICTION [80293](#)  
Effective: 4/1/2012  
Revised: 7/1/2016

**BDE**

**CONCRETE END SECTIONS FOR PIPE CULVERTS (BDE)**

Remarks Concerning Usage:  
INSERT IN CONTRACTS USING HIGHWAY STANDARDS 542001 OR 542011

Category: CULVERTS Document  
Status: SPRINGFIELD SPEC IN USE [80311](#)  
Effective: 1/1/2013  
Revised: 4/1/2016

**CONCRETE MIX DESIGN - DEPARTMENT PROVIDED (BDE)**

Remarks Concerning Usage:  
INCLUDE IN ALL PROJECTS INVOLVING CAST-IN-PLACE CONCRETE.

Category: CONCRETE Document  
Status: SPRINGFIELD SPEC IN USE [80277](#)  
Effective: 1/1/2012  
Revised: 4/1/2016

**CONSTRUCTION AIR QUALITY - DIESEL RETROFIT (BDE)**

Remarks Concerning Usage:  
THIS BDE SPECIAL PROVISION DOES NOT APPLY IN DISTRICT 5

Category: EQUIPMENT Document  
Status: SPRINGFIELD SPEC IN USE [80261](#)  
Effective: 7/1/2010  
Revised: 11/1/2014

**DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE)**

Remarks Concerning Usage:  
USE ON ALL CONTRACTS WITH DBE GOALS.

Category: CONTRACT DOCUMENTS Document  
Status: SPRINGFIELD SPEC IN USE [80029](#)  
Effective: 9/1/2000  
Revised: 1/2/2016

**ENGINEER'S FIELD OFFICE (BDE)**

Remarks Concerning Usage:  
USE IN CONTRACTS REQUIRING AN ENGINEER'S FIELD OFFICE

Category: FIELD OFFICE Document  
Status: SPRINGFIELD SPEC IN USE [80363](#)  
Effective: 4/1/2016  
Revised:

**BDE****EQUAL EMPLOYMENT OPPORTUNITY (BDE)**

Remarks Concerning Usage:  
INSERT IN ALL CONTRACTS

Category: CONTRACT DOCUMENTS Document  
Status: SPRINGFIELD SPEC IN USE [80358](#)  
Effective: 4/1/2015  
Revised:

**ERRATA FOR THE 2016 STANDARD SPECIFICATIONS (BDE)**

Remarks Concerning Usage:  
INSERT IN ALL CONTRACTS.

Category: STANDARD SPECIFICATIONS Document  
Status: SPRINGFIELD SPEC IN USE [80364](#)  
Effective: 4/1/2016  
Revised:

**FUEL COST ADJUSTMENT (BDE)**

Remarks Concerning Usage:  
USE IN ALL CONTRACTS WITH AT LEAST 25,000 CY (20,000 CM) OF EARTHWORK ITEMS; 5,000 TONS (4,500 METRIC TONS) OF APPL. AGGREGATE OR HMA BASE COURSES, PAVEMENT AND SHOULDER ITEMS; 7,500 SY (6,000 SM) OF APP. PCC BASE COURSES, PAVEMENT AND SHOULDER ITEMS;  
AND \$250,000 OF APPL. STRUCTURAL ITEMS. SEE DESIGNER NOTE FOR ADDITIONAL USES.

Category: MATERIAL COST ADJUSTMENTS Document  
Status: SPRINGFIELD SPEC IN USE [80229](#)  
Effective: 4/1/2009  
Revised: 7/1/2015

**GROOVING FOR RECESSED PAVEMENT MARKINGS (BDE)**

Remarks Concerning Usage:  
USE THE DISTRICT SPEC INSTEAD.

Category: PAVEMENT MARKING Document  
Status: SPRINGFIELD SPEC IN USE [80304](#)  
Effective: 11/1/2012  
Revised: 8/1/2014

**BDE**

**HOT-MIX ASPHALT - DENSITY TESTING OF LONGITUDINAL JOINTS (BDE)**

Remarks Concerning Usage:  
USE D5 SPECIAL "LONGITUDINAL JOINT DENSITY (D5-FG)" INSTEAD.

Category: HOT-MIX ASPHALT      Document  
Status: DON'T USE      [80246](#)  
Effective: 1/1/2010  
Revised: 4/1/2016

**HOT-MIX ASPHALT - PAY FOR PERFORMANCE USING PERCENT WITHIN LIMITS - JOBSITE SAMPLING (BDE)**

Remarks Concerning Usage:  
USE FOR INTERSTATE MAINLINE HIMA THAT HAS >8000 TONS PER MIX.

Category: HOT MIX ASPHALT      Document  
Status: SPRINGFIELD SPEC IN USE      [80347](#)  
Effective: 11/1/2014  
Revised: 4/1/2016

**LIGHT POLES (BDE)**

Remarks Concerning Usage:  
INCLUDE IN CONTRACTS REQUIRING LIGHT POLES.

Category: HIGHWAY LIGHTING      Document  
Status: SPRINGFIELD SPEC IN USE      [80367](#)  
Effective: 7/1/2016  
Revised:

**LIGHT TOWER (BDE)**

Remarks Concerning Usage:  
INCLUDE IN CONTRACTS REQUIRING LIGHT TOWERS.

Category: HIGHWAY LIGHTING      Document  
Status: SPRINGFIELD SPEC IN USE      [80368](#)  
Effective: 7/1/2016  
Revised:

**LONGITUDINAL JOINT AND CRACK PATCHING (BDE)**

Remarks Concerning Usage:  
USE ON ALL CONTRACTS INVOLVING LONGITUDINAL PARTIAL DEPTH PATCHING

Category: PATCHING      Document  
Status: SPRINGFIELD SPEC IN USE      [80336](#)  
Effective: 4/1/2014  
Revised:

**BDE**

**MAST ARM ASSEMBLY AND POLE (BDE)**

Remarks Concerning Usage:

INCLUDE IN CONTRACTS REQUIRING MASAT ARM ASSEMBLIES AND POLES.

Category HIGHWAY LIGHTING Document  
Status: SPRINGFIELD SPEC IN USE [80369](#)  
Effective: 7/1/2016  
Revised:

**MATERIAL TRANSFER DEVICE (BDE)**

Remarks Concerning Usage:

USE ON ALL INTERSTATE AND FULL-DEPTH HOT-MIX ASPHALT PAVING CONTRACTS.

CAN BE INSERTED ON OTHER HOT-MIX ASPHALT PROJECTS AT THE DISTRICT'S DISCRETION. SPECIAL PROVISION CONTAINS 3 FILL IN THE BLANK AREAS WHICH MUST BE DETERMINED BY THE DISTRICT.

Category HOT-MIX ASPHALT Document  
Status: SPRINGFIELD SPEC IN USE [80045](#)  
Effective: 6/15/1999  
Revised: 8/1/2014

**MECHANICAL SIDE TIE BAR INSERTER (BDE)**

Remarks Concerning Usage:

USE ON CONTRACTS WITH PORTLAND CEMENT CONCRETE PAVEMENT AND UTILIZING HIGHWAY STANDARD 420001.

Category CONCRETE PAVEMENT Document  
Status: SPRINGFIELD SPEC IN USE [80342](#)  
Effective: 8/1/2014  
Revised: 4/1/2016

**MECHANICAL SPLICERS (BDE)**

Remarks Concerning Usage:

INCLUDE IN CONTRACTS REQUIRING MECHANICAL SPLICERS.

Category REINFORCEMENT BARS Document  
Status: SPRINGFIELD SPEC IN USE [80370](#)  
Effective: 7/1/2016  
Revised:

**BDE**

**MOISTURE CURED URETHANE PAINT SYSTEM (BDE)**

Remarks Concerning Usage:  
USE ON ALL PROJECTS REQUIRING A MOISTURE CURED URETHANE PAINT SYSTEM.

Category BRIDGE PAINTING Document  
Status: SPRINGFIELD SPEC IN USE [80165](#)  
Effective: 11/1/2006  
Revised: 1/1/2010

**OVERHEAD SIGN STRUCTURES - CERTIFICATION OF METAL FABRICATOR (BDE)**

Remarks Concerning Usage:  
INSERT IN CONTRACTS REQUIRING OVERHEAD SIGN STRUCTURES

Category OVERHEAD SIGN STRUCTURES Document  
Status: SPRINGFIELD SPEC IN USE [80361](#)  
Effective: 11/1/2015  
Revised: 4/1/2016

**PAVEMENT MARKING BLACKOUT TAPE (BDE)**

Remarks Concerning Usage:  
USE IN CONTRACTS WHERE THE DISTRICT IS REQUIRING THE EXISTING PAVEMENT MARKINGS IN A WORK ZONE TO BE TEMPORARILY COVERED.

Category WORK ZONE PAVEMENT MARKING Document  
Status: SPRINGFIELD SPEC IN USE [80349](#)  
Effective: 11/1/2014  
Revised: 4/1/2016

**PAVEMENT MARKING REMOVAL (BDE)**

Remarks Concerning Usage:  
INCLUDE IN CONTRACTS REQUIRING PAVEMENT MARKING REMOVAL.

Category PAVEMENT MARKING REMOVAL Document  
Status: SPRINGFIELD SPEC IN USE [80371](#)  
Effective: 7/1/2016  
Revised:

**BDE**

**PAVEMENT MARKING TAPE TYPE IV (BDE)**

Remarks Concerning Usage:

USE IN CONTRACTS WHERE THE USE OF THIS MATERIAL HAS BEEN APPROVED BY THE BUREAU OF MATERIALS AND PHYSICAL RESEARCH.

Category PAVEMENT MARKING Document  
Status: JOB-SPECIFIC USE ONLY [80298](#)  
Effective: 4/1/2012  
Revised: 4/1/2016

**PEDESTRIAN PUSH-BUTTON (BDE)**

Remarks Concerning Usage:

INSERT IN CONTRCTS INVOLVING PEDESTRIAN PUSH-BUTTONS

Category TRAFFIC SIGNALS Document  
Status: SPRINGFIELD SPEC IN USE [80365](#)  
Effective: 4/1/2016  
Revised:

**PORTLAND CEMENT CONCRETE BRIDGE DECK CURING (BDE)**

Remarks Concerning Usage:

INSERT IN ALL PORTLAND CEMENT CONCRETE BRIDGE DECK CONTRACTS

Category BRIDGES & STRUCTURES Document  
Status: SPRINGFIELD SPEC IN USE [80359](#)  
Effective: 4/1/2015  
Revised: 7/1/2016

**PORTLAND CEMENT CONCRETE INLAY OR OVERLAY (BDE)**

Remarks Concerning Usage:

INSERT IN CONTRACTS USING PORTLAND CEMENT CONCRETE INLAY OR OVERLAYS

Category CONCRETE PAVEMENT Document  
Status: SPRINGFIELD SPEC IN USE [80353](#)  
Effective: 1/1/2015  
Revised: 4/1/2016

**PORTLAND CEMENT CONCRETE PARTIAL DEPTH HOT-MIX ASPHALT PATCHING (BDE)**

Remarks Concerning Usage:

USE IN CONTRACTS INVOLVING PARTIAL DEPTH PATCHING OF PCC PAVEMENT

REPLACES RECURRING CHECK SHEET #15.

Category PATCHING Document  
Status: SPRINGFIELD SPEC IN USE [80338](#)  
Effective: 4/1/2014  
Revised: 4/1/2016

**BDE**

**PERFORMED PLASTIC PAVEMENT MARKING TYPE D - INLAID (BDE)**

Remarks Concerning Usage:

USE IN CONTRACTS WHERE THE USE OF THIS MATERIAL AS BEEN APPROVED BY THE BUREAU OF MATERIALS AND PHYSICAL RESEARCH

Category: PAVEMENT MARKING Document  
Status: JOB-SPECIFIC USE ONLY [80300](#)  
Effective: 4/1/2012  
Revised: 4/1/2016

**PREVENTIVE MAINTENANCE - BITUMINOUS SURFACE TREATMENT (A-1) (BDE)**

Remarks Concerning Usage:

INCLUDE IN CONTRACTS USING PREVENTIVE MAINTENANCE - BITUMINOUS SURFACE TREATMENT (A-1)

REPLACES CHECKSHEET #28 IN THE SUPPLEMENTAL SPECS.

Category: HMA PREVENTIVE MAINTENANCE Document  
Status: SPRINGFIELD SPEC IN USE [80372](#)  
Effective: 7/1/2016  
Revised:

**PREVENTIVE MAINTENANCE - CAPE SEAL (BDE)**

Remarks Concerning Usage:

INCLUDE IN CONTRACTS FOR PREVENTIVE MAINTENANCE - CAPE SEAL

REPLACES CHECK SHEET #29 OF THE SUPPLEMENTAL SPECIFICATIONS

Category: HMA - PREVENTIVE MAINTENANCE Document  
Status: SPRINGFIELD SPEC IN USE [80373](#)  
Effective: 7/1/2016  
Revised:

**PREVENTIVE MAINTENANCE - MICRO-SURFACING (BDE)**

Remarks Concerning Usage:

INCLUDE IN ALL CONTRACTS USING PREVENTIVE MAINTENANCE - MICRO-SURFACING

REPLACES CHECKSHEET #30 OF THE SUPPLEMENTAL SPECS.

Category: HMA PREVENTIVE MAINTENANCE Document  
Status: SPRINGFIELD SPEC IN USE [80374](#)  
Effective: 7/1/2016  
Revised:

**BDE****PREVENTIVE MAINTENANCE - SLURRY SEAL (BDE)**

Remarks Concerning Usage:

INCLUDE IN ALL CONTRACTS USING PREVENTIVE MAINTENANCE - SLURRY SEAL  
REPLACES CHECKSHEET #31 OF THE SUPPLEMENTAL SPECS.Category HMA PREVENTIVE MAINTENANCE Document [80375](#)  
Status: SPRINGFIELD SPEC IN USE  
Effective: 7/1/2016  
Revised:**PROGRESS PAYMENTS (BDE)**

Remarks Concerning Usage:

USE ON ALL JOBS.

Category CONTRACT DOCUMENTS Document [80328](#)  
Status: SPRINGFIELD SPEC IN USE  
Effective: 1/1/2014  
Revised:**RAILROAD PROTECTIVE LIABILITY INSURANCE (5 AND 10) (BDE)**

Remarks Concerning Usage:

DISCUSS WITH THE RAILROAD COORDINATOR. ONLY USE IN CONTRACTS INVOLVING CLASS 1 RAILROADS.

Category RAILROADS Document [80157](#)  
Status: SPRINGFIELD SPEC IN USE  
Effective: 1/1/2006  
Revised:**RAILROAD PROTECTIVE LIABILITY INSURANCE (BDE)**

Remarks Concerning Usage:

DISCUSS WITH THE RAILROAD COORDINATOR. THIS SPECIAL PROVISION SHOULD ONLY BE USED FOR "SHORT-LINE" (MINOR) RAILROADS.

Category CONTRACT DOCUMENTS Document [34261](#)  
Status: SPRINGFIELD SPEC IN USE  
Effective: 12/1/1986  
Revised: 1/1/2006**RECLAIMED ASPHALT PAVEMENT AND RECLAIMED ASPHALT SHINGLES (BDE)**

Remarks Concerning Usage:

INCLUDE IN ALL HMA CONTRACTS

Category HOT-MIX ASPHALT Document [80306](#)  
Status: SPRINGFIELD SPEC IN USE  
Effective: 11/1/2012  
Revised: 4/1/2016

**BDE**

**SPEED DISPLAY TRAILER (BDE)**

Remarks Concerning Usage:

INSERT INTO ALL FREEWAY AND EXPRESSWAY PROJECTS INVOLVING HIGHWAY STANDARD 701400.

Category: TRAFFIC CONTROL Document  
Status: SPRINGFIELD SPEC IN USE [80340](#)  
Effective: 4/2/2014  
Revised: 4/1/2016

**STEEL COST ADJUSTMENT (BDE)**

Remarks Concerning Usage:

USE ON ALL CONTRACTS INVOLVING STEEL METAL PILING (EXCLUDING TEMPORARY SHEET PILING), STRUCTURAL STEEL, AND REINFORCING STEEL. IT SHOULD ALSO BE INCLUDED FOR OTHER MATERIALS SUCH AS DOWEL BARS, TIE BARS, MESH REINFORCEMENT, GUARDRAIL, ETC.

Category: STEEL ITEMS Document  
Status: SPRINGFIELD SPEC IN USE [80127](#)  
Effective: 4/2/2004  
Revised: 7/1/2015

**STEEL SLAG IN TRENCH BACKFILL (BDE)**

Remarks Concerning Usage:

USE IN CONTRACTS REQUIRING TRENCH BACKFILL

Category: AGGREGATE Document  
Status: SPRINGFIELD SPEC IN USE [80362](#)  
Effective: 1/1/2016  
Revised:

**SURFACE TESTING OF HOT-MIX ASPHALT OVERLAYS (BDE)**

Remarks Concerning Usage:

USE ON ALL INTERSTATE RESURFACING CONTRACTS. DISCUSS USE ON OTHER MULTI-LANE PROJECTS WITH >3.75" OF ASPHALT.

Category: HOT-MIX ASPHALT Document  
Status: SPRINGFIELD SPEC IN USE [80317](#)  
Effective: 1/1/2013  
Revised: 4/1/2016

**BDE****TEMPORARY CONCRETE BARRIER (BDE)**

Remarks Concerning Usage:

INSERT IN CONTRACTS USING TEMPORARY CONCRETE BARRIER

Category TRAFFIC CONTROL Document  
Status: SPRINGFIELD SPEC IN USE [80355](#)  
Effective: 1/1/2015  
Revised: 7/1/2015

**TRAINING SPECIAL PROVISIONS (BDE)**

Remarks Concerning Usage:

DISCUSS WITH STACEY LAWTON (EEO OFFICER).

Category CONTRACT DOCUMENTS Document  
Status: SPRINGFIELD SPEC IN USE [20338](#)  
Effective: 10/1/1975  
Revised:

**TRAVERSABLE PIPE GRATE (BDE)**

Remarks Concerning Usage:

USE ON ALL CONTRACTS THAT INCLUDE STANDARD 542311.

Category CULVERTS Document  
Status: SPRINGFIELD SPEC IN USE [80318](#)  
Effective: 1/1/2013  
Revised: 4/1/2014

**URBAN HALF ROAD CLOSURE WITH MOUNTABLE MEDIAN (BDE)**

Remarks Concerning Usage:

INSERT IN CONTRACTS USING HIGHWAY DESIGN STANDARD 701611

Category TRAFFIC CONTROL Document  
Status: SPRINGFIELD SPEC IN USE [80357](#)  
Effective: 1/1/2015  
Revised: 7/1/2015

**WARM MIX ASPHALT (BDE)**

Remarks Concerning Usage:

INCLUDE IN ALL HMA CONTRACTS.

Category WARM-MIX ASPHALT Document  
Status: SPRINGFIELD SPEC IN USE [80288](#)  
Effective: 1/1/2012  
Revised: 4/1/2016

## BDE

### WEEKLY DBE TRUCKING REPORTS (BDE)

Remarks Concerning Usage:  
INCLUDE IN ALL CONTRACTS

Category: CONTRACT DOCUMENTS Document  
Status: SPRINGFIELD SPEC IN USE [80302](#)  
Effective: 6/2/2012  
Revised: 7/1/2015

### WET REFLECTIVE THERMOPLASTIC PAVEMENT MARKING (BDE)

Remarks Concerning Usage:  
INCLUDE IN ALL PROJECTS INVOLVING WET REFLECTIVE THERMOPLASTIC PAVEMENT MARKING.

Category: PAVEMENT MARKING Document  
Status: SPRINGFIELD SPEC IN USE [80289](#)  
Effective: 1/1/2012  
Revised:

### WORKING DAYS (BDE)

Remarks Concerning Usage:  
USE ON ALL WORKING DAY CONTRACTS.

Category: CONTRACT DOCUMENTS Document  
Status: SPRINGFIELD SPEC IN USE [80071](#)  
Effective: 1/1/2002  
Revised:

## OTHER

### ADJUSTING OF FRAMES AND GRATES OF DRAINAGE AND UTILITY STRUCTURES

Remarks Concerning Usage:  
USE FOR ANY RESURFACING JOBS WITH ADJUSTMENT  
OF FRAMES/LIDS/GRATES IN THE PAVEMENT. GRATES ARE ADJUSTED AFTER THE SURFACE COURSE HAS BEEN PLACED.

Category: MISCELLANEOUS Document  
Status: APPROVED WITHOUT RESTRICTION [603](#)  
Effective: 3/9/2001  
Revised: 3/28/2007

## OTHER

### AGGREGATE BASE COURSE

Remarks Concerning Usage:

MAY BE USED FOR AGGREGATE BASE COURSE TOP LIFT ON JURISDICTIONAL TRANSFER JOBS ONLY.

Category: AGGREGATE

Status: JOB-SPECIFIC USE ONLY

Effective: 9/11/1990

Revised: 1/1/2014

Document

[351](#)

### BASE COURSE (OPTION)

Remarks Concerning Usage:

DISCUSS WITH PROJECT ENGINEER BEFORE USING. THICKNESS OF EITHER OPTION TO BE DETERMINED BY PAVEMENT DESIGN. HOT-MIX ASPHALT MIXTURE DESIGNATION WILL COME FROM MATERIALS.

Category: BASE COURSE

Status: JOB SPECIFIC USE ONLY

Effective: 8/2/2004

Revised: 1/1/2014

Document

[Z00290](#)

### BITUMINOUS SURFACE TREATMENT, SPECIAL (LONGITUDINAL)

Remarks Concerning Usage:

DISCUSS WITH MATERIALS PRIOR TO USING.

Category: BITUMINOUS CONCRETE

Status: JOB SPECIFIC USE ONLY

Effective: 1/3/2006

Revised: 1/1/2014

Document

[403A](#)

### BRIDGE DECK POUR WEATHER RESTRICTIONS

Remarks Concerning Usage:

USE ON BRIDGE JOBS WHEN GBSP #78 IS CHECKED.

INCLUDE QUANTITY FOR NIGHTTIME WORK ZONE LIGHTING IN THE PLANS.

Category: PROSECUTION & PROGRESS Document

Status: JOB SPECIFIC USE ONLY

Effective: 4/1/2014

Revised:

[10804](#)

## OTHER

### CHANGEABLE MESSAGE SIGN

Remarks Concerning Usage:

USE WHEN "CALENDAR MONTH" IS TOO LARGE A UNIT FOR MEASURING USE OF THESE SIGNS.

DO NOT USE WHEN USING TRAFFIC CONTROL AND PROTECTION STANDARD 701400.

Category: TRAFFIC CONTROL  
Status: JOB-SPECIFIC USE ONLY  
Effective: 3/23/2004  
Revised: 1/1/2014  
Document [101pcms](#)

### COMPLETION DATE (VIA CALENDAR DAYS) PLUS WORKING DAYS

Remarks Concerning Usage:

USE ON APPLICABLE NON-STRUCTURE PROJECTS.

Category: CONTRACT DOCUMENTS  
Status: DISTRICT SPEC IN USE  
Effective: 3/29/2012  
Revised:  
Document [108B](#)

### COMPLETION DATE PLUS GUARANTEED WORKING DAYS

Remarks Concerning Usage:

USE ON APPLICABLE STRUCTURE PROJECTS.

Category: CONTRACT DOCUMENTS  
Status: DISTRICT SPEC IN USE  
Effective: 3/19/2012  
Revised:  
Document [108A](#)

### CONCRETE MEDIAN SURFACE REMOVAL

Remarks Concerning Usage:

ESTABLISHES PAY ITEM.

Category: REMOVAL ITEMS  
Status: APPROVED WITHOUT RESTRICTION  
Effective: 9/11/1990  
Revised: 1/1/2014  
Document [440C](#)

### CONTRACTOR ACCESS

Remarks Concerning Usage:

INCLUDE IN THE TRAFFIC CONTROL PLAN.

Category: ACCESS THRU JOB SITE  
Status: APPROVED WITHOUT RESTRICTION  
Effective: 9/11/1990  
Revised: 1/1/2013  
Document [101A](#)

## OTHER

### DETOUR SIGNING

Remarks Concerning Usage:

JOB SPECIFIC USE. ASK YOUR PROJECT ENGINEER BEFORE USING.

ALL SIGNS WILL NOW BE PROVIDED BY THE CONTRACTOR.

Category: TRAFFIC CONTROL  
Status: JOB SPECIFIC USE ONLY  
Effective: 1/18/2005  
Revised: 4/1/2016  
Document [10404](#)

### EMBANKMENT

Remarks Concerning Usage:

PRIMARILY TO BE USED FOR SOILS THAT WILL BE PLACED UNDER PAVEMENT. USE WHEN RECOMMENDED BY THE GEOTECHNICAL ENGINEER.

Category: EARTHWORK  
Status: JOB-SPECIFIC USE ONLY  
Effective: 4/18/2002  
Revised: 1/1/2014  
Document [205](#)

### EXCAVATION

Remarks Concerning Usage:

THIS SHOULD BE INCLUDED IN THE TRAFFIC CONTROL PLAN IF IT APPLIES.

Category: TRAFFIC CONTROL  
Status: JOB-SPECIFIC USE ONLY  
Effective: 9/11/1990  
Revised: 1/1/2013  
Document [202](#)

### FILLING EXISTING CULVERTS

Remarks Concerning Usage:

USE WHEN EXISTING CULVERTS TO BE ABANDONED IN PLACE

Category: MISCELLANEOUS  
Status: DISTRICT SPEC IN USE  
Effective: 1/5/2010  
Revised:  
Document [Z0023](#)

### FLAGGER RESTRICTIONS

Remarks Concerning Usage:

USE ON HIGH ADT INTERSTATE AND BUSINESS LOOP MULTILANE ROADWAY

Category: TRAFFIC CONTROL  
Status: JOB-SPECIFIC USE ONLY  
Effective: 1/1/2014  
Revised: 4/8/2014  
Document [701F](#)

## OTHER

### GRANULAR EMBANKMENT, SPECIAL

Remarks Concerning Usage:  
ADDITIONAL SPECS REQUIRED BY THE DISTRICT

Category AGGREGATE Document  
Status: DISTRICT SPEC IN USE [206](#)  
Effective: 10/25/2001  
Revised: 1/1/2014

### GROOVING FOR RECESSED PAVEMENT MARKINGS

Remarks Concerning Usage:  
USE ON ALL CONTRACTS USING GROOVING FOR RECESSED PAVEMENT MARKINGS.

Category PAVEMENT MARKING Document  
Status: DISTRICT SPEC IN USE [GROOVING](#)  
Effective: 7/1/2016  
Revised:

### GUARD POST REMOVAL

Remarks Concerning Usage:  
USE TO ESTABLISH THIS PAY ITEM IF NEEDED.

Category REMOVAL ITEMS Document  
Status: JOB-SPECIFIC USE ONLY [632A](#)  
Effective: 9/11/1990  
Revised: 1/1/2014

### GUARD POSTS

Remarks Concerning Usage:  
GIVES DIMENSIONS FOR GUARD POSTS.

Category GUARDRAIL, FENCE & APPURTENANCES Document  
Status: DISTRICT SPEC IN USE [634](#)  
Effective: 3/5/1997  
Revised: 1/1/2014

### GUARDRAIL INSTALLATION TIME

Remarks Concerning Usage:  
USE ON JOBS WITH GUARDRAIL.

Category TRAFFIC CONTROL AND PROTECTION Document  
Status: JOB-SPECIFIC USE ONLY [701B](#)  
Effective: 1/29/1999  
Revised: 1/1/2014

## OTHER

### GUARDRAIL REMOVAL AND INSTALLATION

Remarks Concerning Usage:

PLACE IN THE TRAFFIC CONTROL PLAN. USE WHEN DOING  
GUARDRAIL WORK ADJACENT TO OPEN LANES.

Category: GUARDRAIL, FENCE &  
APPURTENANCES

Status: APPROVED WITHOUT  
RESTRICTION

Effective: 9/11/1990

Revised: 1/1/2014

Document  
[101C](#)

### HISTORIC CONCRETE PAVEMENT RESTORATION (BMPR)

Remarks Concerning Usage:

USE ON PROJECTS WITHIN THE HISTORIC SECTION. MAP (TO BE DELETED BY DESIGNER)  
FOLLOWS THE SPECIAL PROVISION

Category: HISTORIC CONCRETE  
PAVEMENT

Status: JOB-SPECIFIC USE ONLY

Effective: 6/14/2013

Revised:

Document  
[histconc](#)

### HOT MIX ASPHALT QUALITY CONTROL FOR PERFORMANCE

Remarks Concerning Usage:

USE ON 2 LANES TYPICALLY WITH > 3000 TONS OF A MIX AND POSSIBLY INTERSTATE  
SHOULDERS  
CHECK WITH MATERIALS.

Category: HOT MIX ASPHALT

Status: JOB-SPECIFIC USE ONLY

Effective: 1/1/2012

Revised: 1/16/2015

Document  
[HMA\\_QCP](#)

### HOT-MIX ASPHALT - LONGITUDINAL JOINT SEALANT

Remarks Concerning Usage:

INCLUDE IN ALL CONTRACTS USING LONGITUDINAL JOINT SEALANT  
DISCUSS USE WITH DISTRICT MATERIALS ENGINEER

Category: HOT MIX ASPHALT

Status: BMPR SPEC IN USE

Effective: 3/2/2016

Revised:

Document  
[40602](#)

**OTHER****HOT-MIX ASPHALT - REQUIRED FIELD TESTS**

Remarks Concerning Usage:

USE FOR ALL PROJECTS WITH HMA WITH DENSITY LOCATIONS NOT COVERED BY QCP OR PFP SPECIAL PROVISIONS

Category: HOT-MIX ASPHALT

Document

Status: DISTRICT SPEC IN USE

[103005-d3](#)

Effective: 1/1/2011

Revised:

**HOT-MIX ASPHALT MIXTURE IL-9.5FG**

Remarks Concerning Usage:

USE ON ALL F.G. LEVEL BINDER MIXES.

Category: HOT-MIX ASPHALT

Document

Status: JOB-SPECIFIC USE ONLY

[HMA\\_IL-9.5\\_FG](#)

Effective: 7/1/2005

Revised: 12/10/2014

**HOT-MIX ASPHALT SHOULDERS, SPECIAL**

Remarks Concerning Usage:

FOR USE AS WEARING SURFACE FOR SHOULDERS

SUBJECT TO EQUESTRIAN LOADINGS.

Category: HOT-MIX ASPHALT SHOULDERS

Document

Status: JOB-SPECIFIC USE ONLY

[482C](#)

Effective: 3/9/2001

Revised: 1/1/2014

**HOT-MIX ASPHALT SURFACE REMOVAL**

Remarks Concerning Usage:

USE ON ALL RURAL OR INTERSTATE JOBS WITH HMA SURFACE REMOVAL

Category: REMOVAL ITEMS

Document

Status: JOB SPECIFIC USE ONLY

[440-3mill](#)

Effective: 10/1/2009

Revised:

## OTHER

### HOT-MIX ASPHALT SURFACE REMOVAL, SPECIAL

Remarks Concerning Usage:

FOR DAYLIGHTING SIDEROADS AND ENTRANCES ON MILLING AND RESURFACING CONTRACTS.

Category: REMOVAL ITEMS

Status: JOB-SPECIFIC USE ONLY

Effective: 6/6/1995

Revised: 1/1/2014

Document

[440H](#)

### HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH

Remarks Concerning Usage:

USE ONLY WHEN ADVISED BY PROJECT ENGINEER.

Category: REMOVAL ITEMS

Status: JOB-SPECIFIC USE ONLY

Effective: 12/11/2000

Revised: 1/1/2014

Document

[440-2MILL](#)

### IL 19.0 BINDER DENSITY REQUIREMENT WHEN PLACING < 2.25"

Remarks Concerning Usage:

THIS SPECIAL PROVISION IS NEEDED SINCE THE HOT-MIX ASPHALT SPECIAL PROVISION GIVES A MINIMUM LIFT THICKNESS OF 2.25" FOR IL 19.0 AND REQUIRES 93.0 - 96.0 % DENSITY.

93.0% DENSITY IS NOT PRACTICAL FOR THE THINNER INLAY THICKNESSES.

Category: HOT-MIX ASPHALT

Status: DISTRICT SPEC IN USE

Effective: 5/15/2006

Revised: 1/1/2014

Document

[40616](#)

### IMPACT ATTENUATORS

Remarks Concerning Usage:

USE IN ALL CONTRACTS REQUIRING IMPACT ATTENUATORS. USE IN PLACE OF IMPACT ATTENUATORS (BDE).

SPECIFIES CONCRETE ATTENUATOR PADS

Category: TRAFFIC CONTROL AND PROTECTION

Status: APPROVED WITHOUT RESTRICTION

Effective: 11/1/2008

Revised: 1/1/2014

Document

[80109a](#)

## OTHER

### INDIVIDUAL DENSITY SITES

Remarks Concerning Usage:

USE ON ALL HMA PROJECT EXCEPT BRIDGES WITH <1000 TONS HMA AND PROJECTS THAT HAVE ALL HMA COVERED WITH QCP & PFP SPECIAL PROVISIONS

Category HOT MIX ASPHALT Document  
Status: DISTRICT SPEC IN USE [103005\(a\)\(4\)](#)  
Effective: 9/1/2007  
Revised: 12/10/2014

### LONGITUDINAL JOINT DENSITY (D5-FG)

Remarks Concerning Usage:

USE ON ALL HMA RESURFACING CONTRACTS WITH JOINTS NOT COVERED BY QCP OR PFP SPECIAL PROVISIONS.

Category HOT MIX ASPHALT Document  
Status: DISTRICT SPEC IN USE [103005\(d\)\(3\)-2](#)  
Effective: 1/1/2010  
Revised: 4/1/2016

### NEW DOMESTIC SANITARY SERVICE

Remarks Concerning Usage:

USE WHEN NEEDED. ESTABLISHES PAY ITEMS.

Category STORM & SANITARY SEWERS & APPURTENANCES Document  
[Z00059](#)  
Status: JOB-SPECIFIC USE ONLY  
Effective: 9/11/1990  
Revised: 1/1/2014

### NON-VERTICAL IMPACT ROLLER FOR HOT-MIX ASPHALT

Remarks Concerning Usage:

USE ON ALL CONTRACTS WITH HMA.

Category HOT-MIX ASPHALT Document  
Status: DISTRICT SPEC IN USE [NON-VERTICAL ROLLER](#)  
Effective: 10/13/2011  
Revised:

## OTHER

### OPENING LANES FOR HOME FOOTBALL PERIODS

Remarks Concerning Usage:  
CONFER WITH PROJECT ENGINEER FOR JOBS IN  
CHAMPAIGN OR ADJACENT COUNTIES.

Category: TRAFFIC CONTROL Document  
Status: JOB-SPECIFIC USE ONLY [10709A](#)  
Effective: 9/10/2001  
Revised: 1/1/2014

### OPENING PARAGRAPH

Remarks Concerning Usage:  
  
USE ON ALL JOBS.

Category: CONTRACT DOCUMENTS Document  
Status: SPRINGFIELD SPEC IN USE [OPENING\\_P  
ARAGRAPH  
2016](#)  
Effective: 1/1/2002  
Revised: 4/1/2016

### PAVEMENT GRINDING

Remarks Concerning Usage:  
USE IF NEEDED. ESTABLISHES PAY ITEM.

Category: MISCELLANEOUS Document  
Status: JOB-SPECIFIC USE ONLY [Z00373](#)  
Effective: 9/11/1990  
Revised: 1/1/2014

### PAVEMENT GROOVING

Remarks Concerning Usage:  
USE IF NEEDED. ESTABLISHES PAY ITEM.

Category: MISCELLANEOUS Document  
Status: JOB-SPECIFIC USE ONLY [Z0373A](#)  
Effective: 9/1/2006  
Revised: 1/1/2014

### PAVEMENT MARKING

Remarks Concerning Usage:  
USE WHERE PAVEMENTS ARE BUILT WITHOUT TRAFFIC ON THEM.  
REQUIRES STRIPING PRIOR TO OPENING THE NEW SECTION.

Category: TRAFFIC CONTROL Document  
Status: JOB-SPECIFIC USE ONLY [101D](#)  
Effective: 9/11/1990  
Revised: 1/1/2014

## OTHER

### PAVEMENT MARKINGS

Remarks Concerning Usage:

USE ON THE ROUT AND SEAL CONTRACTS.

Category PAVEMENT STRIPING

Status: APPROVED WITHOUT RESTRICTION

Effective: 1/17/2006

Revised: 1/1/2014

Document  
[101E](#)

### PAVEMENT PATCHING - CLASS D AND PARTIAL DEPTH

Remarks Concerning Usage:

SPECIFIES MINIMUM AND MAXIMUM ALLOWABLE LIFT THICKNESSES

Category PATCHING

Status: DISTRICT SPEC IN USE

Effective: 4/1/2012

Revised: 3/9/2016

Document  
[442.08](#)

### PAVEMENT SENSOR REMOVAL AND REPLACEMENT

Remarks Concerning Usage:

CURRENT SENSOR LOCATIONS ARE I-74 AT SALT FORK BRIDGE, VERMILION COUNTY; I-57 & US 45 AT PESOTUM, CHAMPAIGN COUNTY; US 36 AT HEYWORTH.

SHOW LOCATION IN PLANS. CONTACT OPERATIONS TECHNICIAN AT 466-7294 PRIOR TO USE.

Category CONTRACT DOCUMENTS

Status: JOB-SPECIFIC USE ONLY

Effective: 7/10/2000

Revised: 1/1/2014

Document  
[10905](#)

### PIPE UNDERDRAIN, 4" (100 mm)

Remarks Concerning Usage:

USE ON PROJECTS THAT NEW UNDERDRAINS WILL BE INSTALLED ON.

Category PIPE DRAINS AND UNDERDRAINS

Status: JOB-SPECIFIC USE ONLY

Effective: 9/1/2006

Revised: 1/1/2014

Document  
[601B](#)

## OTHER

### PIPE UNDERDRAINS 4" (100 mm) (SPECIAL)

#### Remarks Concerning Usage:

USE FOR OUTLETS OF NEW UNDERDRAIN INSTALLATIONS

ALONG THE EDGE OF PAVEMENT WITH HOT-MIX ASPHALT SHOULDERS.

Category PIPE DRAINS &  
UNDERDRAINS

Status: JOB-SPECIFIC USE ONLY

Effective: 2/22/1999

Revised: 6/21/2013

Document  
[601](#)

### PNEUMATIC-TIRED ROLLER FOR HOT-MIX ASPHALT

#### Remarks Concerning Usage:

USE WHEN CONTRACT INCLUDES HOT-MIX ASPHALT PAY ITEMS.

Category HOT-MIX ASPHALT

Status: JOB-SPECIFIC USE ONLY

Effective: 10/1/1998

Revised: 9/1/2006

Document  
[406](#)

### POROUS GRANULAR BACKFILL

#### Remarks Concerning Usage:

USE FOR BACKFILLING NEW AR PIPE CULVERTS.

Category AGGREGATE

Status: JOB-SPECIFIC USE ONLY

Effective: 7/7/1998

Revised: 3/14/2008

Document  
[209](#)

### POROUS GRANULAR EMBANKMENT

#### Remarks Concerning Usage:

USE FOR BACKFILLING NEW A.R. BOX CULVERTS

Category AGGREGATE

Status: JOB-SPECIFIC USE ONLY

Effective: 8/11/2009

Revised:

Document  
[207](#)

### RAISED REFLECTIVE PAVEMENT MARKER REMOVAL

#### Remarks Concerning Usage:

REQUIRES COMPLETE REMOVAL OF MARKERS, AND REQUIRES

FILLING HOLES PRIOR TO MILLING IN MOST CASES.

Category REMOVAL ITEMS

Status: DISTRICT SPEC IN USE

Effective: 10/22/1997

Revised: 1/1/2014

Document  
[783](#)

## OTHER

### RESETTING OF SECTION CORNERS

Remarks Concerning Usage:

USE ON PROJECTS THAT HAVE SECTION CORNERS THAT WILL BE DISTURBED DURING CONSTRUCTION.

Category SURVEY MARKERS Document  
Status: JOB SPECIFIC USE ONLY [668](#)  
Effective: 1/17/2006  
Revised: 12/1/2015

### RIPRAP, SPECIAL

Remarks Concerning Usage:

DISCUSS WITH THE HYDRAULICS UNIT BEFORE USING ON A PROJECT.

Category RIPRAP Document  
Status: JOB SPECIFIC USE ONLY [281](#)  
Effective: 11/1/1997  
Revised: 1/1/2014

### ROUTING DEBRIS CLEAN UP

Remarks Concerning Usage:

USE ON THE ROUT AND SEAL CONTRACTS.

Category MISCELLANEOUS Document  
Status: APPROVED WITHOUT RESTRICTION [451](#)  
Effective: 1/17/2006  
Revised: 1/1/2014

### SEEDING

Remarks Concerning Usage:

USE WHEN EARTH SLOPES ARE DISTURBED AS A RESULT OF WIDENING OR SHOULDER OPERATIONS. USE ONLY WHEN SEEDING LIMITS ARE SHOWN ON TYPICAL CROSS SECTIONS.

SPECIFIES USING CLASS 2 SEEDING AND MULCH METHOD 2.

Category EROSION CONTROL Document  
Status: JOB SPECIFIC USE ONLY [250](#)  
Effective: 9/11/1990  
Revised: 1/1/2014

**OTHER**

**SEEDING AND ESTABLISHMENT OF VEGETATION**

Remarks Concerning Usage:

INSERT IN 3R CONTRACTS AND PROJECTS WITH LENGTHY TIMELINES OR LARGE SOIL DISTURBANCE. DISCUSS WITH PROJECT ENGINEER.

Category SEEDING/SODDING Document  
Status: JOB-SPECIFIC USE ONLY [250D](#)  
Effective: 8/12/2014  
Revised:

**SEEDING, AND EROSION CONTROL BLANKET, AT CONCRETE HEAD WALLS FOR PIPE DRAINS**

Remarks Concerning Usage:

LUMPS EXCELSIOR BLANKET AND SEEDING INTO THE EXCELSIOR BLANKET PAY ITEM.

Category PIPE DRAINS & UNDERDRAINS Document  
Status: OK TO USE PENDING REVIEW [251](#)  
Effective: 9/11/1990  
Revised: 1/1/2014

**SEEDING, CLASS 4A**

Remarks Concerning Usage:

DELETES PRAIRIE DROPSEED. IF ANY QUESTION, CONTACT JIM ALWILL @ 309-671-4484.

Category EROSION CONTROL Document  
Status: OK TO USE PENDING REVIEW [250A](#)  
Effective: 9/11/1990  
Revised: 1/1/2014

**STAGE CONSTRUCTED ACROSS ROAD DRAINAGE STRUCTURES**

Remarks Concerning Usage:

INCLUDE IN THE TRAFFIC CONTROL PLAN.

Category TRAFFIC CONTROL Document  
Status: JOB-SPECIFIC USE ONLY [442A](#)  
Effective: 9/11/1990  
Revised: 1/1/2014

## OTHER

### STAGE CONSTRUCTION TIME RESTRICTION

Remarks Concerning Usage:

TYPICAL USE IS FOR BRIDGE WORK LET AT A TIME WHEN IT CAN'T  
BE COMPLETED IN THE CURRENT CONSTRUCTION SEASON.

Category: TRAFFIC CONTROL AND  
PROTECTION

Document  
[101Y](#)

Status: JOB-SPECIFIC USE ONLY

Effective: 10/22/1998

Revised: 1/1/2014

### STATUS OF UTILITIES

Remarks Concerning Usage:

PLACE IN THE SPECIAL PROVISIONS.

USE ON PROJECTS THAT HAVE NO DIGGING INVOLVED.

Category: UTILITIES

Document  
[ZZZ1](#)

Status: APPROVED WITHOUT  
RESTRICTION

Effective: 1/17/2006

Revised: 7/26/2007

### STATUS OF UTILITIES

Remarks Concerning Usage:

PLACE IN THE SPECIAL PROVISIONS.

USE ON THE BRIDGE PAINTING PROJECTS.

Category: UTILITIES

Document  
[ZZZ2](#)

Status: APPROVED WITHOUT  
RESTRICTION

Effective: 1/17/2006

Revised: 7/26/2007

### STATUS OF UTILITIES

Remarks Concerning Usage:

PLACE IN THE SPECIAL PROVISIONS.

USE ON ALL CONTRACTS THAT WILL REQUIRE DIGGING. DISCUSS WITH DAN MAGEE.

Category: UTILITIES

Document  
[ZZZ](#)

Status: APPROVED WITHOUT  
RESTRICTION

Effective: 1/17/2006

Revised: 9/1/2006

**OTHER**

**STORM SEWER WATERMAIN AND STORM SEWER, RUBBER GASKET, CLASS A**

Category STORM & SANITARY SEWERS & APPURTENANCES Document [550A](#)

Remarks Concerning Usage:  
USE WHEN HORIZONTAL AND/OR VERTICAL SEPARATION  
OF WATER AND SEWER CANNOT BE MET.

Status: JOB-SPECIFIC USE ONLY  
Effective: 8/3/1999  
Revised: 1/1/2014

**STORM WATER POLLUTION PREVENTION PLAN**

Category EROSION CONTROL Document

Remarks Concerning Usage:  
USE ON ALL JOBS DISTURBING MORE THAN 1 ACRE.  
THE CURRENT FORM CAN BE FOUND ON THE FORMS MANAGEMENT PAGE. THE FORM NUMBER IS BDE 2342.

Status: SPRINGFIELD SPEC IN USE  
Effective: 1/1/1992  
Revised: 1/28/2011

**STRINGLINE**

Category CONSTRUCTION METHODS Document

Remarks Concerning Usage:  
CLARIFIES THAT A STRINGLINE IS REQUIRED FOR  
ESTABLISHING PROFILE AND THAT IT'S NOT A PAY ITEM.

Status: JOB-SPECIFIC USE ONLY [440D](#)  
Effective: 11/27/1991  
Revised: 8/1/2012

**TEMPORARY DRAINAGE INTO PROPOSED DRAINAGE STRUCTURES**

Category STORM & SANITARY SEWERS & APPURTENANCES Document [602A](#)

Remarks Concerning Usage:  
USE WHEN PLACING NEW CURB AND GUTTER WITH INLETS PRIOR  
TO RESURFACING.

Status: APPROVED WITHOUT RESTRICTION  
Effective: 9/11/1990  
Revised: 1/1/2014

## OTHER

### TEMPORARY TRAFFIC CONTROL DEVICE DEPLOYMENT AND REMOVAL

Remarks Concerning Usage:

USE ON HIGH ADT INTERSTATE AND BUSINESS LOOP MULTILANE ROADWAYS

Category: TRAFFIC CONTROL  
Status: JOB-SPECIFIC USE ONLY  
Effective: 1/1/2014  
Revised:

Document [701G](#)

### TRAFFIC CONTROL & PROTECTION DEVICES (ROAD & SIDEROAD/STREET CLOSURES)

Remarks Concerning Usage:

PUT INTO THE TRAFFIC CONTROL PLAN. USE THE CADD DETAIL TITLED "TRAFFIC CONTROL AND PROTECTION DEVICES (ROAD & SIDEROAD/STREET CLOSURES)" IN CONJUNCTION WITH THIS SPECIAL PROVISION.

Category: TRAFFIC CONTROL  
Status: JOB-SPECIFIC USE ONLY  
Effective: 9/11/1990  
Revised: 1/1/2014

Document [101L](#)

### TRAFFIC CONTROL AND PROTECTION, STANDARD 701201

Remarks Concerning Usage:

USE WHEN 701201 WILL BE USED FOR PATCHING.

Category: TRAFFIC CONTROL  
Status: JOB-SPECIFIC USE ONLY  
Effective: 2/11/1999  
Revised: 4/1/2009

Document [101Z](#)

### TRAFFIC CONTROL AND PROTECTION, STANDARD 701316 AND 701321

Remarks Concerning Usage:

USE ON JOBS ALL JOBS WITH TC&P 701316 OR 701321.

THE FAR LOOP IS 115 FEET BACK FROM THE STOP BAR.

Category: TRAFFIC CONTROL AND PROTECTION  
Status: DISTRICT SPEC IN USE  
Effective: 5/1/2002  
Revised: 3/1/2009

Document [701C](#)

### TRAFFIC CONTROL AND PROTECTION, STANDARD 701401

Remarks Concerning Usage:

USE FOR INTERSTATE AND SIMILAR INLAYS.

USE WITH DISTRICT CADD DETAIL

Category: TRAFFIC CONTROL  
Status: JOB-SPECIFIC USE ONLY  
Effective: 1/1/2014  
Revised:

Document [701H](#)

## OTHER

### TRAFFIC CONTROL AND PROTECTION, STANDARD 701402

Remarks Concerning Usage:

INCLUDE IN THE TRAFFIC CONTROL PLAN.

Category: TRAFFIC CONTROL Document  
Status: APPROVED WITHOUT RESTRICTION [101G](#)  
Effective: 8/20/2004  
Revised: 4/1/2009

### TRAFFIC CONTROL PLAN

Remarks Concerning Usage:

NEEDED ON ALL JOBS.

Category: TRAFFIC CONTROL Document  
Status: APPROVED WITHOUT RESTRICTION [101](#)  
Effective: 9/11/1990  
Revised: 1/1/2014

### TRAFFIC CONTROL REMOVAL

Remarks Concerning Usage:

USE ON ALL MULTI-LANE RESURFACING PROJECTS.

Category: TRAFFIC CONTROL Document  
Status: DISTRICT SPEC IN USE [701E](#)  
Effective: 10/13/2011  
Revised:

### TREATMENT OF EXISTING FIELD TILE SYSTEMS

Remarks Concerning Usage:

USE IN CONTRACTS WHEN FIELD TILE WORK IS ANTICIPATED.

SEE PLAN PREP MEMORANDUM 60-10 .

Category: STORM AND SANITARY SEWERS Document  
Status: APPROVED WITHOUT RESTRICTION [611](#)  
Effective: 12/12/1998  
Revised: 1/1/2014

## OTHER

### UNEVEN LANES

Remarks Concerning Usage:

PLACE IN THE TRAFFIC CONTROL PLAN AS REQUIRED BY BSE POLICY 4-15

<http://www.idot.illinois.gov/doing-business/procurements/construction-services/contractors-resources/index>

Category: TRAFFIC CONTROL AND PROTECTION

Status: JOB SPECIFIC USE ONLY

Effective: 12/11/2009

Revised: 4/25/2015

Document  
[701D](#)

### VERTICAL ADJUSTMENT OF GUARDRAIL

Remarks Concerning Usage:

ESTABLISHES PAY ITEM.

Category: GUARDRAIL

Status: DISTRICT SPEC IN USE

Effective: 11/3/2000

Revised: 1/1/2014

Document  
[633](#)

### VERTICAL CLEARANCE NOTIFICATION

Remarks Concerning Usage:

USE ON JOBS WHICH HAVE STRUCTURES THAT HAVE LESS THAN 14 FEET 6 INCHES OF CLEARANCE.

PPM 70-02 HAS A LIST OF THE STRUCTURES. THE LIST HAS NOT BEEN RECENTLY UPDATED, SO SHOULD BE VERIFIED WITH BRIDGE & HYDRAULICS ENGINEER.

Category: BRIDGE CLEARANCE

Status: JOB SPECIFIC USE ONLY

Effective: 9/1/2006

Revised: 1/1/2014

Document  
[10709B](#)

### WATER MAIN REMOVAL

Remarks Concerning Usage:

ESTABLISHES PAY ITEM.

Category: WATER MAIN & APPURTENANCES

Status: JOB-SPECIFIC USE ONLY

Effective: 9/11/1990

Revised: 1/1/2014

Document  
[561](#)

**OTHER**

**WATER SERVICE LINE**

Remarks Concerning Usage:  
ESTABLISHES PAY ITEM.

Category: WATER MAIN &  
APPURTENANCES Document  
[562](#)  
Status: JOB-SPECIFIC USE ONLY  
Effective: 9/11/1990  
Revised: 1/1/2014

**WIDTH RESTRICTION AND MAXIMUM WIDTH SIGNING**

Remarks Concerning Usage:  
SEE DISTRICT DETAIL.

Category: TRAFFIC CONTROL Document  
[101AA](#)  
Status: APPROVED WITHOUT  
RESTRICTION  
Effective: 12/7/1999  
Revised: 8/12/2014