

Index of Active Special Provisions

Thursday, August 18, 2016

A CHECKSHEET

BDE SPECIAL PROVISIONS FOR THE November 4, 2016 letting

Remarks Concerning Usage:

USE ON ALL JOBS. CHECKSHEET FOR BDE SPECS.

Category CONTRACT DOCUMENTS Document
Status: SPRINGFIELD SPEC IN USE [2016NOV~1](#)
Effective: 11/1/2016
Revised:

GUIDE BRIDGE SPECIAL PROVISIONS INDEX

Remarks Concerning Usage:

USE ON JOBS REQUIRING THE GUIDE BRIDGE SPECIAL PROVISIONS. THE ACTUAL SPECIAL PROVISIONS CAN BE FOUND ON THE IDOT INTERNET PAGE "DOING BUSINESS."

Category BRIDGES Document
Status: SPRINGFIELD SPEC IN USE
Effective: 7/27/2007
Revised:

SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS

Remarks Concerning Usage:

USE ON ALL JOBS. CHECK SHEET FOR SUPP SPECS.

Category CONTRACT DOCUMENTS Document
Status: SPRINGFIELD SPEC IN USE [2016_INDE
X](#)
Effective: 4/1/2016
Revised:

BDE

ACCESSIBLE PEDESTRIAN SIGNALS (APS)(BDE)

Remarks Concerning Usage:

USE ON ALL CONTRACTS USING APS.

WRITTEN SUPPORT OF LOCAL MUNICIPAL OFFICIALS WILL BE REQUIRED PRIOR TO APPROVING THE USE OF APS IN CONTRACTS.

Category TRAFFIC SIGNALS Document
Status: SPRINGFIELD SPEC IN USE [80099](#)
Effective: 4/1/2003
Revised: 1/1/2014

BDE

AGGREGATE SUBGRADE IMPROVEMENT (BDE)

Remarks Concerning Usage:

USE IN ALL CONTRACTS UTILIZING AGGREGATE SUBGRADE IMPROVEMENTS. VERIFY THICKNESS WITH DISTRICT GEOTECH ENGINEER. BDE SPECIAL PROVISION "RECLAIMED ASPHALT PAVEMENT (RAP) AND RECLAIMED ASPHALT SHINGLES (RAS) SHOULD ALSO BE INCLUDED IN THE CONTRACT.

Category SUBGRADE Document
Status: JOB-SPECIFIC USE ONLY [80274](#)
Effective: 4/1/2012
Revised: 4/1/2016

AUTOMATED FLAGGER ASSISTANCE DEVICES (BDE)

Remarks Concerning Usage:

USE ON TWO-LANE HIGHWAYS WHERE TWO-WAY TRAFFIC WILL BE MAINTAINED OVER ONE LANE OF PAVEMENT.

EXAMPLES BEING RURAL MILLING AND/OR RESURFACING PROJECTS, BRIDGE MAINTENANCE PROJECTS WHERE THE USE OF A FLAGGER IS REQUIRED.

Category TRAFFIC CONTROL Document
Status: SPRINGFIELD SPEC IN USE [80192](#)
Effective: 1/1/2008
Revised:

BITUMINOUS MATERIALS COST ADJUSTMENTS (BDE) (RETURN FORM WITH BID)

Remarks Concerning Usage:

USE ON ALL PROJECTS WITH AT LEAST 1200 TONS (1100 METRIC TONS) OF APPLICABLE BITUMINOUS WORK. THE ADJUSTMENTS ARE APPLICABLE TO PERMANENT AND TEMPORARY HMA MIXTURES, BITUMINOUS SURFACE TREATMENTS (COVER AND SEAL COATS), AND PAVEMENT PRESERVATION TYPE

SURFACE TREATMENTS.

Category MATERIAL COST Document
ADJUSTMENTS [80173](#)
Status: SPRINGFIELD SPEC IN USE
Effective: 11/2/2006
Revised: 7/1/2015

BRIDGE DEMOLITION DEBRIS (BDE)

Remarks Concerning Usage:

USE IN CONTRACTS IN WHICH A UNIT OF LOCAL GOVERNMENT HAS EXPRESSED INTEREST IN THE DEBRIS AND HAS COORDINATED WITH THE DISTRICT BUREAU OF LOCAL ROADS & STREETS

Category BRIDGES AND STRUCTURES Document
Status: SPRINGFIELD SPEC IN USE [80241](#)
Effective: 7/1/2009
Revised:

BDE

BUILDING REMOVAL - CASE I (NON-FRIABLE AND FRIABLE ASBESTOS) (BDE)

Remarks Concerning Usage:

FOR CASES WITH BOTH FRIABLE AND NON-FRIABLE ASBESTOS. CONSULT WITH DENNIS MARTIN CONCERNING INVESTIGATION.

Category ENVIRONMENTAL Document
Status: SPRINGFIELD SPEC IN USE [5026i](#)
Effective: 9/1/1990
Revised: 4/1/2010

BUILDING REMOVAL - CASE II (NON-FRIABLE ASBESTOS) (BDE)

Remarks Concerning Usage:

FOR CASES WITH ONLY NON-FRIABLE ASBESTOS. CONSULT WITH DENNIS MARTIN CONCERNING INVESTIGATION.

Category ENVIRONMENTAL Document
Status: SPRINGFIELD SPEC IN USE [5048i](#)
Effective: 9/1/1990
Revised: 4/1/2010

BUILDING REMOVAL - CASE III (FRIABLE ASBESTOS) (BDE)

Remarks Concerning Usage:

FOR CASES WITH ONLY FRIABLE ASBESTOS. CONSULT WITH DENNIS MARTIN CONCERNING INVESTIGATION.

Category ENVIRONMENTAL Document
Status: SPRINGFIELD SPEC IN USE [5049i](#)
Effective: 9/1/1990
Revised: 4/1/2010

BUILDING REMOVAL - CASE IV (NO ASBESTOS) (BDE)

Remarks Concerning Usage:

INCLUDE ON CONTRACTS INVOLVING BUILDING REMOVAL WITH NO ASBESTOS ABATEMENT WHATSOEVER.

Category ENVIRONMENTAL Document
Status: SPRINGFIELD SPEC IN USE [5053i](#)
Effective: 9/1/1990
Revised: 4/1/2010

BDE

BUTT JOINTS (BDE)

Remarks Concerning Usage:
INCLUDE IN ALL HMA RESURFACING PROJECTS.

Category HMA RESURFACING Document
Status: SPRINGFIELD SPEC IN USE [80366](#)
Effective: 7/1/2016
Revised:

COARSE AGGREGATE QUALITY (BDE)

Remarks Concerning Usage:
USE ON ALL JOBS WITH HOT-MIX ASPHALT OR PORTLAND CEMENT CONCRETE

Category AGGREGATE Document
Status: SPRINGFIELD SPEC IN USE [80360](#)
Effective: 7/1/2015
Revised:

COMPLETION DATE (VIA CALENDAR DAYS) (BDE)

Remarks Concerning Usage:
SHOULD BE USED AT THE DISTRICT'S DISCRETION AND PER THE BDE PROCEDURE MEMORANDUM, "SELECTING CONTRACT TIME AND SELECTING PROJECT LETTING DATES."

Category CONTRACT DOCUMENTS Document
Status: SPRINGFIELD SPEC IN USE [80198](#)
Effective: 4/1/2008
Revised:

COMPLETION DATE (VIA CALENDAR DAYS) PLUS WORKING DAYS (BDE)

Remarks Concerning Usage:
USE D5 SPECIAL PROVISION INSTEAD

Category CONTRACT DOCUMENTS Document
Status: SPRINGFIELD SPEC IN USE [80199](#)
Effective: 4/1/2008
Revised:

CONCRETE BOX CULVERTS WITH SKEWS > 30 DEGREES AND DESIGN FILLS < or = 5 FEET (BDE)

Remarks Concerning Usage:
USE ON ALL CONTRACTS WITH SKEW >30 DEGREES AND DESIGN FILL LESS THAN OR EQUAL TO 5 FEET.

Category BOX CULVERTS Document
Status: APPROVED WITHOUT RESTRICTION [80293](#)
Effective: 4/1/2012
Revised: 7/1/2016

BDE

CONCRETE END SECTIONS FOR PIPE CULVERTS (BDE)

Remarks Concerning Usage:

INSERT IN CONTRACTS USING HIGHWAY STANDARDS 542001 OR 542011

Category CULVERTS

Document

Status: SPRINGFIELD SPEC IN USE

[80311](#)

Effective: 1/1/2013

Revised: 4/1/2016

CONCRETE MIX DESIGN - DEPARTMENT PROVIDED (BDE)

Remarks Concerning Usage:

INCLUDE IN ALL PROJECTS INVOLVING CAST-IN-PLACE CONCRETE.

Category CONCRETE

Document

Status: SPRINGFIELD SPEC IN USE

[80277](#)

Effective: 1/1/2012

Revised: 4/1/2016

CONSTRUCTION AIR QUALITY - DIESEL RETROFIT (BDE)

Remarks Concerning Usage:

THIS BDE SPECIAL PROVISION DOES NOT APPLY IN DISTRICT 5

Category EQUIPMENT

Document

Status: SPRINGFIELD SPEC IN USE

[80261](#)

Effective: 7/1/2010

Revised: 11/1/2014

DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE)

Remarks Concerning Usage:

USE ON ALL CONTRACTS WITH DBE GOALS.

Category CONTRACT DOCUMENTS

Document

Status: SPRINGFIELD SPEC IN USE

[80029](#)

Effective: 9/1/2000

Revised: 7/2/2016

ENGINEER'S FIELD OFFICE (BDE)

Remarks Concerning Usage:

USE IN CONTRACTS REQUIRING AN ENGINEER'S FIELD OFFICE

Category FIELD OFFICE

Document

Status: SPRINGFIELD SPEC IN USE

[80363](#)

Effective: 4/1/2016

Revised:

BDE

EQUAL EMPLOYMENT OPPORTUNITY (BDE)

Remarks Concerning Usage:
INSERT IN ALL CONTRACTS

Category: CONTRACT DOCUMENTS Document
Status: SPRINGFIELD SPEC IN USE [80358](#)
Effective: 4/1/2015
Revised:

ERRATA FOR THE 2016 STANDARD SPECIFICATIONS (BDE)

Remarks Concerning Usage:
INSERT IN ALL CONTRACTS.

Category: STANDARD SPECIFICATIONS Document
Status: SPRINGFIELD SPEC IN USE [80364](#)
Effective: 4/1/2016
Revised:

FUEL COST ADJUSTMENT (BDE)

Remarks Concerning Usage:
USE IN ALL CONTRACTS WITH AT LEAST 25,000 CY (20,000 CM) OF EARTHWORK ITEMS; 5,000 TONS (4,500 METRIC TONS) OF APPL. AGGREGATE OR HMA BASE COURSES, PAVEMENT AND SHOULDER ITEMS; 7,500 SY (6,000 SM) OF APP. PCC BASE COURSES, PAVEMENT AND SHOULDER ITEMS;
AND \$250,000 OF APPL. STRUCTURAL ITEMS. SEE DESIGNER NOTE FOR ADDITIONAL USES.

Category: MATERIAL COST ADJUSTMENTS Document
Status: SPRINGFIELD SPEC IN USE [80229](#)
Effective: 4/1/2009
Revised: 7/1/2015

GROOVING FOR RECESSED PAVEMENT MARKINGS (BDE)

Remarks Concerning Usage:
USE THE DISTRICT SPEC INSTEAD.

Category: PAVEMENT MARKING Document
Status: SPRINGFIELD SPEC IN USE [80304](#)
Effective: 11/1/2012
Revised: 8/1/2014

BDE

HOT-MIX ASPHALT - DENSITY TESTING OF LONGITUDINAL JOINTS (BDE)

Remarks Concerning Usage:

USE D5 SPECIAL "LONGITUDINAL JOINT DENSITY (D5-FG)" INSTEAD.

Category: HOT-MIX ASPHALT

Status: DON'T USE

Effective: 1/1/2010

Revised: 4/1/2016

Document

[80246](#)

HOT-MIX ASPHALT - PAY FOR PERFORMANCE USING PERCENT WITHIN LIMITS - JOBSITE SAMPLING (BDE)

Remarks Concerning Usage:

USE FOR INTERSTATE MAINLINE HIMA THAT HAS >8000 TONS PER MIX.

Category: HOT MIX ASPHALT

Status: SPRINGFIELD SPEC IN USE

Effective: 11/1/2014

Revised: 4/1/2016

Document

[80347](#)

HOT-MIX ASPHALT - TACK COAT (BDE)

Remarks Concerning Usage:

USE ON ALL HMA PAVING CONTRACTS

Category: HOT-MIX ASPHALT

Status: SPRINGFIELD SPEC IN USE

Effective: 11/1/2016

Revised:

Document

[80376](#)

LIGHT POLES (BDE)

Remarks Concerning Usage:

INCLUDE IN CONTRACTS REQUIRING LIGHT POLES.

Category: HIGHWAY LIGHTING

Status: SPRINGFIELD SPEC IN USE

Effective: 7/1/2016

Revised:

Document

[80367](#)

LIGHT TOWER (BDE)

Remarks Concerning Usage:

INCLUDE IN CONTRACTS REQUIRING LIGHT TOWERS.

Category: HIGHWAY LIGHTING

Status: SPRINGFIELD SPEC IN USE

Effective: 7/1/2016

Revised:

Document

[80368](#)

BDE

LONGITUDINAL JOINT AND CRACK PATCHING (BDE)

Remarks Concerning Usage:
USE ON ALL CONTRACTS INVOLVING LONGITUDINAL PARTIAL DEPTH PATCHING

Category: PATCHING Document
Status: SPRINGFIELD SPEC IN USE [80336](#)
Effective: 4/1/2014
Revised:

MAST ARM ASSEMBLY AND POLE (BDE)

Remarks Concerning Usage:
INCLUDE IN CONTRACTS REQUIRING MASAT ARM ASSEMBLIES AND POLES.

Category: HIGHWAY LIGHTING Document
Status: SPRINGFIELD SPEC IN USE [80369](#)
Effective: 7/1/2016
Revised:

MATERIAL TRANSFER DEVICE (BDE)

Remarks Concerning Usage:
USE ON ALL INTERSTATE AND FULL-DEPTH HOT-MIX ASPHALT PAVING CONTRACTS.

CAN BE INSERTED ON OTHER HOT-MIX ASPHALT PROJECTS AT THE DISTRICT'S DISCRETION.
SPECIAL PROVISION CONTAINS 3 FILL IN THE BLANK AREAS WHICH MUST BE DETERMINED BY THE DISTRICT.

Category: HOT-MIX ASPHALT Document
Status: SPRINGFIELD SPEC IN USE [80045](#)
Effective: 6/15/1999
Revised: 8/1/2014

MECHANICAL SIDE TIE BAR INSERTER (BDE)

Remarks Concerning Usage:
USE ON CONTRACTS WITH PORTLAND CEMENT CONCRETE PAVEMENT AND UTILIZING HIGHWAY STANDARD 420001.

Category: CONCRETE PAVEMENT Document
Status: SPRINGFIELD SPEC IN USE [80342](#)
Effective: 8/1/2014
Revised: 4/1/2016

BDE

MECHANICAL SPLICERS (BDE)

Remarks Concerning Usage:
INCLUDE IN CONTRACTS REQUIRING MECHANICAL SPLICERS.

Category REINFORCEMENT BARS Document
Status: SPRINGFIELD SPEC IN USE [80370](#)
Effective: 7/1/2016
Revised:

MOISTURE CURED URETHANE PAINT SYSTEM (BDE)

Remarks Concerning Usage:
USE ON ALL PROJECTS REQUIRING A MOISTURE CURED URETHANE PAINT SYSTEM.

Category BRIDGE PAINTING Document
Status: SPRINGFIELD SPEC IN USE [80165](#)
Effective: 11/1/2006
Revised: 1/1/2010

OVERHEAD SIGN STRUCTURES - CERTIFICATION OF METAL FABRICATOR (BDE)

Remarks Concerning Usage:
INSERT IN CONTRACTS REQUIRING OVERHEAD SIGN STRUCTURES

Category OVERHEAD SIGN STRUCTURES Document
Status: SPRINGFIELD SPEC IN USE [80361](#)
Effective: 11/1/2015
Revised: 4/1/2016

PAVEMENT MARKING BLACKOUT TAPE (BDE)

Remarks Concerning Usage:
USE IN CONTRACTS WHERE THE DISTRICT IS REQUIRING THE EXISTING PAVEMENT MARKINGS IN A WORK ZONE TO BE TEMPORARILY COVERED.

Category WORK ZONE PAVEMENT MARKING Document
Status: SPRINGFIELD SPEC IN USE [80349](#)
Effective: 11/1/2014
Revised: 4/1/2016

BDE

PAVEMENT MARKING REMOVAL (BDE)

Remarks Concerning Usage:
INCLUDE IN CONTRACTS REQUIRING PAVEMENT MARKING REMOVAL.

Category: PAVEMENT MARKING REMOVAL
Status: SPRINGFIELD SPEC IN USE
Effective: 7/1/2016
Revised:
Document [80371](#)

PAVEMENT MARKING TAPE TYPE IV (BDE)

Remarks Concerning Usage:
USE IN CONTRACTS WHERE THE USE OF THIS MATERIAL HAS BEEN APPROVED BY THE BUREAU OF MATERIALS AND PHYSICAL RESEARCH.

Category: PAVEMENT MARKING
Status: JOB-SPECIFIC USE ONLY
Effective: 4/1/2012
Revised: 4/1/2016
Document [80298](#)

PEDESTRIAN PUSH-BUTTON (BDE)

Remarks Concerning Usage:
INSERT IN CONTRCTS INVOLVING PEDESTRIAN PUSH-BUTTONS

Category: TRAFFIC SIGNALS
Status: SPRINGFIELD SPEC IN USE
Effective: 4/1/2016
Revised:
Document [80365](#)

PORTABLE CHANGEABLE MESSAGE SIGNS (BDE)

Remarks Concerning Usage:
USE WHEN UTILIZING PORTABLE CHANGEABLE MESSAGE SIGNS, INCLUDING FOR STANDARD 701400

Category: TRAFFIC CONTROL
Status: SPRINGFIELD SPEC IN USE
Effective: 11/1/2016
Revised:
Document [80377](#)

PORTLAND CEMENT CONCRETE BRIDGE DECK CURING (BDE)

Remarks Concerning Usage:
INSERT IN ALL PORTLAND CEMENT CONCRETE BRIDGE DECK CONTRACTS

Category: BRIDGES & STRUCTURES
Status: SPRINGFIELD SPEC IN USE
Effective: 4/1/2015
Revised: 7/1/2016
Document [80359](#)

BDE

PORTLAND CEMENT CONCRETE INLAY OR OVERLAY (BDE)

Remarks Concerning Usage:

INSERT IN CONTRACTS USING PORTLAND CEMENT CONCRETE INLAY OR OVERLAYS

Category: CONCRETE PAVEMENT Document
Status: SPRINGFIELD SPEC IN USE [80353](#)
Effective: 1/1/2015
Revised: 4/1/2016

PORTLAND CEMENT CONCRETE PARTIAL DEPTH HOT-MIX ASPHALT PATCHING (BDE)

Remarks Concerning Usage:

USE IN CONTRACTS INVOLVING PARTIAL DEPTH PATCHING OF PCC PAVEMENT

REPLACES RECURRING CHECK SHEET #15.

Category: PATCHING Document
Status: SPRINGFIELD SPEC IN USE [80338](#)
Effective: 4/1/2014
Revised: 4/1/2016

PERFORMED PLASTIC PAVEMENT MARKING TYPE D - INLAID (BDE)

Remarks Concerning Usage:

USE IN CONTRACTS WHERE THE USE OF THIS MATERIAL AS BEEN APPROVED BY THE BUREAU OF MATERIALS AND PHYSICAL RESEARCH

Category: PAVEMENT MARKING Document
Status: JOB-SPECIFIC USE ONLY [80300](#)
Effective: 4/1/2012
Revised: 4/1/2016

PREVENTIVE MAINTENANCE - BITUMINOUS SURFACE TREATMENT (A-1) (BDE)

Remarks Concerning Usage:

INCLUDE IN CONTRACTS USING PREVENTIVE MAINTENANCE - BITUMINOUS SURFACE TREATMENT (A-1)

REPLACES CHECKSHEET #28 IN THE SUPPLEMENTAL SPECS.

Category: HMA PREVENTIVE MAINTENANCE Document
Status: SPRINGFIELD SPEC IN USE [80372](#)
Effective: 7/1/2016
Revised:

BDE

PREVENTIVE MAINTENANCE - CAPE SEAL (BDE)

Remarks Concerning Usage:

INCLUDE IN CONTRACTS FOR PREVENTIVE MAINTENANCE - CAPE SEAL
REPLACES CHECK SHEET #29 OF THE SUPPLEMENTAL SPECIFICATIONS

Category HMA - PREVENTIVE MAINTENANCE Document [80373](#)
Status: SPRINGFIELD SPEC IN USE
Effective: 7/1/2016
Revised:

PREVENTIVE MAINTENANCE - MICRO-SURFACING (BDE)

Remarks Concerning Usage:

INCLUDE IN ALL CONTRACTS USING PREVENTIVE MAINTENANCE - MICRO-SURFACING
REPLACES CHECKSHEET #30 OF THE SUPPLEMENTAL SPECS.

Category HMA PREVENTIVE MAINTENANCE Document [80374](#)
Status: SPRINGFIELD SPEC IN USE
Effective: 7/1/2016
Revised:

PREVENTIVE MAINTENANCE - SLURRY SEAL (BDE)

Remarks Concerning Usage:

INCLUDE IN ALL CONTRACTS USING PREVENTIVE MAINTENANCE - SLURRY SEAL
REPLACES CHECKSHEET #31 OF THE SUPPLEMENTAL SPECS.

Category HMA PREVENTIVE MAINTENANCE Document [80375](#)
Status: SPRINGFIELD SPEC IN USE
Effective: 7/1/2016
Revised:

PROGRESS PAYMENTS (BDE)

Remarks Concerning Usage:

USE ON ALL JOBS.

Category CONTRACT DOCUMENTS Document [80328](#)
Status: SPRINGFIELD SPEC IN USE
Effective: 1/1/2014
Revised:

BDE

RAILROAD PROTECTIVE LIABILITY INSURANCE (5 AND 10) (BDE)

Remarks Concerning Usage:

DISCUSS WITH THE RAILROAD COORDINATOR. ONLY USE IN CONTRACTS INVOLVING CLASS 1 RAILROADS.

Category RAILROADS Document
Status: SPRINGFIELD SPEC IN USE [80157](#)
Effective: 1/1/2006
Revised:

RAILROAD PROTECTIVE LIABILITY INSURANCE (BDE)

Remarks Concerning Usage:

DISCUSS WITH THE RAILROAD COORDINATOR. THIS SPECIAL PROVISION SHOULD ONLY BE USED FOR "SHORT-LINE" (MINOR) RAILROADS.

Category CONTRACT DOCUMENTS Document
Status: SPRINGFIELD SPEC IN USE [34261](#)
Effective: 12/1/1986
Revised: 1/1/2006

RECLAIMED ASPHALT PAVEMENT AND RECLAIMED ASPHALT SHINGLES (BDE)

Remarks Concerning Usage:

INCLUDE IN ALL HMA CONTRACTS

Category HOT-MIX ASPHALT Document
Status: SPRINGFIELD SPEC IN USE [80306](#)
Effective: 11/1/2012
Revised: 4/1/2016

SPEED DISPLAY TRAILER (BDE)

Remarks Concerning Usage:

INSERT INTO ALL FREEWAY AND EXPRESSWAY PROJECTS INVOLVING HIGHWAY STANDARD 701400.

Category TRAFFIC CONTROL Document
Status: SPRINGFIELD SPEC IN USE [80340](#)
Effective: 4/2/2014
Revised: 4/1/2016

BDE

STEEL COST ADJUSTMENT (BDE)

Remarks Concerning Usage:

USE ON ALL CONTRACTS INVOLVING STEEL METAL PILING (EXCLUDING TEMPORARY SHEET PILING), STRUCTURAL STEEL, AND REINFORCING STEEL. IT SHOULD ALSO BE INCLUDED FOR OTHER MATERIALS SUCH AS DOWEL BARS, TIE BARS, MESH REINFORCEMENT, GUARDRAIL, ETC.

Category STEEL ITEMS Document
Status: SPRINGFIELD SPEC IN USE [80127](#)
Effective: 4/2/2004
Revised: 7/1/2015

STEEL SLAG IN TRENCH BACKFILL (BDE)

Remarks Concerning Usage:

USE IN CONTRACTS REQUIRING TRENCH BACKFILL

Category AGGREGATE Document
Status: SPRINGFIELD SPEC IN USE [80362](#)
Effective: 1/1/2016
Revised:

SURFACE TESTING OF HOT-MIX ASPHALT OVERLAYS (BDE)

Remarks Concerning Usage:

USE ON ALL INTERSTATE RESURFACING CONTRACTS. DISCUSS USE ON OTHER MULTI-LANE PROJECTS WITH >3.75" OF ASPHALT.

Category HOT-MIX ASPHALT Document
Status: SPRINGFIELD SPEC IN USE [80317](#)
Effective: 1/1/2013
Revised: 4/1/2016

TEMPORARY CONCRETE BARRIER (BDE)

Remarks Concerning Usage:

INSERT IN CONTRACTS USING TEMPORARY CONCRETE BARRIER

Category TRAFFIC CONTROL Document
Status: SPRINGFIELD SPEC IN USE [80355](#)
Effective: 1/1/2015
Revised: 7/1/2015

BDE

TRAINING SPECIAL PROVISIONS (BDE)

Remarks Concerning Usage:
DISCUSS WITH STACEY LAWTON (EEO OFFICER).

Category: CONTRACT DOCUMENTS Document
Status: SPRINGFIELD SPEC IN USE [20338](#)
Effective: 10/1/1975
Revised:

TRAVERSABLE PIPE GRATE (BDE)

Remarks Concerning Usage:
USE ON ALL CONTRACTS THAT INCLUDE STANDARD 542311.

Category: CULVERTS Document
Status: SPRINGFIELD SPEC IN USE [80318](#)
Effective: 1/1/2013
Revised: 4/1/2014

URBAN HALF ROAD CLOSURE WITH MOUNTABLE MEDIAN (BDE)

Remarks Concerning Usage:
INSERT IN CONTRACTS USING HIGHWAY DESIGN STANDARD 701611

Category: TRAFFIC CONTROL Document
Status: SPRINGFIELD SPEC IN USE [80357](#)
Effective: 1/1/2015
Revised: 7/1/2015

WARM MIX ASPHALT (BDE)

Remarks Concerning Usage:
INCLUDE IN ALL HMA CONTRACTS.

Category: WARM-MIX ASPHALT Document
Status: SPRINGFIELD SPEC IN USE [80288](#)
Effective: 1/1/2012
Revised: 4/1/2016

WEEKLY DBE TRUCKING REPORTS (BDE)

Remarks Concerning Usage:
INCLUDE IN ALL CONTRACTS

Category: CONTRACT DOCUMENTS Document
Status: SPRINGFIELD SPEC IN USE [80302](#)
Effective: 6/2/2012
Revised: 7/1/2015

BDE

WET REFLECTIVE THERMOPLASTIC PAVEMENT MARKING (BDE)

Remarks Concerning Usage:

INCLUDE IN ALL PROJECTS INVOLVING WET REFLECTIVE THERMOPLASTIC PAVEMENT MARKING.

Category: PAVEMENT MARKING Document
Status: SPRINGFIELD SPEC IN USE [80289](#)
Effective: 1/1/2012
Revised:

WORKING DAYS (BDE)

Remarks Concerning Usage:

USE ON ALL WORKING DAY CONTRACTS.

Category: CONTRACT DOCUMENTS Document
Status: SPRINGFIELD SPEC IN USE [80071](#)
Effective: 1/1/2002
Revised:

OTHER

ADJUSTING OF FRAMES AND GRATES OF DRAINAGE AND UTILITY STRUCTURES

Remarks Concerning Usage:

USE FOR ANY RESURFACING JOBS WITH ADJUSTMENT

OF FRAMES/LIDS/GRATES IN THE PAVEMENT. GRATES ARE ADJUSTED AFTER THE SURFACE COURSE HAS BEEN PLACED.

Category: MISCELLANEOUS Document
Status: APPROVED WITHOUT RESTRICTION [603](#)
Effective: 3/9/2001
Revised: 3/28/2007

AGGREGATE BASE COURSE

Remarks Concerning Usage:

MAY BE USED FOR AGGREGATE BASE COURSE TOP LIFT ON JURISDICTIONAL TRANSFER JOBS ONLY.

Category: AGGREGATE Document
Status: JOB-SPECIFIC USE ONLY [351](#)
Effective: 9/11/1990
Revised: 1/1/2014

OTHER

BASE COURSE (OPTION)

Remarks Concerning Usage:

DISCUSS WITH PROJECT ENGINEER BEFORE USING. THICKNESS OF EITHER OPTION TO BE DETERMINED BY PAVEMENT DESIGN. HOT-MIX ASPHALT MIXTURE DESIGNATION WILL COME FROM MATERIALS.

Category: BASE COURSE Document
Status: JOB SPECIFIC USE ONLY [Z00290](#)
Effective: 8/2/2004
Revised: 1/1/2014

BITUMINOUS SURFACE TREATMENT, SPECIAL (LONGITUDINAL)

Remarks Concerning Usage:

DISCUSS WITH MATERIALS PRIOR TO USING.

Category: BITUMINOUS CONCRETE Document
Status: JOB SPECIFIC USE ONLY [403A](#)
Effective: 1/3/2006
Revised: 1/1/2014

BRIDGE DECK POUR WEATHER RESTRICTIONS

Remarks Concerning Usage:

USE ON BRIDGE JOBS WHEN GBSP #78 IS CHECKED.

INCLUDE QUANTITY FOR NIGHTTIME WORK ZONE LIGHTING IN THE PLANS.

Category: PROSECUTION & PROGRESS Document
Status: JOB SPECIFIC USE ONLY [10804](#)
Effective: 4/1/2014
Revised:

CHANGEABLE MESSAGE SIGN

Remarks Concerning Usage:

USE WHEN "CALENDAR MONTH" IS TOO LARGE A UNIT FOR MEASURING USE OF THESE SIGNS.

DO NOT USE WHEN USING TRAFFIC CONTROL AND PROTECTION STANDARD 701400.

Category: TRAFFIC CONTROL Document
Status: JOB-SPECIFIC USE ONLY [101pcms](#)
Effective: 3/23/2004
Revised: 1/1/2014

COMPLETION DATE (VIA CALENDAR DAYS) PLUS WORKING DAYS

Remarks Concerning Usage:

USE ON APPLICABLE NON-STRUCTURE PROJECTS.

Category: CONTRACT DOCUMENTS Document
Status: DISTRICT SPEC IN USE [108B](#)
Effective: 3/29/2012
Revised:

OTHER

COMPLETION DATE PLUS GUARANTEED WORKING DAYS

Remarks Concerning Usage:
USE ON APPLICABLE STRUCTURE PROJECTS.

Category: CONTRACT DOCUMENTS
Status: DISTRICT SPEC IN USE
Effective: 3/19/2012
Revised:
Document [108A](#)

CONCRETE MEDIAN SURFACE REMOVAL

Remarks Concerning Usage:
ESTABLISHES PAY ITEM.

Category: REMOVAL ITEMS
Status: APPROVED WITHOUT RESTRICTION
Effective: 9/11/1990
Revised: 1/1/2014
Document [440C](#)

CONTRACTOR ACCESS

Remarks Concerning Usage:
INCLUDE IN THE TRAFFIC CONTROL PLAN.

Category: ACCESS THRU JOB SITE
Status: APPROVED WITHOUT RESTRICTION
Effective: 9/11/1990
Revised: 1/1/2013
Document [101A](#)

DETOUR SIGNING

Remarks Concerning Usage:
JOB SPECIFIC USE. ASK YOUR PROJECT ENGINEER BEFORE USING.
ALL SIGNS WILL NOW BE PROVIDED BY THE CONTRACTOR.

Category: TRAFFIC CONTROL
Status: JOB SPECIFIC USE ONLY
Effective: 1/18/2005
Revised: 4/1/2016
Document [10404](#)

EMBANKMENT

Remarks Concerning Usage:
PRIMARILY TO BE USED FOR SOILS THAT WILL BE PLACED UNDER PAVEMENT. USE WHEN RECOMMENDED BY THE GEOTECHNICAL ENGINEER.

Category: EARTHWORK
Status: JOB-SPECIFIC USE ONLY
Effective: 4/18/2002
Revised: 1/1/2014
Document [205](#)

OTHER

EXCAVATION

Remarks Concerning Usage:

THIS SHOULD BE INCLUDED IN THE TRAFFIC CONTROL PLAN IF IT APPLIES.

Category: TRAFFIC CONTROL Document
Status: JOB-SPECIFIC USE ONLY [202](#)
Effective: 9/11/1990
Revised: 1/1/2013

FILLING EXISTING CULVERTS

Remarks Concerning Usage:

USE WHEN EXISTING CULVERTS TO BE ABANDONED IN PLACE

Category: MISCELLANEOUS Document
Status: DISTRICT SPEC IN USE [Z0023](#)
Effective: 1/5/2010
Revised:

FLAGGER RESTRICTIONS

Remarks Concerning Usage:

USE ON HIGH ADT INTERSTATE AND BUSINESS LOOP MULTILANE ROADWAY

Category: TRAFFIC CONTROL Document
Status: JOB-SPECIFIC USE ONLY [701F](#)
Effective: 1/1/2014
Revised: 4/8/2014

GRANULAR EMBANKMENT, SPECIAL

Remarks Concerning Usage:

ADDITIONAL SPECS REQUIRED BY THE DISTRICT

Category: AGGREGATE Document
Status: DISTRICT SPEC IN USE [206](#)
Effective: 10/25/2001
Revised: 1/1/2014

GROOVING FOR RECESSED PAVEMENT MARKINGS

Remarks Concerning Usage:

USE ON ALL CONTRACTS USING GROOVING FOR RECESSED PAVEMENT MARKINGS.

Category: PAVEMENT MARKING Document
Status: DISTRICT SPEC IN USE [GROOVING](#)
Effective: 7/1/2016
Revised:

OTHER

GUARD POST REMOVAL

Remarks Concerning Usage:
USE TO ESTABLISH THIS PAY ITEM IF NEEDED.

Category: REMOVAL ITEMS
Status: JOB-SPECIFIC USE ONLY
Effective: 9/11/1990
Revised: 1/1/2014
Document [632A](#)

GUARD POSTS

Remarks Concerning Usage:
GIVES DIMENSIONS FOR GUARD POSTS.

Category: GUARDRAIL, FENCE & APPURTENANCES
Status: DISTRICT SPEC IN USE
Effective: 3/5/1997
Revised: 1/1/2014
Document [634](#)

GUARDRAIL INSTALLATION TIME

Remarks Concerning Usage:
USE ON JOBS WITH GUARDRAIL.

Category: TRAFFIC CONTROL AND PROTECTION
Status: JOB-SPECIFIC USE ONLY
Effective: 1/29/1999
Revised: 1/1/2014
Document [701B](#)

GUARDRAIL REMOVAL AND INSTALLATION

Remarks Concerning Usage:
PLACE IN THE TRAFFIC CONTROL PLAN. USE WHEN DOING
GUARDRAIL WORK ADJACENT TO OPEN LANES.

Category: GUARDRAIL, FENCE & APPURTENANCES
Status: APPROVED WITHOUT RESTRICTION
Effective: 9/11/1990
Revised: 1/1/2014
Document [101C](#)

OTHER

HISTORIC CONCRETE PAVEMENT RESTORATION (BMPR)

Remarks Concerning Usage:

USE ON PROJECTS WITHIN THE HISTORIC SECTION. MAP (TO BE DELETED BY DESIGNER) FOLLOWS THE SPECIAL PROVISION

Category: HISTORIC CONCRETE PAVEMENT

Document
[histconc](#)

Status: JOB-SPECIFIC USE ONLY

Effective: 6/14/2013

Revised:

HOT MIX ASPHALT QUALITY CONTROL FOR PERFORMANCE

Remarks Concerning Usage:

USE ON 2 LANES TYPICALLY WITH > 3000 TONS OF A MIX AND POSSIBLY INTERSTATE SHOULDERS

CHECK WITH MATERIALS.

Category: HOT MIX ASPHALT

Document
[HMA_QCP](#)

Status: JOB-SPECIFIC USE ONLY

Effective: 1/1/2012

Revised: 1/16/2015

HOT-MIX ASPHALT - LONGITUDINAL JOINT SEALANT

Remarks Concerning Usage:

INCLUDE IN ALL CONTRACTS USING LONGITUDINAL JOINT SEALANT

DISCUSS USE WITH DISTRICT MATERIALS ENGINEER

Category: HOT MIX ASPHALT

Document
[40602](#)

Status: BMPR SPEC IN USE

Effective: 3/2/2016

Revised: 6/29/2016

HOT-MIX ASPHALT - REQUIRED FIELD TESTS

Remarks Concerning Usage:

USE FOR ALL PROJECTS WITH HMA WITH DENSITY LOCATIONS NOT COVERED BY QCP OR PFP SPECIAL PROVISIONS

Category: HOT-MIX ASPHALT

Document
[103005-d3](#)

Status: DISTRICT SPEC IN USE

Effective: 1/1/2011

Revised:

OTHER**HOT-MIX ASPHALT MIXTURE IL-9.5FG**

Remarks Concerning Usage:

USE ON ALL F.G. LEVEL BINDER MIXES.

Category: HOT-MIX ASPHALT
Status: JOB-SPECIFIC USE ONLY
Effective: 7/1/2005
Revised: 12/10/2014Document
[HMA_IL-9.5_FG](#)**HOT-MIX ASPHALT SHOULDERS, SPECIAL**

Remarks Concerning Usage:

FOR USE AS WEARING SURFACE FOR SHOULDERS

SUBJECT TO EQUESTRIAN LOADINGS.

Category: HOT-MIX ASPHALT SHOULDERS
Status: JOB-SPECIFIC USE ONLY
Effective: 3/9/2001
Revised: 1/1/2014Document
[482C](#)**HOT-MIX ASPHALT SURFACE REMOVAL**

Remarks Concerning Usage:

USE ON ALL RURAL OR INTERSTATE JOBS WITH HMA SURFACE REMOVAL

Category: REMOVAL ITEMS
Status: JOB SPECIFIC USE ONLY
Effective: 10/1/2009
Revised:Document
[440-3mill](#)**HOT-MIX ASPHALT SURFACE REMOVAL, SPECIAL**

Remarks Concerning Usage:

FOR DAYLIGHTING SIDEROADS AND ENTRANCES ON MILLING AND RESURFACING CONTRACTS.

Category: REMOVAL ITEMS
Status: JOB-SPECIFIC USE ONLY
Effective: 6/6/1995
Revised: 1/1/2014Document
[440H](#)**HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH**

Remarks Concerning Usage:

USE ONLY WHEN ADVISED BY PROJECT ENGINEER.

Category: REMOVAL ITEMS
Status: JOB-SPECIFIC USE ONLY
Effective: 12/11/2000
Revised: 1/1/2014Document
[440-2MILL](#)

OTHER

IL 19.0 BINDER DENSITY REQUIREMENT WHEN PLACING < 2.25"

Remarks Concerning Usage:

THIS SPECIAL PROVISION IS NEEDED SINCE THE HOT-MIX ASPHALT SPECIAL PROVISION GIVES A MINIMUM LIFT THICKNESS OF 2.25" FOR IL 19.0 AND REQUIRES 93.0 - 96.0 % DENSITY.

93.0% DENSITY IS NOT PRACTICAL FOR THE THINNER INLAY THICKNESSES.

Category: HOT-MIX ASPHALT Document
Status: DISTRICT SPEC IN USE [40616](#)
Effective: 5/15/2006
Revised: 1/1/2014

IMPACT ATTENUATORS

Remarks Concerning Usage:

USE IN ALL CONTRACTS REQUIRING IMPACT ATTENUATORS. USE IN PLACE OF IMPACT ATTENUATORS (BDE).

SPECIFIES CONCRETE ATTENUATOR PADS

Category: TRAFFIC CONTROL AND PROTECTION Document
Status: APPROVED WITHOUT RESTRICTION [80109a](#)
Effective: 11/1/2008
Revised: 1/1/2014

INDIVIDUAL DENSITY SITES

Remarks Concerning Usage:

USE ON ALL HMA PROJECT EXCEPT BRIDGES WITH <1000 TONS HMA AND PROJECTS THAT HAVE ALL HMA COVERED WITH QCP & PFP SPECIAL PROVISIONS

Category: HOT MIX ASPHALT Document
Status: DISTRICT SPEC IN USE [103005\(a\)\(4\)](#)
Effective: 9/1/2007
Revised: 12/10/2014

LONGITUDINAL JOINT DENSITY (D5-FG)

Remarks Concerning Usage:

USE ON ALL HMA RESURFACING CONTRACTS WITH JOINTS NOT COVERED BY QCP OR PFP SPECIAL PROVISIONS.

Category: HOT MIX ASPHALT Document
Status: DISTRICT SPEC IN USE [103005\(d\)\(3\)-2](#)
Effective: 1/1/2010
Revised: 4/1/2016

OTHER**NEW DOMESTIC SANITARY SERVICE**

Remarks Concerning Usage:
USE WHEN NEEDED. ESTABLISHES PAY ITEMS.

Category STORM & SANITARY
SEWERS & APPURTENANCES Document
[Z00059](#)
Status: JOB-SPECIFIC USE ONLY
Effective: 9/11/1990
Revised: 1/1/2014

NON-VERTICAL IMPACT ROLLER FOR HOT-MIX ASPHALT

Remarks Concerning Usage:

USE ON ALL CONTRACTS WITH HMA.

Category HOT-MIX ASPHALT Document
[NON-
VERTICAL_R
OLLER](#)
Status: DISTRICT SPEC IN USE
Effective: 10/13/2011
Revised:

OPENING LANES FOR HOME FOOTBALL PERIODS

Remarks Concerning Usage:
CONFER WITH PROJECT ENGINEER FOR JOBS IN
CHAMPAIGN OR ADJACENT COUNTIES.

Category TRAFFIC CONTROL Document
[10709A](#)
Status: JOB-SPECIFIC USE ONLY
Effective: 9/10/2001
Revised: 1/1/2014

OPENING PARAGRAPH

Remarks Concerning Usage:

USE ON ALL JOBS.

Category CONTRACT DOCUMENTS Document
[OPENING_P
ARAGRAPH
2016](#)
Status: SPRINGFIELD SPEC IN USE
Effective: 1/1/2002
Revised: 4/1/2016

OTHER

PAVEMENT GRINDING

Remarks Concerning Usage:
USE IF NEEDED. ESTABLISHES PAY ITEM.

Category MISCELLANEOUS Document
Status: JOB-SPECIFIC USE ONLY [Z00373](#)
Effective: 9/11/1990
Revised: 1/1/2014

PAVEMENT GROOVING

Remarks Concerning Usage:
USE IF NEEDED. ESTABLISHES PAY ITEM.

Category MISCELLANEOUS Document
Status: JOB-SPECIFIC USE ONLY [Z0373A](#)
Effective: 9/1/2006
Revised: 1/1/2014

PAVEMENT MARKING

Remarks Concerning Usage:
USE WHERE PAVEMENTS ARE BUILT WITHOUT TRAFFIC ON THEM.
REQUIRES STRIPING PRIOR TO OPENING THE NEW SECTION.

Category TRAFFIC CONTROL Document
Status: JOB-SPECIFIC USE ONLY [101D](#)
Effective: 9/11/1990
Revised: 1/1/2014

PAVEMENT MARKINGS

Remarks Concerning Usage:
USE ON THE ROUT AND SEAL CONTRACTS.

Category PAVEMENT STRIPING Document
Status: APPROVED WITHOUT [101E](#)
RESTRICTION
Effective: 1/17/2006
Revised: 1/1/2014

PAVEMENT PATCHING - CLASS D AND PARTIAL DEPTH

Remarks Concerning Usage:
SPECIFIES MINIMUM AND MAXIMUM ALLOWABLE LIFT THICKNESSES

Category PATCHING Document
Status: DISTRICT SPEC IN USE [442.08](#)
Effective: 4/1/2012
Revised: 3/9/2016

OTHER

PAVEMENT SENSOR REMOVAL AND REPLACEMENT

Remarks Concerning Usage:

CURRENT SENSOR LOCATIONS ARE I-74 AT SALT FORK BRIDGE, VERMILION COUNTY; I-57 & US 45 AT PESOTUM, CHAMPAIGN COUNTY; US 36 AT HEYWORTH.

SHOW LOCATION IN PLANS. CONTACT OPERATIONS TECHNICIAN AT 466-7294 PRIOR TO USE.

Category: CONTRACT DOCUMENTS
Status: JOB-SPECIFIC USE ONLY
Effective: 7/10/2000
Revised: 1/1/2014

Document
[10905](#)

PIPE UNDERDRAIN, 4" (100 mm)

Remarks Concerning Usage:

USE ON PROJECTS THAT NEW UNDERDRAINS WILL BE INSTALLED ON.

Category: PIPE DRAINS AND UNDERDRAINS
Status: JOB-SPECIFIC USE ONLY
Effective: 9/1/2006
Revised: 1/1/2014

Document
[601B](#)

PIPE UNDERDRAINS 4" (100 mm) (SPECIAL)

Remarks Concerning Usage:

USE FOR OUTLETS OF NEW UNDERDRAIN INSTALLATIONS

ALONG THE EDGE OF PAVEMENT WITH HOT-MIX ASPHALT SHOULDERS.

Category: PIPE DRAINS & UNDERDRAINS
Status: JOB-SPECIFIC USE ONLY
Effective: 2/22/1999
Revised: 6/21/2013

Document
[601](#)

PNEUMATIC-TIRED ROLLER FOR HOT-MIX ASPHALT

Remarks Concerning Usage:

USE WHEN CONTRACT INCLUDES HOT-MIX ASPHALT PAY ITEMS.

Category: HOT-MIX ASPHALT
Status: JOB-SPECIFIC USE ONLY
Effective: 10/1/1998
Revised: 9/1/2006

Document
[406](#)

POROUS GRANULAR BACKFILL

Remarks Concerning Usage:

USE FOR BACKFILLING NEW AR PIPE CULVERTS.

Category: AGGREGATE
Status: JOB-SPECIFIC USE ONLY
Effective: 7/7/1998
Revised: 3/14/2008

Document
[209](#)

OTHER

POROUS GRANULAR EMBANKMENT

Remarks Concerning Usage:

USE FOR BACKFILLING NEW A.R. BOX CULVERTS

Category: AGGREGATE

Status: JOB-SPECIFIC USE ONLY

Effective: 8/11/2009

Revised:

Document

[207](#)

RAISED REFLECTIVE PAVEMENT MARKER REMOVAL

Remarks Concerning Usage:

REQUIRES COMPLETE REMOVAL OF MARKERS, AND REQUIRES

FILLING HOLES PRIOR TO MILLING IN MOST CASES.

Category: REMOVAL ITEMS

Status: DISTRICT SPEC IN USE

Effective: 10/22/1997

Revised: 1/1/2014

Document

[783](#)

RESETTING OF SECTION CORNERS

Remarks Concerning Usage:

USE ON PROJECTS THAT HAVE SECTION CORNERS THAT WILL BE DISTURBED DURING CONSTRUCTION.

Category: SURVEY MARKERS

Status: JOB SPECIFIC USE ONLY

Effective: 1/17/2006

Revised: 12/1/2015

Document

[668](#)

RIPRAP, SPECIAL

Remarks Concerning Usage:

DISCUSS WITH THE HYDRAULICS UNIT BEFORE USING ON A PROJECT.

Category: RIPRAP

Status: JOB SPECIFIC USE ONLY

Effective: 11/1/1997

Revised: 1/1/2014

Document

[281](#)

ROUTING DEBRIS CLEAN UP

Remarks Concerning Usage:

USE ON THE ROUT AND SEAL CONTRACTS.

Category: MISCELLANEOUS

Status: APPROVED WITHOUT RESTRICTION

Effective: 1/17/2006

Revised: 1/1/2014

Document

[451](#)

OTHER

SEEDING

Remarks Concerning Usage:

USE WHEN EARTH SLOPES ARE DISTURBED AS A RESULT OF WIDENING OR SHOULDER OPERATIONS. USE ONLY WHEN SEEDING LIMITS ARE SHOWN ON TYPICAL CROSS SECTIONS.

SPECIFIES USING CLASS 2 SEEDING AND MULCH METHOD 2.

Category: EROSION CONTROL
Status: JOB SPECIFIC USE ONLY
Effective: 9/11/1990
Revised: 1/1/2014
Document [250](#)

SEEDING AND ESTABLISHMENT OF VEGETATION

Remarks Concerning Usage:

INSERT IN 3R CONTRACTS AND PROJECTS WITH LENGTHY TIMELINES OR LARGE SOIL DISTURBANCE. DISCUSS WITH PROJECT ENGINEER.

Category: SEEDING/SODDING
Status: JOB-SPECIFIC USE ONLY
Effective: 8/12/2014
Revised:
Document [250D](#)

SEEDING, AND EROSION CONTROL BLANKET, AT CONCRETE HEAD WALLS FOR PIPE DRAINS

Remarks Concerning Usage:

LUMPS EXCELSIOR BLANKET AND SEEDING INTO THE EXCELSIOR BLANKET PAY ITEM.

Category: PIPE DRAINS & UNDERDRAINS
Status: OK TO USE PENDING REVIEW
Effective: 9/11/1990
Revised: 1/1/2014
Document [251](#)

SEEDING, CLASS 4A

Remarks Concerning Usage:

DELETES PRAIRIE DROPSEED. IF ANY QUESTION, CONTACT JIM ALWILL @ 309-671-4484.

Category: EROSION CONTROL
Status: OK TO USE PENDING REVIEW
Effective: 9/11/1990
Revised: 1/1/2014
Document [250A](#)

OTHER

STAGE CONSTRUCTED ACROSS ROAD DRAINAGE STRUCTURES

Remarks Concerning Usage:
INCLUDE IN THE TRAFFIC CONTROL PLAN.

Category: TRAFFIC CONTROL Document
Status: JOB-SPECIFIC USE ONLY [442A](#)
Effective: 9/11/1990
Revised: 1/1/2014

STAGE CONSTRUCTION TIME RESTRICTION

Remarks Concerning Usage:
TYPICAL USE IS FOR BRIDGE WORK LET AT A TIME WHEN IT CAN'T
BE COMPLETED IN THE CURRENT CONSTRUCTION SEASON.

Category: TRAFFIC CONTROL AND PROTECTION Document
Status: JOB-SPECIFIC USE ONLY [101Y](#)
Effective: 10/22/1998
Revised: 1/1/2014

STATUS OF UTILITIES

Remarks Concerning Usage:
PLACE IN THE SPECIAL PROVISIONS.
USE ON PROJECTS THAT HAVE NO DIGGING INVOLVED.

Category: UTILITIES Document
Status: APPROVED WITHOUT RESTRICTION [ZZZ1](#)
Effective: 1/17/2006
Revised: 7/26/2007

STATUS OF UTILITIES

Remarks Concerning Usage:
PLACE IN THE SPECIAL PROVISIONS.
USE ON THE BRIDGE PAINTING PROJECTS.

Category: UTILITIES Document
Status: APPROVED WITHOUT RESTRICTION [ZZZ2](#)
Effective: 1/17/2006
Revised: 7/26/2007

OTHER

STATUS OF UTILITIES

Remarks Concerning Usage:

PLACE IN THE SPECIAL PROVISIONS.

USE ON ALL CONTRACTS THAT WILL REQUIRE DIGGING. DISCUSS WITH DAN MAGEE.

Category UTILITIES

Status: APPROVED WITHOUT RESTRICTION

Effective: 1/17/2006

Revised: 9/1/2006

Document

[ZZZ](#)

STORM SEWER WATERMAIN AND STORM SEWER, RUBBER GASKET, CLASS A

Remarks Concerning Usage:

USE WHEN HORIZONTAL AND/OR VERTICAL SEPARATION

OF WATER AND SEWER CANNOT BE MET.

Category STORM & SANITARY SEWERS & APPURTENANCES

Status: JOB-SPECIFIC USE ONLY

Effective: 8/3/1999

Revised: 1/1/2014

Document

[550A](#)

STORM WATER POLLUTION PREVENTION PLAN

Remarks Concerning Usage:

USE ON ALL JOBS DISTURBING MORE THAN 1 ACRE.

THE CURRENT FORM CAN BE FOUND ON THE FORMS MANAGEMENT PAGE. THE FORM NUMBER IS BDE 2342.

Category EROSION CONTROL

Status: SPRINGFIELD SPEC IN USE

Effective: 1/1/1992

Revised: 1/28/2011

Document

STRINGLINE

Remarks Concerning Usage:

CLARIFIES THAT A STRINGLINE IS REQUIRED FOR

ESTABLISHING PROFILE AND THAT IT'S NOT A PAY ITEM.

Category CONSTRUCTION METHODS

Status: JOB-SPECIFIC USE ONLY

Effective: 11/27/1991

Revised: 8/1/2012

Document

[440D](#)

OTHER

TEMPORARY DRAINAGE INTO PROPOSED DRAINAGE STRUCTURES

Remarks Concerning Usage:

USE WHEN PLACING NEW CURB AND GUTTER WITH INLETS PRIOR TO RESURFACING.

Category: STORM & SANITARY SEWERS & APPURTENANCES Document [602A](#)

Status: APPROVED WITHOUT RESTRICTION

Effective: 9/11/1990

Revised: 1/1/2014

TEMPORARY TRAFFIC CONTROL DEVICE DEPLOYMENT AND REMOVAL

Remarks Concerning Usage:

USE ON HIGH ADT INTERSTATE AND BUSINESS LOOP MULTILANE ROADWAYS

Category: TRAFFIC CONTROL Document [701G](#)

Status: JOB-SPECIFIC USE ONLY

Effective: 1/1/2014

Revised:

TRAFFIC CONTROL & PROTECTION DEVICES (ROAD & SIDEROAD/STREET CLOSURES)

Remarks Concerning Usage:

PUT INTO THE TRAFFIC CONTROL PLAN. USE THE CADD DETAIL TITLED "TRAFFIC CONTROL AND PROTECTION DEVICES (ROAD & SIDEROAD/STREET CLOSURES)" IN CONJUNCTION WITH THIS SPECIAL PROVISION.

Category: TRAFFIC CONTROL Document [101L](#)

Status: JOB-SPECIFIC USE ONLY

Effective: 9/11/1990

Revised: 1/1/2014

TRAFFIC CONTROL AND PROTECTION, STANDARD 701201

Remarks Concerning Usage:

USE WHEN 701201 WILL BE USED FOR PATCHING.

Category: TRAFFIC CONTROL Document [101Z](#)

Status: JOB-SPECIFIC USE ONLY

Effective: 2/11/1999

Revised: 4/1/2009

OTHER

TRAFFIC CONTROL AND PROTECTION, STANDARD 701316 AND 701321

Remarks Concerning Usage:

USE ON JOBS ALL JOBS WITH TC&P 701316 OR 701321.

THE FAR LOOP IS 115 FEET BACK FROM THE STOP BAR.

Category: TRAFFIC CONTROL AND PROTECTION

Status: DISTRICT SPEC IN USE

Effective: 5/1/2002

Revised: 3/1/2009

Document
[701C](#)

TRAFFIC CONTROL AND PROTECTION, STANDARD 701401

Remarks Concerning Usage:

USE FOR INTERSTATE AND SIMILAR INLAYS.

USE WITH DISTRICT CADD DETAIL

Category: TRAFFIC CONTROL

Status: JOB-SPECIFIC USE ONLY

Effective: 1/1/2014

Revised:

Document
[701H](#)

TRAFFIC CONTROL AND PROTECTION, STANDARD 701402

Remarks Concerning Usage:

INCLUDE IN THE TRAFFIC CONTROL PLAN.

Category: TRAFFIC CONTROL

Status: APPROVED WITHOUT RESTRICTION

Effective: 8/20/2004

Revised: 4/1/2009

Document
[101G](#)

TRAFFIC CONTROL PLAN

Remarks Concerning Usage:

NEEDED ON ALL JOBS.

Category: TRAFFIC CONTROL

Status: APPROVED WITHOUT RESTRICTION

Effective: 9/11/1990

Revised: 1/1/2014

Document
[101](#)

TRAFFIC CONTROL REMOVAL

Remarks Concerning Usage:

USE ON ALL MULTI-LANE RESURFACING PROJECTS.

Category: TRAFFIC CONTROL

Status: DISTRICT SPEC IN USE

Effective: 10/13/2011

Revised:

Document
[701E](#)

OTHER

TREATMENT OF EXISTING FIELD TILE SYSTEMS

Remarks Concerning Usage:

USE IN CONTRACTS WHEN FIELD TILE WORK IS ANTICIPATED.

SEE PLAN PREP MEMORANDUM 60-10 .

Category: STORM AND SANITARY
SEWERS

Document
[611](#)

Status: APPROVED WITHOUT
RESTRICTION

Effective: 12/12/1998

Revised: 1/1/2014

UNEVEN LANES

Remarks Concerning Usage:

PLACE IN THE TRAFFIC CONTROL PLAN AS REQUIRED BY BSE POLICY 4-15

<http://www.idot.illinois.gov/doing-business/procurements/construction-services/contractors-resources/index>

Category: TRAFFIC CONTROL AND
PROTECTION

Document
[701D](#)

Status: JOB SPECIFIC USE ONLY

Effective: 12/11/2009

Revised: 4/25/2015

VERTICAL ADJUSTMENT OF GUARDRAIL

Remarks Concerning Usage:

ESTABLISHES PAY ITEM.

Category: GUARDRAIL

Document
[633](#)

Status: DISTRICT SPEC IN USE

Effective: 11/3/2000

Revised: 1/1/2014

VERTICAL CLEARANCE NOTIFICATION

Remarks Concerning Usage:

USE ON JOBS WHICH HAVE STRUCTURES THAT HAVE LESS THAN 14 FEET 6 INCHES OF CLEARANCE.

PPM 70-02 HAS A LIST OF THE STRUCTURES. THE LIST HAS NOT BEEN RECENTLY UPDATED, SO SHOULD BE VERIFIED WITH BRIDGE & HYDRAULICS ENGINEER.

Category: BRIDGE CLEARANCE

Document
[10709B](#)

Status: JOB SPECIFIC USE ONLY

Effective: 9/1/2006

Revised: 1/1/2014

OTHER

WATER MAIN REMOVAL

Remarks Concerning Usage:
ESTABLISHES PAY ITEM.

Category: WATER MAIN & APPURTENANCES
Status: JOB-SPECIFIC USE ONLY
Effective: 9/11/1990
Revised: 1/1/2014
Document [561](#)

WATER SERVICE LINE

Remarks Concerning Usage:
ESTABLISHES PAY ITEM.

Category: WATER MAIN & APPURTENANCES
Status: JOB-SPECIFIC USE ONLY
Effective: 9/11/1990
Revised: 1/1/2014
Document [562](#)

WIDTH RESTRICTION AND MAXIMUM WIDTH SIGNING

Remarks Concerning Usage:
SEE DISTRICT DETAIL. USE IN ALL CONTRACTS THAT HAVE LANE WIDTH RESTRICTIONS LESS THAN 17'-6". THIS APPLIES TO ALL BARRIER CAUSED RESTRICTIONS INCLUDING BARRELS AND OTHER DEVICES.

Category: TRAFFIC CONTROL
Status: APPROVED WITHOUT RESTRICTION
Effective: 12/7/1999
Revised: 4/25/2016
Document [101AA](#)