

25200100 Sodding Location				25200100 Sodding (Continued)				28000500 Inlet and Pipe Protection (Continued)				35100100 Aggregate Base Course, Type A (Continued)				40600100 Bituminous Materials (Prime Coat)			
No.	From	To	Quantity Unit	No.	From	To	Quantity Unit	No.	From	To	Quantity Unit	No.	From	To	Quantity Unit	No.	From	To	Quantity Unit
1	9+13.2, 27' Lt	9+47, 56.2' Lt	18.1 S.Y.	117	40+33.2, 22.5' Lt	40+35.6, 22.5' Lt	12.7 S.Y.	32	33+00.6, 29' Lt	33+00.6, 29' Lt	1 Each	76	27+34.5, 22.8' Rt	27+51, 22.8' Rt	1.0 Ton	1	12+82, 10.8' Rt	52+28, 9' Lt	102.8 Gal
2	9+16.3, 20.5' Rt	9+36, 22.3' Rt	5.0 S.Y.	118	40+42.2, 22.9' Lt	40+45.5, 22.9' Lt	0.8 S.Y.	33	34+08.8, 22.9' Lt	34+08.8, 22.9' Lt	1 Each	77	27+45.4 CL	27+50.4 CL	3.6 Ton				
3	9+22.4, 26.1' Rt	9+43.9, 64.7' Rt	26.2 S.Y.	119	40+42.2, 28.8' Rt	40+49.2, 29' Rt	1.5 S.Y.	34	34+09, 22.9' Rt	34+09, 22.9' Rt	1 Each	78	27+53.5, 12.5' Lt	27+69.3, 20.7' Lt	4.7 Ton				
4	9+50.8, 40.9' Rt	9+50.6, 59.9' Rt	5.8 S.Y.	120	40+58.2, 22.5' Lt	40+60.8, 22.5' Lt	12.1 S.Y.	35	35+58.8, 22.4' Lt	35+58.8, 22.4' Lt	1 Each	79	27+70, 22.8' Rt	27+74, 22.8' Rt	0.2 Ton				
5	9+51.6, 35.5' Lt	9+54, 65.2' Lt	5.8 S.Y.	121	40+63.5, 22.8' Rt	40+71.2, 28.7' Rt	2.6 S.Y.	36	35+57, 22.7' Rt	35+57, 22.7' Rt	1 Each	80	27+86, 22.8' Rt	27+90, 22.8' Rt	0.2 Ton				
6	9+91.7, 67' Rt	9+94.4, 48.2' Lt	4.7 S.Y.	122	40+63.5, 22.8' Rt	40+71.2, 28.7' Rt	1.8 S.Y.	37	35+83.7, 34.3' Lt	35+83.7, 34.3' Lt	1 Each	81	29+89, 23' Rt	29+93, 23' Rt	0.2 Ton				
7	9+95.4, 59.4' Lt	10+00.4, 22.9' Lt	59.1 S.Y.	123	41+41.2, 23' Rt	41+41.2, 23' Rt	26.3 S.Y.	38	35+85, 52' Rt	35+85, 52' Rt	1 Each	82	30+40 CL	30+40 CL	3.1 Ton				
8	9+98.7, 57.3' Rt	10+40.5, 28.1' Rt	30.5 S.Y.	124	41+41.2, 23' Rt	41+41.2, 23' Rt	4.0 S.Y.	39	36+10, 52.1' Rt	36+10, 52.1' Rt	1 Each	83	30+61, 22' Lt	30+71, 22' Lt	0.6 Ton				
9	10+24.6, 23' Rt	10+54, 22.4' Lt	5.6 S.Y.	125	41+43.4, 22.4' Lt	41+57.9, 22.4' Lt	3.2 S.Y.	40	36+16, 35.2' Lt	36+16, 35.2' Lt	1 Each	84	30+85.5, 22.1' Lt	30+89.5, 22.1' Lt	0.2 Ton				
10	11+15, 23.1' Lt	11+25.5, 29.8' Lt	5.9 S.Y.	126	41+71.6, 22.4' Lt	41+79.6, 22.4' Lt	1.8 S.Y.	41	38+50.5, 22.5' Lt	38+50.5, 22.5' Lt	1 Each	85	30+89.5, 23' Rt	30+95.5, 23' Rt	0.4 Ton				
11	11+43.2, 27.5' Lt	11+48.2, 22.5' Lt	3.4 S.Y.	127	42+32.3, 22.4' Lt	42+40.3, 22.4' Lt	1.8 S.Y.	42	38+50.5, 22.8' Rt	38+50.5, 22.8' Rt	1 Each	86	30+94.5, 22' Lt	30+98.5, 22' Lt	0.2 Ton				
12	12+68.6, 28.6' Rt	12+77.6, 28.6' Rt	2.0 S.Y.	128	42+92, 22.4' Lt	42+94, 22.4' Lt	2.7 S.Y.	43	40+59.5, 22.8' Rt	40+59.5, 22.8' Rt	1 Each	87	31+33.8 CL	31+37.8 CL	3.1 Ton				
13	12+68.6, 22.7' Rt	13+03, 22.8' Rt	7.3 S.Y.	129	43+15, 22.4' Lt	43+17.4, 22.4' Lt	3.7 S.Y.	44	41+50.5, 22.4' Lt	41+50.5, 22.4' Lt	1 Each	88	31+33.5, 22' Lt	31+37.5, 22' Lt	0.2 Ton				
14	12+85.5, 22.3' Lt	13+49, 21.9' Lt	35.9 S.Y.	130	43+38, 22.8' Rt	43+48, 22.8' Rt	2.4 S.Y.	45	41+50.6, 23.1' Rt	41+50.6, 23.1' Rt	1 Each	89	31+55.5, 23' Rt	31+60.5, 23' Rt	0.3 Ton				
15	13+30.5, 22.9' Rt	13+38.5, 22.9' Rt	1.7 S.Y.	131	43+64.8, 22.5' Lt	43+79.8, 22.5' Lt	3.3 S.Y.	46	43+73, 22.5' Lt	43+73, 22.5' Lt	1 Each	90	32+08, 23' Rt	32+15, 23' Rt	0.4 Ton				
16	13+68.8, 21.9' Lt	13+71.6, 21.9' Lt	2.1 S.Y.	132	43+71.5, 28.8' Rt	43+92.3, 28.8' Rt	4.6 S.Y.	47	44+34, 22.5' Lt	44+34, 22.5' Lt	1 Each	91	32+22.5, 23' Rt	32+41.5, 22.2' Lt	1.1 Ton				
17	13+75, 23.1' Rt	13+83, 23.1' Rt	1.7 S.Y.	133	43+74.7, 22.9' Rt	43+93.3, 23' Rt	4.0 S.Y.	48	45+50.3, 22.3' Lt	45+50.3, 22.3' Lt	1 Each	92	32+35.5, 22.2' Lt	32+41.5, 22.2' Lt	0.4 Ton				
18	14+27.5, 23.3' Rt	14+36.5, 23.2' Rt	2.0 S.Y.	134	43+74.7, 22.9' Rt	43+93.3, 23' Rt	4.6 S.Y.	49	45+50.7, 23' Rt	45+50.7, 23' Rt	1 Each	93	32+46.8, 16' Lt	32+61, 16' Lt	3.6 Ton				
19	14+27.5, 29.1' Rt	14+36.5, 29.1' Rt	2.0 S.Y.	135	43+94, 22.5' Lt	44+02, 22.5' Lt	1.8 S.Y.	50	46+57.4, 23' Rt	46+57.4, 23' Rt	1 Each	94	32+67.7, 45.7' Lt	32+92.6, 46' Lt	16.7 Ton				
20	14+79.5, 21.9' Lt	14+87.5, 21.9' Lt	1.8 S.Y.	136	44+36.5, 29.1' Rt	44+22, 22.6' Lt	1.8 S.Y.	51	48+37.7, 22.4' Lt	48+37.7, 22.4' Lt	1 Each	95	32+90, 25' Lt	33+03.5, 26.5' Lt	3.2 Ton				
21	15+15, 22' Lt	15+27.6, 22.2' Lt	23.1 S.Y.	137	44+36.5, 29.1' Rt	44+22, 22.6' Lt	1.8 S.Y.	52	48+53.7, 22.7' Rt	48+53.7, 22.7' Rt	1 Each	96	33+46, 23' Rt	33+50, 23' Rt	0.2 Ton				
22	15+19, 22.9' Rt	15+24.8, 22.9' Rt	1.4 S.Y.	138	44+36.5, 29.1' Rt	44+22, 22.6' Lt	1.8 S.Y.	53	50+50.8, 22.5' Lt	50+50.8, 22.5' Lt	1 Each	97	33+62, 23' Rt	33+69, 23' Rt	0.4 Ton				
23	15+21.7, 20.7' Rt	15+28.23, 28.8' Rt	9.6 S.Y.	139	44+79.5, 23' Rt	44+93.5, 23' Rt	3.1 S.Y.	54	50+51, 23' Rt	50+51, 23' Rt	1 Each	98	33+81.8 CL	33+85.8 CL	1.4 Ton				
24	15+50.7, 22.1' Lt	16+01.7, 22.6' Lt	94.2 S.Y.	140	44+79.5, 23' Rt	44+93.5, 23' Rt	3.1 S.Y.	55	51+68.8, 30.2' Lt	51+68.8, 30.2' Lt	1 Each	99	34+05.5, 22.3' Lt	34+11.5, 22.3' Lt	0.4 Ton				
25	15+57, 28.7' Lt	15+65.3, 28.9' Rt	8.7 S.Y.	141	45+12, 22.4' Lt	45+20, 22.4' Lt	1.8 S.Y.	56	52+63, 23' Rt	52+63, 23' Rt	1 Each	100	34+05.5, 22.8' Rt	34+17, 22.8' Rt	0.7 Ton				
26	15+60, 23' Rt	15+70, 23' Rt	2.2 S.Y.	142	45+42, 22.4' Lt	45+63, 22.4' Lt	4.7 S.Y.	57	52+72, 22.5' Lt	52+72, 22.5' Lt	1 Each	101	34+37.3 CL	34+41.3 CL	3.1 Ton				
27	16+25.8, 22.4' Lt	16+76.5, 22.1' Lt	14.6 S.Y.	143	45+43.4, 23' Rt	45+57.4, 23' Rt	3.1 S.Y.	58	52+83.2, 43.6' Rt	52+83.2, 43.6' Rt	1 Each	102	34+40, 22.5' Lt	34+44, 22.5' Lt	0.2 Ton				
28	17+84.2, 29' Rt	18+09.9, 28.8' Rt	14.8 S.Y.	144	45+43.4, 23' Rt	45+57.4, 23' Rt	3.1 S.Y.	59	53+26.5, 40' Rt	53+26.5, 40' Rt	1 Each	103	34+88.5, 22.5' Lt	35+04, 22.5' Lt	0.8 Ton				
29	17+85.6, 22.6' Lt	18+23.8, 22.7' Lt	8.6 S.Y.	145	46+80.5, 22.7' Rt	47+00, 24.7' Rt	3.7 S.Y.	60	54+93.3, 14.8' Rt	54+93.3, 14.8' Rt	1 Each	104	34+98.5 CL	34+98.5 CL	1.4 Ton				
30	17+87, 23' Rt	18+10, 23' Rt	5.1 S.Y.	146	46+80.5, 22.7' Rt	47+00, 24.7' Rt	3.7 S.Y.	61	54+93.5, 14.4' Lt	54+93.5, 14.4' Lt	1 Each	105	35+36, 22.4' Lt	35+40, 22.4' Lt	0.2 Ton				
31	18+45, 28.8' Rt	18+67.3, 28.9' Rt	12.2 S.Y.	147	47+41.6, 40.7' Rt	47+43.6, 41' Rt	1.7 S.Y.					106	35+51 CL	35+55 CL	2.8 Ton				
32	18+48, 22.9' R	18+64.2, 22.9' Rt	3.5 S.Y.	148	47+46.5, 31.5' Rt	47+66, 28.6' Rt	4.5 S.Y.					107	35+53.5, 22.4' Lt	35+60, 22.4' Lt	0.4 Ton				
33	18+52, 22.7' Lt	18+65.8, 22.7' Lt	3.2 S.Y.	149	47+52.7, 22.5' Lt	47+80.7, 22.5' Lt	1.8 S.Y.					108	35+54, 22.7' Rt	35+79, 30' Rt	1.5 Ton				
34	19+55.7, 22.6' Lt	19+63.6, 22.6' Lt	1.8 S.Y.	150	47+52.7, 22.5' Lt	47+80.7, 22.5' Lt	1.8 S.Y.					109	35+76.2, 21.5' Lt	35+89, 21' Lt	6.7 Ton				
35	19+56.8, 22.8' Rt	19+64.8, 22.7' Rt	2.0 S.Y.	151	47+87.6, 22.4' Lt	47+86.2, 22.6' Rt	1.8 S.Y.					110	35+83.5, 38.5' Rt	35+85, 35' Rt	1.0 Ton				
36	19+56.8, 22.8' Rt	19+64.8, 22.7' Rt	2.0 S.Y.	152	48+14.5, 22.3' Lt	48+23.6, 22.3' Lt	2.0 S.Y.					111	36+04.8, 26' Rt	36+12.8, 26.4' Rt	4.2 Ton				
37	19+56.8, 22.8' Rt	19+64.8, 22.7' Rt	2.0 S.Y.	153	48+17.2, 22.7' Rt	48+26.3, 22.7' Rt	2.1 S.Y.					112	36+04.8, 26' Rt	36+19, 28.4' Lt	4.4 Ton				
38	19+91, 28.7' Rt	21+42.7, 28.7' Rt	76.0 S.Y.	154	48+17.2, 22.7' Rt	48+26.3, 22.7' Rt	2.0 S.Y.	1	9+18.7 CL	10+35.5 CL	362.6 Ton	113	36+10, 11.7' Rt	36+18, 12' Rt	2.5 Ton				
39	19+94.3, 22.8' Rt	21+39.3, 22.7' Rt	33.3 S.Y.	155	48+47.9, 22.6' Rt	48+59.4, 22.6' Rt	2.7 S.Y.	2	52+45.8 CL	52+50.0 CL	811.1 Ton	114	36+13, 35.2' Lt	36+35, 22.5' Rt	1.5 Ton				
40	20+15.7, 22.6' Lt	20+25.5, 22.6' Lt	2.2 S.Y.	156	48+47.9, 22.6' Rt	48+60.8, 22.4' Lt	2.8 S.Y.	3	52+69.3, 23' Rt	53+43.7, 22.8' Rt	101.3 Ton	115	36+13.5, 41.4' Lt	36+25, 25.9' Rt	1.2 Ton				
41	20+37.6, 22.5' Lt	20+45.6, 22.5' Lt	1.8 S.Y.	157	48+48.2, 22.4' Lt	48+60.8, 22.4' Lt	2.8 S.Y.					116	36+30 CL	36+37 CL	4.9 Ton				
42	20+88.7, 22.6' Lt	21+00, 22.6' Lt	2.5 S.Y.	158	49+15.5, 22.7' Rt	49+19, 28.7' Rt	2.1 S.Y.					117	36+35.5, 22.6' Lt	36+39.5, 22.5' Lt	0.2 Ton				
43	21+64.2, 28.8' Rt	21+64.2, 28.8' Rt	48.6 S.Y.	159	49+15.5, 22.7' Rt	49+19, 28.7' Rt	2.1 S.Y.					118	36+45, 22.5' Lt	36+49, 22.5' Lt	0.2 Ton				
44	22+25.2, 22.7' Rt	22+53, 24.6' Rt	5.4 S.Y.	160	49+84, 22.4' Lt	49+92, 22.4' Lt	1.8 S.Y.					119	36+75.5, 22.6' Lt	36+79.5, 22.6' Lt	0.2 Ton				
45	22+34.5, 22.5' Lt	22+55, 22.5' Lt	30.4 S.Y.	161	50+12.6, 22.5' Lt	50+23.8, 22.5' Lt	2.4 S.Y.					120	37+08.7 CL	37+12.7 CL	3.0 Ton				
46	22+91, 22.4' Lt	22+93, 22.4' Lt	6.5 S.Y.	162	50+30, 22.5' Lt	50+38, 22.5' Lt	1.8 S.Y.					121	37+09.5, 22.6' Lt	37+17.5, 22.6' Lt	0.5 Ton				
47	23+00.4, 31' Rt	23+59, 28.9' Rt	8.1 S.Y.	163	50+42.5, 22.8' Rt	50+56.3, 22.8' Rt	2.8 S.Y.					122	37+45, 22.5' Lt	37+45, 22.5' Lt	0.5 Ton				
48	23+09, 24.9' Rt	23+59, 22.9' Rt	11.8 S.Y.	164	50+45.8, 22.4' Lt	50+55.8, 22.4' Lt	2.2 S.Y.					123	37+45, 22.5' Lt	37+45, 22.5' Lt	0.5 Ton				
49	23+19, 22.5' Lt	23+31.4, 22.5' Lt	18.1 S.Y.	165	51+34, 22.7' Rt	51+87.4, 22.8' Rt	12.2 S.Y.					124	37+75 CL	37+81 CL	8.8 Ton				
50	23+44.8, 22.5' Lt	23+53, 22.5' Lt	1.8 S.Y.	166	51+47.4, 22.3' Lt	51+72, 34' Lt	6.1 S.Y.					125	38+09, 6.9' Lt	38+83.7, 6.9' Lt	32.5 Ton				
51	23+91, 22.9' Rt	24+02.2, 22.9' Rt	2.6 S.Y.	167	52+29, 35.2' Lt	56+30.6, 15' Lt	446.8 S.Y.					126	38+47, 22.8' Rt	38+53.5, 22.8' Rt	0.4 Ton				
52	23+94.5, 22.3' Lt	24+04.3, 22.3' Lt	10.2 S.Y.	168	52+43.6, 22.9' Rt	52+78.4, 25' Rt	6.9 S.Y.					127	39+27 CL	39+31 CL	3.4 Ton				
53	24+33.7, 22.3' Lt	24+36, 22.3' Lt	3.4 S.Y.	169	52+71.7, 28.9' Rt	53+50.2, 86' Rt	224.8 S.Y.					128	39+47.8 CL</						