



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

January 4, 2021

SUBJECT: FAP Route 303 (IL173)
Project NHPP-GXR4(984)
Section 2020-032-RS&SW
Lake County
Contract No. 62L03
Item No. 5, January 15, 2021 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised the Schedule of Prices.
2. Revised the Table of Contents to the Special Provisions.
3. Revised page 40 of the Special Provisions.
4. Added pages 100-103 to the Special Provisions.
5. Revised sheets 3 and 4 of the Plans.

Prime contractors must utilize the enclosed material when preparing their bid and must include any changes to the Schedule of Prices in their bid.

Very truly yours,

A handwritten signature in black ink, appearing to read 'Jack A. Elston'.

Jack A. Elston, P.E.
Bureau Chief, Design and Environment

MTS

TABLE OF CONTENTS

LOCATION OF PROJECT	1
DESCRIPTION OF PROJECT	1
TRAFFIC CONTROL PLAN	2
MAINTENANCE OF ROADWAYS	2
FRICTION AGGREGATE (D-1)	3
GROUND TIRE RUBBER (GTR) MODIFIED ASPHALT BINDER (D-1).....	5
HOT-MIX ASPHALT BINDER AND SURFACE COURSE (D-1)	8
ADJUSTMENTS AND RECONSTRUCTIONS	18
DRAINAGE AND INLET PROTECTION UNDER TRAFFIC (DISTRICT 1)	19
FRICTION AGGREGATE (D-1)	21
CONSTRUCTION LAYOUT SPECIAL FOR RESURFACING WITH ADA AND STAND ALONE ADA (D-1)	24
PUBLIC CONVENIENCE AND SAFETY (DIST 1)	25
STATUS OF UTILITIES (D-1).....	26
CLEANING EXISTING DRAINAGE STRUCTURES	29
TEMPORARY INFORMATION SIGNING	29
SELECTIVE CLEARING	31
RAILROAD PROTECTIVE LIABILITY INSURANCE (5 AND 10) (BDE).....	32
RAILROAD FLAGGING (WCL).....	33
TRAFFIC CONTROL AT AT-GRADE RR CROSSINGS	33
RIGHT OF ENTRY APPLICATION.....	34
CERTIFICATE OF LIABILITY INSURANCE.....	39
COMPENSABLE DELAY COSTS (BDE).....	41
CONSTRUCTION AIR QUALITY – DIESEL RETROFIT (BDE).....	44
DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE)	46
DISPOSAL FEES (BDE)	55
EMULSIFIED ASPHALTS (BDE)	57
ENGINEER’S FIELD OFFICE AND LABORATORY (BDE)	60
MICRO-SURFACING AND SLURRY SEALING (BDE).....	63
MOBILIZATION (BDE)	68
PORTLAND CEMENT CONCRETE – HAUL TIME (BDE).....	69
RECLAIMED ASPHALT PAVEMENT AND RECLAIMED ASPHALT SHINGLES (BDE)	70
REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (BDE)	80
STEEL PLATE BEAM GUARDRAIL MANUFACTURING (BDE)	91

Revised 1/4/2021

SUBCONTRACTOR AND DBE PAYMENT REPORTING (BDE) 91
SUBCONTRACTOR MOBILIZATION PAYMENTS (BDE) 92
TEMPORARY PAVEMENT MARKING (BDE) 92
TRAFFIC CONTROL DEVICES - CONES (BDE)..... 95
WARM MIX ASPHALT (BDE) 95
WEEKLY DBE TRUCKING REPORTS (BDE)..... 97
WORK ZONE TRAFFIC CONTROL DEVICES (BDE) 97
WORKING DAYS (BDE) 99
REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (PROJECT SPECIFIC) 100

Revised 1/4/2021

This page intentionally left blank

Revised 1/4/2021

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (PROJECT SPECIFIC)

Description. This work shall consist of the removal and disposal of regulated substances according to Section 669 of the Standard Specifications as revised below.

Contract Specific Sites. The excavated soil and groundwater within the areas listed below shall be managed as either “uncontaminated soil”, hazardous waste, special waste or non-special waste. For stationing, the lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit, whichever is less.

GUARDRAIL IMPROVEMENTS

Illinois Route 173 (Rosecrans Road): Unincorporated Lake County and Antioch, Lake County

- Station 51+40 to Station 59+50 (CL IL 173), 0 to 30 feet LT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 64+50 to Station 69+70 (CL IL 173), 0 to 25 feet RT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 92+00 to Station 93+35 (CL IL 173), 0 to 60 feet LT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 92+50 to Station 93+65 (CL IL 173), 0 to 25 feet RT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 95+65 to Station 104+35 (CL IL 173), 0 to 25 feet LT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 96+00 to Station 105+00 (CL IL 173), 0 to 25 feet RT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 115+50 to Station 118+55 (CL IL 173), 0 to 30 feet LT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 154+30 to Station 155+50 (CL IL 173), 0 to 25 feet RT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Added 1/4/2021

- Station 154+85 to Station 155+60 (CL IL 173), 0 to 35 feet LT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 238+70 to Station 240+15 (CL IL 173), 0 to 25 feet LT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 238+85 to Station 240+40 (CL IL 173), 0 to 25 feet RT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 255+35 to Station 256+50 (CL IL 173), 0 to 30 feet LT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 285+20 to Station 286+95 (CL IL 173), 0 to 25 feet LT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 285+30 to Station 286+55 (CL IL 173), 0 to 25 feet RT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 292+15 to Station 295+20 (CL IL 173), 0 to 30 feet LT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 292+40 to Station 294+05 (CL IL 173), 0 to 25 feet RT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 304+30 to Station 309+55 (CL IL 173), 0 to 25 feet RT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 330+15 to Station 334+65 (CL IL 173), 0 to 25 feet RT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 333+75 to Station 335+20 (CL IL 173), 0 to 35 feet LT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Added 1/4/2021

- Station 337+00 to Station 350+20 (CL IL 173), 0 to 25 feet RT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 337+70 to Station 340+60 (CL IL 173), 0 to 25 feet LT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 346+05 to Station 348+45 (CL IL 173), 0 to 25 feet LT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 372+50 to Station 374+40 (CL IL 173), 0 to 50 feet LT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 390+80 to Station 392+45 (CL IL 173), 0 to 25 feet RT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- Station 390+90 to Station 392+35 (CL IL 173), 0 to 25 feet LT. All excavation planned for guardrail installation. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

ADA RAMP IMPROVEMENTS

Intersection of Illinois Route 173 (Rosecrans Road) and Hillside Avenue, Antioch, Lake County

- All excavation planned at the southwest quadrant at the intersection of Illinois Route 173 (Rosecrans Road) and Hillside Avenue. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Intersection of Illinois Route 173 (Rosecrans Road) and Main Street, Antioch, Lake County

- All excavation planned at the northeast quadrant at the intersection of Illinois Route 173 (Rosecrans Road) and Main Street. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(5). Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.
- All excavation planned at the northwest quadrant, and southwest quadrant at the intersection of Illinois Route 173 (Rosecrans Road) and Main Street. The Engineer has determined this material meets the criteria of and shall be managed in accordance with Article 669.05(a)(1). Potential contaminants of concern sampling parameters: VOCs, SVOCs and Metals.

Added 1/4/2021

Work Zones

Three distinct OSHA HAZWOPER work zones (exclusion, decontamination, and support) shall apply to projects adjacent to or within sites with documented leaking underground storage tank (LUST) incidents, or sites under management in accordance with the requirements of the Site Remediation Program (SRP), Resource Conservation and Recovery Act (RCRA), or Comprehensive Environmental Response, Compensation and Liability Act (CERCLA), or as deemed necessary. For this project, the work zones apply for the following ISGS PESA Sites:

None

Added 1/4/2021