STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

				SHEET NO. 4A
F.A.P. 68	(101-8-1)BP	Livingston	58	23
				12 SHEETS



Note: Fiberglass pipe shall conform to ASTM D2996, Designation Code RTRP-11AE-5112. Pipes with Class C or F liner are acceptable. The exterior surface of the Floor Drain shall be painted with Mr Basic Lead Silica Chromate painting specified for Structural Steel. The exterior surfaces of the Aluminum pipe shall be cleaned and given a washcoat prefreatment in accordance with Steel Structural Painting Council's Spec. SSPC-SP1 and SSPC-PT-3 prior to painting.

Note A: Beveled Construction Joint (Optional)

Note B: 5" Aluminum Sheets ASTM-B209 alloy 3003-H14 (Coat incidental to Class X Concrete)

Note C: Beveled Construction Joint (Mandatory) For all details below Mandatory Joint see Sheet













The surface of the Fiberglass pipe shall be free of bond inhibiting agents.



* Dimension as regid. by Pipe Clamp.

SUPERSTRUCTURE
F.A. RTE. 68 (ILL. 23) OVER
LONG POINT CREEK
SECTION 101B-1
LIVINGSTON COUNTY
STATION 408+41.50

		19
DESIGNED		EXAMINED
CHECKED		PASSED
DRAWN	S.D.	APPROVED
CHECKED		

FOR INFORMATION ONLY

FILE NAME = c:\pw_work\pwidot\woodshankrl\dms58988\d366877 - SN 053-0154-details.dgn	USER NAME = woodshankrl	DESIGNED - RON WOODSHANK	REVISED - ---	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	EXISTING STRUCTURE PLANS
	PLOT SCALE = 100.0000 ' / IN.	DRAWN - RON WOODSHANK	REVISED - ---		SCALE: _____ SHEET NO. 4 OF 4 SHEETS STA. 407+39.89 TO STA. 409+40.11
	PLOT DATE = Sep 28, 2008 - 12:18:26 PM	CHECKED - ---	REVISED - ---		
		DATE - _____	REVISED - ---		

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
68	(101-8-1)BP	LIVINGSTON	8	8
		CONTRACT NO. 66877		
FED. ROAD DIST. NO. _	ILLINOIS			