


LEGEND

	SIDEWALK REMOVAL
	PAVEMENT REMOVAL
	DRIVEWAY PAVEMENT REMOVAL
	ADJUST WATER METER PIT FRAME AND LID
	ADJUST WATER VALVE OR CURB STOP BOX LID

- DEMOLITION NOTES**
1. SAW CUTTING ALONG CURB AND GUTTER SHALL BE PERFORMED ALONG THE EDGE OF THE GUTTER FLAG OR ALONG THE BACK OF CURB.
 2. ALL EXISTING LIGHT POLES TO BE REMOVED BY OTHERS UNLESS OTHERWISE NOTED.

LOCATION	DRIVEWAY PAVEMENT REMOVAL SQ. YD.	SIDEWALK REMOVAL SQ. FT.	PAVEMENT REMOVAL SQ. YD.
Lt 20+36.6 to 21+72.7		1319	
Lt 21+65.6 to 22+47.8	85		
Rt 20+45.1 to 21+34.5		537	
Rt 21+34.5 to 21+57.9	16		
Rt 21+57.9 to 22+43.6		521	
Rt 22+43.4 to 22+47.0			2
Lt 22+73.6 to 22+86.5			3
Lt 22+74.4 to 25+01.1		2312	
Lt 24+85.6 to 25+03.7			7
Rt 22+77.9 to 22+82.0			1
Rt 22+82.4 to 23+22.5			16
Rt 22+78.7 to 25+06.2		2235	
Rt 24+91.8 to 25+06.2			1
Total	101	6924	30



CURB REMOVAL DETAIL
LONGITUDINAL WITH SIDEWALK

	MILARC & GRUNLOH ENGINEERS, LLC 11- WEST WASHINGTON P.O. BOX 387 EFFINGHAM, ILLINOIS 62401 Phone: (217) 347-7282 Fax: (217) 347-3439 Web Address: www.mgengr.com Design Firm # 184-005198	REMOVAL PLAN HARRISON STREET CITY OF SULLIVAN, ILLINOIS	
	File name: S:\DWG\11010295\dwg\Removal.dwg Plot date: 11/06/12 at 15:30		F.B. 689,676,671