

X4066414 BITUMINOUS CONCRETE SURFACE COURSE, SUPERPAVE, MIX "C", N50						TOTAL	89
FROM STATION	WIDTH	TO STATION	WIDTH		TON		
96+00.00	18.00	96+67.08	20.00		12		
96+67.08	20.00	98+16.77	30.00		35		
98+16.77	30.00	98+45.90	30.00		8		
98+45.90	30.00	98+63.22	0.00		2		
101+72.78	0.00	101+90.10	30.00		2		
101+90.10	30.00	102+94.40	23.00		26		
102+94.40	23.00	103+10.10	29.33		4		

PAVEMENT DEPTH: 1.5 INCHES
DENSITY: 112 LBS/SY/IN

X4066616 BITUMINOUS CONCRETE BINDER COURSE, SUPERPAVE, IL-19.0, N70						TOTAL	179
FROM STATION	WIDTH	TO STATION	WIDTH		TON		
96+00.00	18.00	96+67.08	20.00		24		
96+67.08	20.00	98+16.77	30.00		70		
98+16.77	30.00	98+45.90	30.00		16		
98+45.90	30.00	98+63.22	0.00		5		
101+72.78	0.00	101+90.10	30.00		5		
101+90.10	30.00	102+94.40	23.00		52		
102+94.40	23.00	103+10.10	29.33		8		

PAVEMENT DEPTH: 3.0 INCHES
DENSITY: 112 LBS/SY/IN

35100700 AGGREGATE BASE COURSE, TYPE A 8"						TOTAL	1065
FROM STATION	WIDTH	TO STATION (FT)	WIDTH		SQ YD		
96+00.00	18.00	96+67.08	20.00		142		
96+67.08	20.00	98+16.77	30.00		416		
98+16.77	30.00	98+45.90	30.00		97		
98+45.90	30.00	98+63.22	0.00		29		
101+72.78	0.00	101+90.10	30.00		29		
101+90.10	30.00	102+94.40	23.00		307		
102+94.40	23.00	103+10.10	29.33		46		

48202400 BITUMINOUS SHOULDERS SUPERPAVE 6"						TOTAL	157
FROM STATION	WIDTH (FEET)	TO STATION	WIDTH (FEET)	SIDE (FEET)	SQ YD		
96+09.49	0.0	96+33.49	4.0	LT	5.3		
96+33.49	4.0	96+68.49	4.0	LT	15.6		
96+68.49	4.0	96+92.49	0.0	LT	5.3		
96+02.97	0.0	96+26.97	4.0	RT	5.3		
96+26.97	4.0	96+61.97	4.0	RT	15.6		
96+61.97	4.0	96+85.97	0.0	RT	5.3		
101+73.88	0.0	101+97.88	4.0	LT	5.3		
101+97.88	4.0	102+32.88	4.0	LT	15.6		
102+32.88	4.0	102+48.38	2.0	LT	5.2		
101+93.51	0.0	102+17.51	4.0	RT	5.3		
102+17.51	4.0	102+52.51	4.0	RT	15.6		
102+52.51	4.0	102+68.01	2.0	RT	5.2		
102+50.38	4.0	103+10.10	4.0	LT	26.5		
102+52.01	4.0	103+10.10	4.0	RT	25.8		

60605000 COMB CONC C&G, TYPE B-6.24						TOTAL	652
FROM STATION	WIDTH (FEET)	TO STATION	WIDTH (FEET)	AVERAGE WIDTH (FEET)	FOOT		
96+00.00	10.22	96+67.08	10.01	LT	67.1		
96+67.08	10.01	98+16.77	15.00	LT	149.8		
98+16.77	15.00	98+45.90	15.00	LT	29.1		
96+00.00	7.78	98+16.77	15.00	RT	216.9		
98+16.77	15.00	98+63.22	15.00	RT	46.4		
101+72.78	15.00	101+90.10	15.00	LT	17.3		
101+90.10	15.00	102+46.25	13.13	LT	56.2		
102+46.25	13.13	102+50.38	16.99	LT	5.7		
101+90.10	15.00	102+47.88	13.07	RT	57.8		
102+47.88	13.07	102+52.01	16.94	RT	5.7		

63000000 STEEL PLATE BEAM GUARDRAIL, TYPE A					TOTAL	325
FROM STATION	TO STATION	SIDE		FOOT		
96+93.49	98+43.49	LT		150		
96+86.97	98+61.97	RT		175		

663100167 TBT, TYPE 1 SPECIAL (TANGENT)						TOTAL	4
FROM STATION	TO STATION	SIDE	LENGTH (FEET)		EACH		
96+36.49	96+86.49	LT	50.00		1		
96+36.97	96+86.97	RT	50.00		1		
101+72.88	102+22.88	LT	50.00		1		
101+74.51	102+24.51	RT	50.00		1		

63100085 TRAFFIC BARRIER TERMINAL, TYPE 6						TOTAL	4
FROM STATION	TO STATION	SIDE	LENGTH (FEET)		EACH		
98+43.49	98+74.74	LT	31.25		1		
98+61.97	98+93.22	RT	31.25		1		
101+41.63	101+72.88	LT	31.25		1		
101+61.59	101+92.84	RT	31.25		1		

PAVEMENT MARKINGS						TOTAL	886	554
FROM STATION	TO STATION	TYPE	THERMO-PLASTIC 78000200 (FOOT)	EPOXY 78005110 (FOOT)				
96+00.00	98+84.56	DOUBLE YELLOW	569					
98+84.56	101+51.44	DOUBLE YELLOW		554				
101+51.44	103+10.10	DOUBLE YELLOW	317					

25000210 SEEDING, CLASS 2A					TOTAL	0.03
FROM STATION	TO STATION	SIDE	MEASURED AREA (SQ FT)	ACRE		
96+00.00	97+87.00	RT	560	0.013		
96+00.00	97+87.00	LT	660	0.015		

25000300 SEEDING, CLASS 3					TOTAL	0.6
FROM STATION	TO STATION	SIDE	MEASURED AREA (SQ FT)	ACRE		
95+90.00	99+03.00	RT	8514.80	0.195		
95+80.00	98+60.00	LT	13608.00	0.312		
101+68.50	103.10.10	RT	1287.50	0.030		
101+34.50	103+00.00	LT	1659.60	0.038		

FERTILIZER NUTRIENT TOTALS					57	57	57
TYPE	AREA (SQ FT)	NITROGEN 28000400 (LBS)	PHOS-PHORUS 28000500 (LBS)	POTASSIUM 28000600 (LBS)			
SEEDING, CLASS 2A	0.03	2.7	2.7	2.7			
SEEDING, CLASS 3	0.6	54	54	54			

48101800 AGGREGATE SHOULDERS (SPECIAL)							TOTAL	165
FROM STATION	SIDE	WIDTH	TO STATION	SIDE	WIDTH	FOOT		
96+74.24	LT	0.00	96+92.49	LT	3.00	3.0		
96+92.49	LT	3.00	98+74.50	LT	3.00	60.7		
96+67.97	RT	0.00	96+85.97	RT	3.00	3.0		
96+85.97	RT	3.00	98+94.71	RT	3.00	69.6		
101+39.56	LT	3.00	101+73.88	LT	3.00	11.4		
101+73.88	LT	3.00	101+93.12	LT	0.00	3.2		
101+61.59	RT	3.00	101+93.51	RT	3.00	10.6		
101+93.51	RT	3.00	102+11.51	RT	0.00	3.0		

THESE QUANTITIES ALSO APPLY TO X0321501 WEED BARRIER FABRIC

REVISIONS		CITY OF DANVILLE, ILLINOIS HUNGRY HOLLOW ROAD BRIDGE
NAME	DATE	
		SCHEDULE OF QUANTITIES II

SCALE: NTS
DATE: 12/06/05

DRAWN BY PFR
CHECKED BY JRH

TENG
TENG & ASSOCIATES, INC.
ENGINEERS/ARCHITECTS/PLANNERS
302 N. MICHIGAN AVE., CHICAGO, IL 60610
TELEPHONE: 312.942.0000