

GENERAL NOTES:

COMMITMENTS

INDEX OF SHEETS

- 1. COVER SHEET
- 2. GENERAL NOTES
- 3. SUMMARY OF QUANTITIES
- 4. SCHEDULES
- 5. PLAN SHEETS
- 6-10 STORM WATER POLLUTION PREVENTION PLAN
- 11-32 CROSS SECTIONS

STANDARDS:

- 000001-06
- 001006
- 665001-02
- 701101-02
- 701400-05
- 701406-06
- 701901-02

1. ALL ELEVATIONS SHOWN IN THE PLANS ARE U.S.G.S. MEAN SEA LEVEL DATUM
2. ANY REFERENCE TO THE STANDARDS THROUGHOUT THE PLANS SHALL BE INTERPRETED TO BE THE LATEST STANDARDS OF THE DEPARTMENT AS INCLUDED IN THE PLANS
3. THE LOCATION OF THOSE BURIED AND ABOVE GROUND UTILITIES SHOWN ARE APPROXIMATE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING UTILITY PROPERTY FROM CONSTRUCTION OPERATIONS AS OUTLINED IN ARTICLE 107.26 OF THE STANDARD SPECIFICATIONS. THE J.U.L.I.E. NUMBER IS (800) 892-0123. A MINIMUM OF 48 HOURS ADVANCE NOTICE IS REQUIRED. SEE SPECIAL PROVISIONS FOR STATUS OF UTILITIES, WITH COMPANIES LISTED.
4. THE EXISTING ROAD SIGNS THAT INTERFERE WITH CONSTRUCTION SHALL BE RELOCATED AS DIRECTED BY THE ENGINEER. AFTER THE CONSTRUCTION IS COMPLETE, THE CONTRACTOR SHALL REPLACE THE SIGNS AS DIRECTED BY THE ENGINEER. THIS WORK WILL NOT BE PAID FOR SEPARATELY, BUT CONSIDERED INCLUDED IN THE CONTRACT UNIT BID PRICES.
5. ABANDONED UNDERGROUND UTILITIES THAT CONFLICT WITH THE CONSTRUCTION SHALL BE DISPOSED OF OUTSIDE THE LIMITS OF RIGHT-OF-WAY ACCORDING TO ARTICLE 202.03 OF THE STANDARD SPECIFICATIONS AND AS DIRECTED BY THE ENGINEER. THIS WORK WILL NOT BE PAID FOR SEPARATELY BUT SHALL BE CONSIDERED INCLUDED IN THE CONTRACT UNIT BID PRICE FOR EARTH EXCAVATION. NO ADDITIONAL COMPENSATION WILL BE ALLOWED.
6. THIS WORK IS LOCATED IN AN ACTIVE SLOPE FAILURE AREA. IF UNSTABLE CONDITIONS OCCUR DURING EXCAVATION, THE ENGINEER MAY REQUIRE STAGING THE WORK TO LIMIT THE EXTENT OF OPEN EXCAVATION.
7. FURNISHED EXCAVATION INCLUDES REPLACING EXCAVATED MATERIAL AS SHOWN ON THE PLANS USING SOIL STACKPILED ON THE PROJECT SITE OR STOCKPILED AWAY FROM THE PROJECT SITE.
8. CLASS 2A SEEDING SHALL BE FOR THE ROADSIDE DITCH FORESLOPE AND DITCH BOTTOM ONLY. ALL OTHER SEEDING SHOULD BE CLASS 3.
9. THE FOLLOWING APPLICATION RATES WERE USED FOR QUANTITY CALCULATION:

NITROGEN	90 LBS/ACRE
PHOSPHOROUS	90 LBS/ACRE
POTASSIUM	90 LBS/ACRE
TEMPORARY EROSION CONTROL SEEDING	100 LBS/ACRE

COMMITMENTS ARE NOT TO BE ALTERED WITHOUT THE WRITTEN APPROVAL OF ALL PARTIES TO WHICH THE COMMENTS WERE MADE.

1. THE RESIDENT ENGINEER SHALL CONTACT STUDIES AND PLANS CONCERNING ANY MAJOR PLAN CHANGES.

DISTRICT SIX	
EXAMINED <u>October 5</u>	20 <u>11</u>
<i>Chris Walker</i>	
OPERATIONS ENGINEER	
EXAMINED <u>OCTOBER 18</u>	20 <u>11</u>
<i>Tommy Ford</i>	
PROJECT IMPLEMENTATION ENGINEER	
EXAMINED <u>October 12</u>	20 <u>11</u>
<i>2RML</i>	
PROGRAM DEVELOPMENT ENGINEER	