

| HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N70 | | | | | | |
|--|---------------|------------------|-----------------------|--------------|----------------|--|
| LOCATION | LENGTH (FOOT) | THICKNESS (INCH) | PAVEMENT WIDTH (FOOT) | AREA (SQ YD) | QUANTITY (TON) | |
| IL 106 | | | | | | |
| RT STA 175+00.00 TO RT STA 188+80.00 | 1,380.00 | 1.5 | 13 | 1,993.33 | 167.44 | |
| LT STA 175+00.00 TO LT STA 203+18.62 | 2,818.62 | 1.5 | 13 | 4,071.34 | 341.99 | |
| RT STA 188+80.00 TO RT STA 194+89.00 | 609.00 | 1.5 | 11 | 744.33 | 62.52 | |
| RT STA 194+89.00 TO RT STA 203+18.62 | 829.62 | 1.5 | 13 | 1,198.34 | 100.66 | |
| 1 STA EQN: 203+18.62 (BK) = STA 203+52.42 (AH) | | | | | | |
| LT STA 203+52.42 TO LT STA 210+02.00 | 649.58 | 1.5 | 13 | 938.28 | 78.82 | |
| RT STA 203+52.42 TO RT STA 210+02.00 | 649.58 | 1.5 | 13 | 938.28 | 78.82 | |
| 2 STA EQN: 210+02.00 (BK) = STA 210+00.00 (AH) | | | | | | |
| RT STA 210+00.00 TO RT STA 237+34.46 | 2,734.46 | 1.5 | 13 | 3,949.78 | 331.78 | |
| LT STA 210+00.00 TO LT STA 237+34.46 | 2,734.46 | 1.5 | 13 | 3,949.78 | 331.78 | |
| 3 STA EQN: 237+34.46 (BK) = STA 237+73.04 (AH) | | | | | | |
| LT STA 237+73.04 TO LT STA 258+59.30 | 2,086.26 | 1.5 | 13 | 3,013.49 | 253.13 | |
| RT STA 237+73.04 TO RT STA 258+59.30 | 2,086.26 | 1.5 | 13 | 3,013.49 | 253.13 | |
| 4 STA EQN: 258+59.30 (BK) = STA 0+00.00 (AH) | | | | | | |
| LT STA 0+00.00 TO LT STA 15+46.00 | 1,546.00 | 1.5 | 13 | 2,233.11 | 187.58 | |
| RT STA 0+00.00 TO RT STA 15+95.00 | 1,595.00 | 1.5 | 13 | 2,303.89 | 193.53 | |
| LT STA 15+46.00 TO LT STA 26+36.00 | 1,090.00 | 1.5 | 16 | 1,937.78 | 162.77 | |
| RT STA 15+95.00 TO RT STA 23+82.00 | 787.00 | 1.5 | 16 | 1,399.11 | 117.53 | |
| LT STA 26+36.00 TO LT STA 64+42.65 | 3,806.65 | 1.5 | 13 | 5,498.49 | 461.87 | |
| RT STA 23+82.00 TO RT STA 64+66.53 | 4,084.53 | 1.5 | 13 | 5,899.88 | 495.59 | |
| LT STA 64+42.65 TO LT STA 76+74.00 | 1,231.35 | 1.5 | 16 | 2,189.07 | 183.88 | |
| RT STA 64+66.53 TO RT STA 76+74.00 | 1,207.47 | 1.5 | 16 | 2,146.61 | 180.32 | |
| LT STA 76+74.00 TO LT STA 92+00.00 | 1,526.00 | 1.5 | 13 | 2,204.22 | 185.15 | |
| RT STA 76+74.00 TO RT STA 92+00.00 | 1,526.00 | 1.5 | 13 | 2,204.22 | 185.15 | |
| 5 STA EQN: 92+00.00 (BK) = STA 357+93.02 (AH) | | | | | | |
| LT STA 357+93.02 TO LT STA 370+30.50 | 1,237.48 | 1.5 | 13 | 1,787.47 | 150.15 | |
| RT STA 357+93.02 TO RT STA 370+30.50 | 1,237.48 | 1.5 | 13 | 1,787.47 | 150.15 | |
| LT STA 370+30.50 TO LT STA 372+40.42 | 209.92 | 1.5 | VARIES | 351.60 | 29.53 | |
| RT STA 370+30.50 TO RT STA 372+40.42 | 209.92 | 1.5 | VARIES | 425.70 | 35.76 | |
| LT STA 372+40.42 TO LT STA 444+50.00 | 7,209.58 | 1.5 | 13 | 10,413.84 | 874.76 | |
| RT STA 372+40.42 TO RT STA 459+49.01 | 8,708.59 | 1.5 | 13 | 12,579.07 | 1,056.64 | |
| LT STA 444+50.00 TO LT STA 458+88.00 | 1,438.00 | 1.5 | 16 | 2,556.44 | 214.74 | |
| LT STA 458+88.00 TO LT STA 459+49.01 | 61.01 | 1.5 | 13 | 88.13 | 7.40 | |
| 6 STA EQN: 459+49.01 (BK) = STA 460+20.60 (AH) | | | | | | |
| LT STA 460+20.60 TO LT STA 470+81.02 | 1,060.42 | 1.5 | 13 | 1,531.72 | 128.66 | |
| RT STA 460+20.60 TO RT STA 470+81.02 | 1,060.42 | 1.5 | 13 | 1,531.72 | 128.66 | |
| 7 STA EQN: 470+81.02 (BK) = STA 0+00.00 (AH) | | | | | | |
| LT STA 0+00.00 TO LT STA 32+00.00 | 3,200.00 | 1.5 | 13 | 4,622.22 | 388.27 | |
| RT STA 0+00.00 TO RT STA 97+30.87 | 9,730.87 | 1.5 | 13 | 14,055.70 | 1,180.68 | |
| LT STA 32+00.00 TO LT STA 37+12.50 | 512.50 | 1.5 | VARIES | 855.70 | 71.88 | |
| LT STA 37+12.50 TO LT STA 86+82.33 | 4,969.83 | 1.5 | 24 | 13,252.88 | 1,113.24 | |
| LT STA 86+82.33 TO LT STA 92+57.67 | 575.34 | 1.5 | VARIES | 846.00 | 71.06 | |
| LT STA 92+57.67 TO LT STA 94+75.00 | 217.33 | 1.5 | 13 | 313.92 | 26.37 | |
| LT STA 94+75.00 TO LT STA 96+05.00 | 130.00 | 1.5 | 28 | 404.44 | 33.97 | |
| LT STA 96+05.00 TO LT STA 97+30.87 | 125.87 | 1.5 | 13 | 181.81 | 15.27 | |
| TOTAL: | | | | | 10,015.39 | |

| GUTTER REMOVAL | |
|--|---------------|
| LOCATION | LENGTH (FOOT) |
| IL 106 | |
| 1 STA EQN: 203+18.62 (BK) = STA 203+52.42 (AH) | |
| 2 STA EQN: 210+02.00 (BK) = STA 210+00.00 (AH) | |
| 3 STA EQN: 237+34.46 (BK) = STA 237+73.04 (AH) | |
| 4 STA EQN: 258+59.30 (BK) = STA 0+00.00 (AH) | |
| LT STA 64+65.00 | 15.0 |
| 5 STA EQN: 92+00.00 (BK) = STA 357+93.02 (AH) | |
| 6 STA EQN: 459+49.01 (BK) = STA 460+20.60 (AH) | |
| 7 STA EQN: 470+81.02 (BK) = STA 0+00.00 (AH) | |
| TOTAL: | 15.0 |

ILLINOIS DEPARTMENT OF TRANSPORTATION
SCHEDULE OF QUANTITIES

| HOT-MIX ASPHALT SURFACE REMOVAL VARIABLE DEPTH | | | | |
|--|---------------|--------------------------|--------------|--|
| LOCATION | LENGTH (FOOT) | PAV'T/SHLDR WIDTH (FOOT) | AREA (SQ YD) | |
| IL 106 | | | | |
| RT STA 175+00.00 TO RT STA 188+80.00 | 1,380.00 | 13 | 1,993.33 | |
| LT STA 175+00.00 TO LT STA 203+18.62 | 2,818.62 | 13 | 4,071.34 | |
| RT STA 188+80.00 TO RT STA 194+89.00 | 609.00 | 11 | 744.33 | |
| RT STA 194+89.00 TO RT STA 203+18.62 | 829.62 | 13 | 1,198.34 | |
| 1 STA EQN: 203+18.62 (BK) = STA 203+52.42 (AH) | | | | |
| LT STA 203+52.42 TO LT STA 210+02.00 | 649.58 | 13 | 938.33 | |
| RT STA 203+52.42 TO RT STA 210+02.00 | 649.58 | 13 | 938.33 | |
| 2 STA EQN: 210+02.00 (BK) = STA 210+00.00 (AH) | | | | |
| RT STA 210+00.00 TO RT STA 237+34.46 | 2,734.46 | 13 | 3,949.88 | |
| LT STA 210+00.00 TO LT STA 237+34.46 | 2,734.46 | 13 | 3,949.88 | |
| 3 STA EQN: 237+34.46 (BK) = STA 237+73.04 (AH) | | | | |
| LT STA 237+73.04 TO LT STA 258+59.30 | 2,086.26 | 13 | 3,013.55 | |
| RT STA 237+73.04 TO RT STA 258+59.30 | 2,086.26 | 13 | 3,013.55 | |
| 4 STA EQN: 258+59.30 (BK) = STA 0+00.00 (AH) | | | | |
| LT STA 0+00.00 TO LT STA 15+46.00 | 1,546.00 | 13 | 2,233.11 | |
| RT STA 0+00.00 TO RT STA 15+95.00 | 1,595.00 | 13 | 2,303.89 | |
| LT STA 15+46.00 TO LT STA 26+36.00 | 1,090.00 | 13 | 1,937.78 | |
| RT STA 15+95.00 TO RT STA 23+82.00 | 787.00 | 13 | 1,399.11 | |
| LT STA 26+36.00 TO LT STA 64+42.65 | 3,806.65 | 13 | 5,498.49 | |
| RT STA 23+82.00 TO RT STA 64+66.53 | 4,084.53 | 13 | 5,899.88 | |
| LT STA 64+42.65 TO LT STA 76+74.00 | 1,231.35 | 16 | 2,189.07 | |
| RT STA 64+66.53 TO RT STA 76+74.00 | 1,207.47 | 16 | 2,146.61 | |
| LT STA 76+74.00 TO LT STA 92+00.00 | 1,526.00 | 13 | 2,204.22 | |
| RT STA 76+74.00 TO RT STA 92+00.00 | 1,526.00 | 13 | 2,204.22 | |
| 5 STA EQN: 92+00.00 (BK) = STA 357+93.02 (AH) | | | | |
| LT STA 357+93.02 TO LT STA 370+30.50 | 1,237.48 | 13 | 1,787.55 | |
| RT STA 357+93.02 TO RT STA 370+30.50 | 1,237.48 | 13 | 1,787.55 | |
| LT STA 370+30.50 TO LT STA 372+40.42 | 209.92 | VARIES | 351.60 | |
| RT STA 370+30.50 TO RT STA 372+40.42 | 209.92 | VARIES | 425.70 | |
| LT STA 372+40.42 TO LT STA 444+50.00 | 7,209.58 | 13 | 10,413.88 | |
| RT STA 372+40.42 TO RT STA 459+49.01 | 8,708.59 | 13 | 12,579.11 | |
| LT STA 444+50.00 TO LT STA 458+88.00 | 1,438.00 | 13 | 2,556.44 | |
| LT STA 458+88.00 TO LT STA 459+49.01 | 61.01 | 13 | 88.13 | |
| 6 STA EQN: 459+49.01 (BK) = STA 460+20.60 (AH) | | | | |
| LT STA 460+20.60 TO LT STA 470+81.02 | 1,060.42 | 13 | 1,531.77 | |
| RT STA 460+20.60 TO RT STA 470+81.02 | 1,060.42 | 13 | 1,531.77 | |
| 7 STA EQN: 470+81.02 (BK) = STA 0+00.00 (AH) | | | | |
| LT STA 0+00.00 TO LT STA 32+00.00 | 3,200.00 | 13 | 4,622.22 | |
| RT STA 0+00.00 TO RT STA 97+30.87 | 9,730.87 | 13 | 14,055.70 | |
| LT STA 32+00.00 TO LT STA 37+12.50 | 512.50 | VARIES | 855.70 | |
| LT STA 37+12.50 TO LT STA 86+82.33 | 4,969.83 | 24 | 13,252.88 | |
| LT STA 86+82.33 TO LT STA 92+57.67 | 575.34 | VARIES | 846.00 | |
| LT STA 92+57.67 TO LT STA 94+75.00 | 217.33 | 13 | 313.92 | |
| LT STA 94+75.00 TO LT STA 96+05.00 | 130.00 | 28 | 404.44 | |
| LT STA 96+05.00 TO LT STA 97+30.87 | 125.87 | 13 | 181.81 | |
| TOTAL: | | | 96,469.2 | |

| PAVEMENT PATCHING | | | | |
|-------------------|--------------------|---------------------|----------------------|---------------------|
| LOCATION | TYPE I 14" (SQ YD) | TYPE II 14" (SQ YD) | TYPE III 14" (SQ YD) | TYPE IV 14" (SQ YD) |
| IL 106 | | | | |
| STA TO STA | 55 | 147 | 88 | 28 |

| AGGREGATE BASE COURSE TYPE A (6-3/4") | | | | | |
|--|---------------|------------------|-----------------------|--------------|----------------|
| LOCATION | LENGTH (FOOT) | THICKNESS (FOOT) | PAVEMENT WIDTH (FOOT) | AREA (SQ YD) | QUANTITY (TON) |
| IL 106 | | | | | |
| 1 STA EQN: 203+18.62 (BK) = STA 203+52.42 (AH) | | | | | |
| 2 STA EQN: 210+02.00 (BK) = STA 210+00.00 (AH) | | | | | |
| 3 STA EQN: 237+34.46 (BK) = STA 237+73.04 (AH) | | | | | |
| 4 STA EQN: 258+59.30 (BK) = STA 0+00.00 (AH) | | | | | |
| 5 STA EQN: 92+00.00 (BK) = STA 357+93.02 (AH) | | | | | |
| 6 STA EQN: 459+49.01 (BK) = STA 460+20.60 (AH) | | | | | |
| 7 STA EQN: 470+81.02 (BK) = STA 0+00.00 (AH) | | | | | |
| LT STA 94+75.00 TO LT STA 96+05.00 | 130.0 | 0.5625 | 15.0 | 40.63 | 83.28 |
| TOTAL: | | | | | 83.28 |

| EARTH EXCAVATION (SPECIAL) | | | | |
|--|---------------|------------------|-----------------------|------------------|
| LOCATION | LENGTH (FOOT) | THICKNESS (FOOT) | PAVEMENT WIDTH (FOOT) | QUANTITY (SQ YD) |
| IL 106 | | | | |
| 1 STA EQN: 203+18.62 (BK) = STA 203+52.42 (AH) | | | | |
| 2 STA EQN: 210+02.00 (BK) = STA 210+00.00 (AH) | | | | |
| 3 STA EQN: 237+34.46 (BK) = STA 237+73.04 (AH) | | | | |
| 4 STA EQN: 258+59.30 (BK) = STA 0+00.00 (AH) | | | | |
| 5 STA EQN: 92+00.00 (BK) = STA 357+93.02 (AH) | | | | |
| 6 STA EQN: 459+49.01 (BK) = STA 460+20.60 (AH) | | | | |
| 7 STA EQN: 470+81.02 (BK) = STA 0+00.00 (AH) | | | | |
| LT STA 95+75.00 TO LT STA 95+55.00 | 65.0 | 0.5 | 15.0 | 18.06 |
| LT STA 95+55.00 TO LT STA 96+05.00 | 65.0 | 0.8 | 15.0 | 27.08 |
| TOTAL: | | | | 45.14 |

| STONE RIPRAP, CLASS A4 | | | | | |
|--|---------------|------------------|--------------|----------------|----------------|
| LOCATION | LENGTH (FOOT) | THICKNESS (FOOT) | WIDTH (FOOT) | VOLUME (CU YD) | QUANTITY (TON) |
| IL 106 | | | | | |
| 1 STA EQN: 203+18.62 (BK) = STA 203+52.42 (AH) | | | | | |
| 2 STA EQN: 210+02.00 (BK) = STA 210+00.00 (AH) | | | | | |
| 3 STA EQN: 237+34.46 (BK) = STA 237+73.04 (AH) | | | | | |
| 4 STA EQN: 258+59.30 (BK) = STA 0+00.00 (AH) | | | | | |
| LT STA 4+32.00 TO LT STA 7+82.00 | 350.0 | 1.3 | 25.0 | 421.3 | 631.9 |
| LT STA 26+78.00 TO LT STA 27+08.00 | 30.0 | 1.3 | 40.0 | 57.8 | 86.7 |
| LT STA 64+65.00 TO LT STA 64+90.00 | 25.0 | 1.3 | 25.0 | 30.1 | 45.1 |
| 5 STA EQN: 92+00.00 (BK) = STA 357+93.02 (AH) | | | | | |
| 6 STA EQN: 459+49.01 (BK) = STA 460+20.60 (AH) | | | | | |
| 7 STA EQN: 470+81.02 (BK) = STA 0+00.00 (AH) | | | | | |
| TOTAL: | | | | 509.2 | 763.8 |

| FILTER FABRIC | | | | |
|--|---------------|------------------|--------------|--------------|
| LOCATION | LENGTH (FOOT) | THICKNESS (FOOT) | WIDTH (FOOT) | AREA (SQ YD) |
| IL 106 | | | | |
| 1 STA EQN: 203+18.62 (BK) = STA 203+52.42 (AH) | | | | |
| 2 STA EQN: 210+02.00 (BK) = STA 210+00.00 (AH) | | | | |
| 3 STA EQN: 237+34.46 (BK) = STA 237+73.04 (AH) | | | | |
| 4 STA EQN: 258+59.30 (BK) = STA 0+00.00 (AH) | | | | |
| LT STA 4+32.00 TO LT STA 7+82.00 | 350.0 | 1.0 | 25.0 | 972.2 |
| LT STA 26+78.00 TO LT STA 27+08.00 | 30.0 | 1.0 | 40.0 | 133.3 |
| LT STA 64+65.00 TO LT STA 64+90.00 | 25.0 | 1.0 | 25.0 | 69.4 |
| 5 STA EQN: 92+00.00 (BK) = STA 357+93.02 (AH) | | | | |
| 6 STA EQN: 459+49.01 (BK) = STA 460+20.60 (AH) | | | | |
| 7 STA EQN: 470+81.02 (BK) = STA 0+00.00 (AH) | | | | |
| TOTAL: | | | | 1,175.0 |