

CTE ENGINEERS CONSOER TOWNSEND ENVIRODYNE ENGINEERS, INC.

303 EAST WACKER DRIVE, SUITE 600 CHICAGO ILLINOIS 60601-5212, PHONE; (312) 938-0300

F.A.I. SECTION COUNTY 90/94 2003-0311 COOK 976 56 TO STA. STA. FED. ROAD DIST. NO. 1 ILLINOIS FED. AID PROJECT

62583

NOTES:

1. SEE DRAWINGS ME-01 AND ME-02 FOR ELECTRICAL SYMBOLS AND ABBREVIATIONS.

--- BRIDGE FACE ME-14B) MOUNTING BRACKET DETAIL A-A

137/8"

-HEAVY DUTY PVCC U-BOLT CLAMP (TYPICAL)

-14 GAUGE SS C-CHANNEL BRACKET

90 DEGREE STAINLESS STEEL FITTING

FACE OF ABUTMENT WALL -JUNCTION BOX, NEMA TYPE 4X. SS SEE PLAN DRAWINGS FOR SIZE AND LOCATION OF JUNCTION BOXES -NUTS MADE OF TYPE 304 OR 316 STAINLESS STEEL AND CONFORMING TO ASTM F594 - SPRING TYPE WASHER MADE OF TYPE 304 OR 316 STAINLESS STEEL AND CONFORMING TO ASTM A240

ME-14C JUNCTION BOX MOUNTED TO STRUCTURE

ME-14

REVISIONS		ILLINOIS DEPARTMENT OF TRANSPORTATION
	ATE	F.A.I. 90/94 (DAN RYAN EXPRESSWAY)
		31st STREET TO 1-57
		63rd STREET OVERPASS CONDUIT INSTALLATION DETAILS
	——	

SCALE: NOT TO SCALE

DRAWN BY: CJM CHECKED BY: WDS