F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
2652	00-00069-00-PV	DUPAGE	146	86
STA. 10+70.70		TO STA. 66+16.00		
FED. ROAD DIST. NO.	ILLINOIS	FED. AID PROJECT		

CONTRACT NO. 83781

PLAN		BY	DATE
SURVEYED			
PLOTTED			
ALIGNMENT CHECKED			
RT. OF WAY CHECKED			
NOTE BOOK	FIELD TIES DONE		
NO.			

PROFILE		BY	DATE
SURVEYED			
PLOTTED			
GRADES CHECKED			
B.M. NOTED			
NOTE BOOK	SIGNATURE NOTATIONS CHKD		
NO.			





A-A



E-E



D-D



C-C



B-B



F-F



G-G

GENERAL NOTES

GUTTER OUTLET SHALL BE TIED TO THE PAVEMENT IN ACCORDANCE WITH DETAILS FOR LONGITUDINAL CONSTRUCTION JOINT SHOWN ON STANDARD 420001.

TIE BARS SHALL BE NO. 20 (NO.6) AT 600 (24) CENTERS UNLESS OTHERWISE SHOWN.

IF THE AVERAGE GRADE OF PAVEMENT FOR THE DISTANCE FROM SECTION A-A TO D-D EXCEEDS 2%, THIS DISTANCE SHALL BE INCREASED 1.8 m (6') FOR EACH 1% INCREASE IN GRADE.

ALL DIMENSIONS ARE IN MILLIMETERS (INCHES) UNLESS OTHERWISE SHOWN.

QUANTITIES

FOR SECTION A-A TO E-E AND CURTAIN WALL=
0.96 m^3 (1.25 CU. YDS.) CLASS SI CONCRETE (OUTLET) FOR 225 (9) PAV'T.
0.97 m^3 (1.27 CU. YDS.) CLASS SI CONCRETE (OUTLET) FOR 250 (10) PAV'T.
FOR SECTION F-F=
0.03 m^3 (0.045 CU. YDS.) CLASS SI CONCRETE PER m (ft.).

Stanley Consultants INC.
1501 West Higgins Road
Suite 730
Chicago, Illinois 60673-2801 Illinois Firm Registration No.: 184-000633

REVISIONS	
NAME	DATE

VILLAGE OF VILLA PARK, ILLINOIS

OUTLET FOR CONCRETE CURB AND GUTTER TYPE B-15.30 (B-6.12)

SCALE: NONE
DRAWN BY: E.D.
DATE: 11-NOV-2004
CHECKED BY: J.T.G.