

PIPE TABLE: STATION 172+00 TO STATION 174+82.92

| PIPE NO. | PIPE LOCATION | | DESCRIPTION | DIA. (IN) | L (FT) | S (%) | TRENCH BACKFILL VOL. (CY) |
|----------|---------------|---------|--------------|-----------|--------|-------|---------------------------|
| | FROM STR. | TO STR. | | | | | |
| S200 | 200 | 200E | SS TY 2 CL A | 12 | 1.0 | 1.00 | 1.3 |
| S200M | 200M | 200 | SS TY 2 CL A | 12 | 20.0 | 1.00 | 7.6 |
| S201 | 201 | 201M | SS TY 1 CL A | 12 | 19.7 | 1.00 | 3.5 |
| S201M | 201M | 200M | SS TY 2 CL A | 12 | 12.1 | 1.00 | 2.5 |
| S202 | 202 | EX PIPE | SS TY 1 CL A | 15 | 2.3 | 1.00 | 1.3 |
| S203 | 203 | 203F | SS TY 1 CL A | 12 | 6.2 | 1.00 | 1.3 |

DRAINAGE STRUCTURE TABLE: 172+00 TO STA. 174+82.92

| NO. | STATION | OFFSET (FT) | STRUCTURE TYPE/SIZE | | | | F&G | INVERT | | | | RIM ELEV (FT) |
|------|-----------|-------------|---------------------|----|------|----------------|-----|--------|--------|--------|--------|---------------|
| | | | MH | CB | IN | OTHER | | (N) | (S) | (E) | (W) | |
| 200 | 171+28.82 | 30.98 | LT | | A 4' | | 24 | 646.19 | 646.19 | | | 650.81 |
| 200E | 171+29.16 | 35.89 | LT | | | EXIST. MANHOLE | | 646.18 | 646.18 | 645.25 | 645.25 | 651.34 |
| 200M | 171+28.82 | 7.11 | LT | | A 4' | | 24 | 646.39 | 646.39 | | | 650.96 |
| 201 | 171+28.82 | 32.92 | RT | | | A | 24 | 647.82 | | | | 650.82 |
| 201M | 171+28.82 | 8.92 | RT | | A 4' | | 24 | 646.51 | 647.62 | | | 650.96 |
| 202 | 172+40.36 | 32.44 | RT | | C | | 24 | 644.71 | | | | 647.60 |
| 203 | 172+96.14 | 31.46 | LT | | C | | 24 | 643.43 | | | | 646.09 |
| 203F | 172+96.14 | 39.64 | LT | | | PRC FES 12" | | | 643.37 | | | |

PIPE TABLE: IL ROUTE 43 STATION 315+61.61 TO STATION 326+00

| PIPE NO. | PIPE LOCATION | | DESCRIPTION | DIA. (IN) | L (FT) | S (%) | TRENCH BACKFILL VOL. (CY) |
|----------|---------------|----------|--------------|-----------|--------|-------|---------------------------|
| | FROM STR. | TO STR. | | | | | |
| S204 | 204 | 206 | SS TY 1 CL A | 12 | 96.1 | 0.35 | 0.0 |
| S204A | 204A | 204B | SS TY 1 CL A | 12 | 6.7 | 0.00 | 0.0 |
| S204M | 204M | 204C | SS TY 1 CL A | 12 | 40.7 | 0.40 | 1.3 |
| S204N | 204N | 204M | SS TY 1 CL A | 12 | 34.8 | 0.44 | 1.3 |
| S205 | 205 | 206 | SS TY 1 CL A | 12 | 4.6 | 1.00 | 1.3 |
| S205M | 205M | 206M | SS TY 1 CL A | 12 | 12.8 | 1.00 | 1.3 |
| S206 | 206 | 207 | SS TY 1 CL A | 12 | 134.5 | 0.40 | 0.0 |
| S206M | 206M | 205 | SS TY 1 CL A | 12 | 24.0 | 1.00 | 1.3 |
| S207 | 207 | EX. PIPE | SS TY 1 CL A | 15 | 46.6 | 0.44 | 3.9 |
| S208 | 208 | 207 | SS TY 1 CL A | 12 | 4.1 | 1.00 | 1.3 |
| S210 | 210 | 210M | SS TY 2 CL A | 12 | 24.9 | 1.00 | 16.3 |
| S210M | 210M | 211M | SS TY 2 CL A | 12 | 2.3 | 1.00 | 1.7 |
| S211M | 211M | 211 | SS TY 2 CL A | 12 | 55.1 | 1.00 | 38.2 |
| S95A | 95A | 95E | SS TY 2 CL A | 12 | 11.2 | 1.00 | 1.6 |
| S95B | 95B | 95A | SS TY 2 CL A | 12 | 101.7 | 1.00 | 34.7 |

DRAINAGE STRUCTURE TABLE: IL ROUTE 43 STATION 315+61.61 TO STATION 326+00

| NO. | STATION | OFFSET (FT) | STRUCTURE TYPE/SIZE | | | | F&G | INVERT | | | | RIM ELEV (FT) |
|------|-----------|-------------|---------------------|------|------|-------------|------|--------|--------|--------|--------|---------------|
| | | | MH | CB | IN | OTHER | | (N) | (S) | (E) | (W) | |
| 204 | 322+00.00 | 70.00 | RT | | | PRC FES 12" | | 665.37 | | | | |
| 204A | 321+19.35 | 51.54 | RT | | A | | 24 | 665.93 | | | | 667.90 |
| 204B | 221+25.00 | 63.70 | RT | | | PRC FES 12" | | | | 665.93 | | |
| 204C | 321+95.00 | 65.00 | RT | | | PRC FES 12" | | | 665.37 | | | |
| 204M | 322+07.94 | 30.00 | RT | | A 4' | | 24 | | | 665.54 | 665.54 | 668.31 |
| 204N | 321+84.97 | 0.00 | | | C | | 24 | | | 665.70 | | 668.34 |
| 205 | 322+94.68 | 54.09 | RT | | A 4' | | 24 | | | 665.07 | 665.07 | 667.56 |
| 205M | 322+94.68 | 12.00 | RT | | C | | 24 | | | 665.44 | | 667.83 |
| 206 | 322+94.68 | 62.82 | RT | | A 4' | | 8 | 665.03 | 665.03 | | 665.03 | 666.00 |
| 206M | 322+94.68 | 27.60 | RT | | A 4' | | 24 | | | 665.31 | 665.31 | 668.02 |
| 207 | 324+32.67 | 71.16 | RT | A 5' | | | 1 CL | 664.49 | 664.49 | 664.49 | 664.49 | 668.57 |
| 208 | 324+32.67 | 63.79 | RT | | C | | 24 | | | | 664.53 | 668.08 |
| 210 | 326+14.79 | 26.96 | LT | | C | | 24 | | | 664.08 | | 669.97 |
| 210M | 326+12.99 | 0.00 | | | A 4' | | 24 | | | 663.83 | 663.83 | 670.52 |
| 211 | 326+08.28 | 66.00 | RT | A 5' | | | 1 CL | | | | 663.25 | 669.71 |
| 211M | 326+12.46 | 6.00 | RT | | A 4' | | 24 | | | 663.80 | 663.80 | 670.04 |
| 95A | 329+95.34 | 36.00 | LT | | A 4' | | 24 | | | 664.65 | 664.65 | 670.97 |
| 95B | 329+95.34 | 70.54 | RT | | | PRC FES 12" | | | | | 665.66 | |

PIPE TABLE: IL ROUTE 43 STATION 330+00 TO STATION 337+52.22

| PIPE NO. | PIPE LOCATION | | DESCRIPTION | DIA. (IN) | L (FT) | S (%) | TRENCH BACKFILL VOL. (CY) |
|----------|---------------|----------|-----------------|-----------|--------|-------|---------------------------|
| | FROM STR. | TO STR. | | | | | |
| S212 | S212 | S214E | SS TY 2 CL A | 12 | 13.8 | 1.00 | 1.3 |
| S212A | 212 | S214E | RCP TEE P12 R12 | - | - | - | - |
| S212M | 212M | 212 | SS TY 2 CL A | 12 | 52.5 | 1.00 | 12.6 |
| S213 | 213 | 213M | SS TY 2 CL A | 12 | 19.7 | 1.00 | 4.6 |
| S213M | 213M | 212M | SS TY 2 CL A | 12 | 5.6 | 1.00 | 1.4 |
| S214 | 214 | EX. PIPE | SS TY 1 CL A | 12 | 70.2 | 0.40 | 0.0 |
| S214E | PROP. | 95E | EXISTING RCP SS | 12 | 133.0 | 0.30 | 0.0 |
| S215 | 215 | 214F | SS TY 1 CL A | 12 | 13.1 | 1.00 | 1.3 |
| S215M | 215M | 215 | SS TY 1 CL A | 12 | 30.5 | 1.00 | 3.5 |
| S216 | 216 | 216M | SS TY 1 CL A | 12 | 9.8 | 1.00 | 1.3 |
| S216M | 216M | 215 | SS TY 1 CL A | 12 | 20.0 | 1.00 | 2.7 |
| S217 | 217 | 216 | SS TY 1 CL A | 12 | 14.1 | 1.00 | 1.3 |
| S95A | 95A | 95E | SS TY 1 CL A | 12 | 11.19 | 0.40 | 0.0 |
| S95B | 95B | 95A | SS TY 1 CL A | 12 | 107.25 | 0.40 | 74.9 |

DRAINAGE STRUCTURE TABLE: IL ROUTE 43 STATION 330+00 TO STATION 337+52.22

| NO. | STATION | OFFSET (FT) | STRUCTURE TYPE/SIZE | | | | F&G | INVERT | | | | RIM ELEV (FT) |
|------|-----------|-------------|---------------------|----|------|---------------------|-----|--------|--------|--------|--------|---------------|
| | | | MH | CB | IN | OTHER | | (N) | (S) | (E) | (W) | |
| 95A | 329+91.64 | 35.43 | LT | | A 4' | | 24 | | | 664.18 | 664.18 | 670.85 |
| 95B | 329+91.64 | 74.26 | RT | | | PRC FES 12" | | | | | 664.61 | |
| 95E | 329+91.64 | 51.61 | LT | | A 4' | EXISTING CATCHBASIN | | 664.14 | 664.14 | | 664.14 | 669.39 |
| 212 | 331+29.20 | 32.12 | LT | | A 4' | | 24 | | | 665.15 | 665.15 | 670.15 |
| 212M | 331+29.20 | 24.00 | RT | | A 4' | | 24 | | | 665.67 | 665.67 | 670.38 |
| 213 | 331+36.41 | 54.00 | RT | | C | | 24 | | | | 665.92 | 670.34 |
| 213M | 331+36.41 | 30.00 | RT | | A 4' | | 24 | | | 665.73 | 665.73 | 670.93 |
| 214 | 333+08.77 | 38.68 | LT | | | PRC FES 12" | | | 665.54 | | | |
| 214F | 333+23.42 | 44.70 | LT | | | PRC FES 12" | | | | 665.62 | | |
| 215 | 333+23.42 | 24.00 | LT | | A 4' | | 24 | | | 665.63 | 665.63 | 669.30 |
| 215M | 333+23.42 | 10.88 | RT | | A 4' | | 24 | | | | 665.94 | 669.56 |
| 216 | 333+23.42 | 48.81 | RT | | A 4' | | 24 | | | 665.93 | 665.93 | 669.30 |
| 216M | 333+23.42 | 24.36 | RT | | A 4' | | 24 | | | 665.83 | 665.83 | 669.89 |
| 217 | 333+23.42 | 64.31 | RT | | | PRC FES 12" | | | | | 666.05 | |