

**☉ ROADWAY, PROFILE GRADE & STAGE CONSTRUCTION JOINT**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	1264+06.63	0.00	601.10	601.10
☉ S. Abut.	1264+07.93	0.00	601.10	601.10
A	1264+17.93	0.00	601.11	601.13
B	1264+27.93	0.00	601.12	601.15
C	1264+37.93	0.00	601.12	601.17
D	1264+47.93	0.00	601.13	601.17
E	1264+57.93	0.00	601.14	601.16
☉ S. Brg. Pier 1	1264+69.38	0.00	601.14	601.14
☉ Pier 1	1264+70.38	0.00	601.14	601.14
☉ N. Brg. Pier 1	1264+71.38	0.00	601.14	601.14
F	1264+81.38	0.00	601.15	601.18
G	1264+91.38	0.00	601.16	601.21
H	1265+01.38	0.00	601.16	601.23
I	1265+11.38	0.00	601.17	601.23
J	1265+21.38	0.00	601.18	601.22
K	1265+31.38	0.00	601.18	601.20
☉ S. Brg. Pier 2	1265+38.38	0.00	601.19	601.19
☉ Pier 2	1265+39.38	0.00	601.19	601.19
☉ N. Brg. Pier 2	1265+40.38	0.00	601.19	601.19
L	1265+50.38	0.00	601.18	601.21
M	1265+60.38	0.00	601.18	601.22
N	1265+70.38	0.00	601.16	601.21
O	1265+80.38	0.00	601.14	601.18
P	1265+90.38	0.00	601.11	601.14
☉ N. Abut.	1266+01.84	0.00	601.07	601.07
Bk. N. Abut.	1266+03.13	0.00	601.07	601.07

**BEAM 4**

Location	Station	Offset	Theoretical Grade Elevations	Theoretical Grade Elevations Adjusted For Dead Load Deflection
Bk. S. Abut.	1264+05.63	3.75	601.04	601.04
☉ S. Abut.	1264+06.92	3.75	601.04	601.04
A	1264+16.92	3.75	601.05	601.07
B	1264+26.92	3.75	601.06	601.10
C	1264+36.92	3.75	601.06	601.11
D	1264+46.92	3.75	601.07	601.11
E	1264+56.92	3.75	601.08	601.10
☉ S. Brg. Pier 1	1264+68.38	3.75	601.08	601.08
☉ Pier 1	1264+69.38	3.75	601.08	601.08
☉ N. Brg. Pier 1	1264+70.38	3.75	601.09	601.09
F	1264+80.38	3.75	601.09	601.12
G	1264+90.38	3.75	601.10	601.15
H	1265+00.38	3.75	601.11	601.17
I	1265+10.38	3.75	601.11	601.17
J	1265+20.38	3.75	601.12	601.16
K	1265+30.38	3.75	601.13	601.14
☉ S. Brg. Pier 2	1265+37.38	3.75	601.13	601.13
☉ Pier 2	1265+38.38	3.75	601.13	601.13
☉ N. Brg. Pier 2	1265+39.38	3.75	601.13	601.13
L	1265+49.38	3.75	601.13	601.15
M	1265+59.38	3.75	601.12	601.16
N	1265+69.38	3.75	601.10	601.15
O	1265+79.38	3.75	601.08	601.12
P	1265+89.38	3.75	601.06	601.08
☉ N. Abut.	1266+00.84	3.75	601.02	601.02
Bk. N. Abut.	1266+02.13	3.75	601.01	601.01

11/22/2010 10:05:41 AM D:\ENR\66-6798-14A DC Bridges Phase 2\1102\CAD\Structure\Sheet\20176\_61025\_007\_TopSlab.Elev.dgn



DESIGNED - MWS	REVISED -
CHECKED - JNH	REVISED -
DRAWN - MWS	REVISED -
CHECKED - BRT	REVISED -

STATE OF ILLINOIS  
DEPARTMENT OF TRANSPORTATION

TOP OF SLAB ELEVATIONS  
STRUCTURE NO. 037-0176

SHEET NO. 8 OF 29 SHEETS

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
638	1298R-4	HENRY	93	29
CONTRACT NO. 64D25				
ILLINOIS FED. AID PROJECT				

PLOT DATE = 11/22/2010