



- 1. PRISMATIC REFLECTORS SHALL BE BI-DIRECTIONAL.
- 2. PRISMATIC REFLECTORS SHALL BE SECURED IN PLACE WITH AN EPOXY ADHESIVE.
- 3. PRISMATIC REFLECTORS SHALL BE AMBER IN COLOR.

PRISMATIC CURB REFLECTORS AT CURB MEDIANS


782-1



OPTION 1



OPTION 2



PRISMATIC REFLECTORS

782-2

 F.A.P. RTE.	SECTION	COUNTY	TOTAL		
704	(1)N&TS-1	MCLEA	N 497		
STA.	N/A	TO STA. N/A			
FED. ROAD DIST. NO.		ILLINOIS FE	D. AID PROJ	AID PROJECT	


CONTRACT NO. 70514

MEDIAN SURFACE —	REFLECTOR
	EPOXY FILLER AS REQUIRED
	CURB
l	SECTION VIEW

NOTES

- PRISMATIC REFLECTORS SHALL BE MONO-DIRECTIONAL AND POSITIONED SO THAT THE REFLECTIVE FACE IS FACING THE APPROACHING TRAFFIC.
- 2. PRISMATIC REFLECTORS SHALL BE SECURED IN PLACE WITH AN EPOXY ADHESIVE.
- 3. PRISMATIC REFLECTORS SHALL BE EITHER AMBER OR CRYSTAL IN COLOR.

OPTION 1



NOTES

- 1. PRISMATIC REFLECTORS SHALL BE MONO-DIRECTIONAL AND POSITIONED SO THAT THE REFLECTIVE FACE IS FACING THE APPROACHING TRAFFIC.
- 2. PRISMATIC REFLECTORS SHALL BE SECURED IN PLACE WITH AN EPOXY ADHESIVE.
- 3. PRISMATIC REFLECTORS SHALL BE EITHER AMBER OR CRYSTAL IN COLOR.

OPTION 2

	REVISIONS							
	NAME	DATE	ILLI	NOIS DI	EPARTMENT	OF	TRANSPO	RTATION
-		+						
h		DIGITAL DETAILS						
			DISTRICT DETAILS					
-								
-		+				D	RAWN BY	SAM
			DATE	05-27-09)	C	HECKED BY	PMH