

PAVEMENT SCHEDULE

STATION TO STATION	WIDTH	LENGTH	AGGREGATE BASE COURSE, TYPE A TON	PRIME COAT GALLON 0.50 GAL/SQ YD	HOT-MIX ASPHALT BINDER CSE TON 112#/SQ YD/IN	HOT-MIX ASPHALT SURF CSE TON 112#/SQ YD/IN	BRIDGE APPROACH PAVEMENT SQ YD	BRIDGE APPROACH PAVEMENT CONNECTOR (FLEXIBLE) SQ YD
22+50.00 - 23+00.00	24.66' AVG.	50.00'	58					
23+00.00 - 26+74.15	25.46'	374.15'	446					
28+36.69 - 42+73.99	25.46'	1,437.30'	1,710					
44+90.49 - 47+50.00	25.46'	259.51'	309					
47+50.00 - 48+00.00	24.40' AVG.	50.00'	57					
22+50.00 - 23+00.00	24.00' AVG.	50.00'		67				
23+00.00 - 26+74.15	24.79'	374.15'		517				
28+36.69 - 42+73.99	24.79'	1,437.30'		1,981				
44+90.49 - 47+50.00	24.79'	259.51'		358				
47+50.00 - 48+00.00	23.75' AVG.	50.00'		66				
22+50.00 - 23+00.00	21.72' AVG.	50.00'			22			
23+00.00 - 26+74.15	22.52'	374.15'			172			
28+36.69 - 42+73.99	22.52'	1,437.30'			658			
44+90.49 - 47+50.00	22.52'	259.51'			119			
47+50.00 - 48+00.00	21.48' AVG.	50.00'			22			
22+50.00 - 23+00.00	21.32' AVG.	50.00'				10		
23+00.00 - 26+74.15	22.13'	374.15'				78		
28+36.69 - 42+73.99	22.13'	1,437.30'				298		
44+90.49 - 47+50.00	22.13'	259.51'				54		
47+50.00 - 48+00.00	21.08' AVG.	50.00'				10		
26+79.92 - 27+09.92	24.00'	30.00'					80	
28+00.92 - 28+30.92	24.00'	30.00'					80	
42+78.99 - 43+08.99	24.00'	30.00'					80	
44+55.49 - 44+85.49	24.00'	30.00'					80	
26+74.15 - 26+79.92	24.00'	5.77'						15
28+30.92 - 28+36.69	24.00'	5.77'						15
42+73.99 - 42+78.99	24.00'	5.00'						13
44+85.49 - 44+90.49	24.00'	5.00'						13
TOTAL			2,580	2,989	993	450	320	56

EARTHWORK SUMMARY

STATION TO STATION	EARTH EXCAVATION	CHANNEL EXCAVATION	STRUCTURE EXCAVATION	FILL	WASTE (SHORTAGE)
	CU YD	CU YD	CU YD	CU YD	CU YD
RDWY 22+50.00 - 27+09.92	584			5,553	(5,115)
RDWY 28+00.92 - 43+08.99	29,132			7,235	14,614
RDWY 44+55.49 - 48+00.00	2,687			2,953	(938)
HICKS CREEK CHANNEL		1,425			
JOES CREEK CHANNEL		1,050			
HICKS CREEK STRUCTURE			300		
JOES CREEK STRUCTURE			295		
TOTAL	32,403	2,475	595	15,741	14,485
USE	32,400	2,475	595	-	-

(@ 25% SHRINKAGE)

AGGREGATE SURFACE COURSE, TYPE B

STATION TO STATION	WIDTH	LENGTH	TON
ENTR. - 26+62 RT	32' & VAR.	82'	97
ENTR. - 36+00 RT	30' & VAR.	139'	157
ENTR. - 40+50 LT	30' & VAR.	154'	172
TOTAL			426

TERMINAL MARKER POSTS

STATION	OFFSET	SIDE	EACH
26+85	20'	RIGHT	1
TOTAL			1

PIPE CULVERT REMOVAL

STATION	SIZE	SIDE	FOOT
22+60	12"	RIGHT	26
26+62	12"	RIGHT	64
31+23	24"	CL	140
33+74	12"	LEFT	28
41+67	18"	LEFT	26
TOTAL			284

TEMPORARY DITCH CHECKS

STATION TO STATION	SIDE	EACH	FOOT EACH	TOTAL FOOT
23+00 - 27+30	RIGHT	16	12	192
26+15 - 27+03	LEFT	2	9	18
27+85 - 29+00	LEFT	8	9	72
31+00 - 34+86	RIGHT	15	10	150
31+50 - 32+50	LEFT	8	12	96
33+03 - 34+86	LEFT	2	10	20
36+44 - 40+05	LEFT	10	10	100
36+76 - 40+67	RIGHT	12	12	144
40+80 - 43+25	RIGHT	13	9	117
41+05 - 41+71	LEFT	4	14	56
41+62	LEFT	1	9	9
41+93 - 43+25	LEFT	7	9	63
44+50 - 46+44	LEFT	17	9	153
44+50 - 46+54	RIGHT	16	9	144
46+62 - 47+85	LEFT	8	10	80
46+69 - 47+75	RIGHT	6	12	72
TOTAL				1,486

PERIMETER EROSION BARRIER

STATION TO STATION	SIDE	FOOT
22+50 - 25+25	LEFT	370
26+29 - 27+00	RIGHT	75
28+14 - 31+00	RIGHT	315
33+55 - 33+93	LEFT	60
35+75 - 37+00	RIGHT	160
41+64 - 41+71	LEFT	35
TOTAL		1,015

CONCRETE REMOVAL (SPECIAL)

STATION TO STATION	SIDE	WIDTH	EACH
41+94 - 42+94	LEFT	23.5'	1
TOTAL			1

PIPE CULVERTS, CLASS D, TYPE 2

STATION	SIDE	15" FOOT	18" FOOT	24" FOOT
22+60	RIGHT	28		
26+62	RIGHT		70	
40+50	LEFT			58
TOTAL		28	70	58

PIPE CULVERTS, CLASS D, TYPE 1

STATION	SIDE	15" FOOT
33+74	LEFT	36
TOTAL		36

TRAFFIC BARRIER TERMINAL, TYPE 2

SIDE	STATION TO STATION	EACH
RIGHT	26+78.87 - 26+79.50	1
TOTAL		1

STEEL PLATE BEAM GUARDRAIL, TYPE A, 6' POSTS

SIDE	STATION TO STATION	FOOT
LEFT	26+06.15 - 26+55.78	50.0
LEFT	28+34.28 - 30+96.41	262.5
RIGHT	28+08.56 - 28+55.06	50.0
RIGHT	41+15.60 - 42+65.24	150.0
LEFT	41+53.11 - 42+65.24	112.5
RIGHT	44+99.24 - 46+11.37	112.5
LEFT	44+99.24 - 46+11.37	112.5
TOTAL		850.0

AGGREGATE DITCH**

STATION TO STATION	SIDE	WIDTH	TON	FILTER FABRIC (SQ YD)
22+77 - 26+29	RIGHT	6'	129	250
26+98 - 27+30	RIGHT	6'	11	22
27+85 - 33+57	LEFT	6'	210	407
31+00 - 33+00	RIGHT	6'	74	142
39+00 - 40+26	LEFT	6'	46	89
40+00 - 43+25	RIGHT	6'	121	234
40+84 - 43+25	LEFT	6'	89	172
41+42 - 41+62	LEFT	4.5' AVG.	6	11
44+50 - 48+00	LEFT	6'	128	248
44+50 - 48+00	RIGHT	6'	128	248
TOTAL			942	1,823

** Aggregate Ditch shall conform to material type B-3 of the Standard Specifications

PAVED DITCH REMOVAL

STATION TO STATION	SIDE	FOOT
22+77 - 23+98	RIGHT	121
28+28 - 29+60	LEFT	132
31+27 - 32+71	RIGHT	147
39+10 - 41+55	LEFT	245
44+66 - 46+51	RIGHT	185
45+02 - 46+52	LEFT	151
TOTAL		981

PAINT PAVEMENT MARKING - LINE 4"

STATION TO STATION	SIDE	DESCRIPTION	FOOT
22+50 - 48+00	LEFT	WHITE EDGE LINE	2,550
22+50 - 48+00	CL	DOUBLE YELLOW	5,100
22+50 - 48+00	RIGHT	WHITE EDGE LINE	2,550
TOTAL			10,200

EROSION CONTROL BLANKET

STATION TO STATION	SIDE	WIDTH	LENGTH	AREA (SQ YD)
33+00 - 34+50	RIGHT	6'	150'	100
37+00 - 39+00	LEFT	6'	200'	133
37+00 - 40+00	RIGHT	6'	300'	200
TOTAL				433

HOT-MIX ASPHALT SHOULDERS, 6"

STATION TO STATION	SIDE	WIDTH	SQ YD
26+43.65 - 26+55.78	LEFT	5.5' AVG	8
26+55.78 - 26+65.49	LEFT	7.0'	8
26+65.49 - 27+01.26	LEFT	6.0'	24
26+83.70 - 27+18.58	RIGHT	6.0'	23
27+92.26 - 28+28.03	LEFT	6.0'	24
28+28.03 - 28+34.28	LEFT	7.0'	5
28+34.28 - 28+46.41	LEFT	5.5' AVG	8
28+09.58 - 28+45.35	RIGHT	6.0'	24
28+45.35 - 28+55.06	RIGHT	7.0'	8
28+55.06 - 28+67.19	RIGHT	5.5' AVG	8
42+53.11 - 42+65.24	LEFT	5.5' AVG	8
42+65.24 - 42+73.99	LEFT	7.0'	7
42+73.99 - 43+08.99	LEFT	6.0'	23
42+53.11 - 42+65.24	RIGHT	5.5' AVG	8
42+65.24 - 42+73.99	RIGHT	7.0'	7
42+73.99 - 43+08.99	RIGHT	6.0'	23
44+55.49 - 44+90.49	LEFT	6.0'	23
44+90.49 - 44+99.24	LEFT	7.0'	7
44+99.24 - 45+11.37	LEFT	5.5' AVG	8
44+55.49 - 44+90.49	RIGHT	6.0'	23
44+90.49 - 44+99.24	RIGHT	7.0'	7
44+99.24 - 45+11.37	RIGHT	5.5' AVG	8
TOTAL			292

AGGREGATE SHOULDERS, TYPE A

STATION TO STATION	SIDE	WIDTH	LENGTH	TON
22+50.00 - 23+00.00	LEFT	3.66' AVG.	50.00'	4
22+50.00 - 23+00.00	RIGHT	3.50' AVG.	50.00'	4
23+00.00 - 26+43.65	LEFT	4.00'	343.65'	32
23+00.00 - 26+37.70	RIGHT	4.00'	337.70'	31
28+46.41 - 40+21.07	LEFT	4.00'	1,174.66'	109
28+67.19 - 35+71.01	RIGHT	4.00'	703.82'	65
36+28.98 - 42+53.11	RIGHT	4.00'	624.13'	58
40+78.95 - 42+53.11	LEFT	4.00'	174.16'	16
45+11.37 - 47+50.00	LEFT	4.00'	238.63'	22
45+11.37 - 47+50.00	RIGHT	4.00'	238.63'	22
47+50.00 - 48+00.00	LEFT	4.25' AVG.	50.00'	5
47+50.00 - 48+00.00	RIGHT	3.80' AVG.	50.00'	5
TOTAL				373