

NOTE:
INSTALL CLEANOUTS AT EACH CHANGE OF DIRECTION
AND AT MAX. 50' INTERVALS.


VERIFY EXACT LOCATION
FOR THE DROP ON THE
BRIDGE DRAWINGS. REPLACE PIPING
DOWN TO GRADE. THREADED INSERTS
ON A 2X2 AND HAVE BEEN
PROVIDED ON THE UNDERSIDE OF
THE BRIDGE DECK FOR THREADED
RODS FOR SUPPORTING THE WASTE
& COLD WATER PIPING. COORDINATE
WITH BRIDGE STRUCTURE.

HEAT TRACE ON ALL WATER
WASTE & VENT PIPING NOT
RUN IN HEATED SPACES

NOTE:
VERIFY LOCATION OF VENT PENETRATIONS
THROUGH ROOF WITH ARCH. DRAWINGS TO
ALLOW FOR PROPER SEALING OF THESE
PENETRATIONS.

PLEASE SEE ISOMETRICS FOR
PIPING SIZES & DETAILS

1 STATION HOUSE PLUMBING FLOOR PLAN
SCALE: 3/16" = 1'-0"



2 PLATFORM PLUMBING PLAN
SCALE: 3/16" = 1'-0"

**THIS IS A BUY USA (AMERICAN) PROJECT,
ALL EQUIPMENT TO BE MANUFACTURED IN THE USA**



USER NAME = habib	DESIGNED JCM	REVISED Δ 1/20/2014
CHECKED OS	REVISIONS	
PLOT SCALE = 10:8 1/2" / in.	DRAWN HR	REVISED
PLOT DATE = 1/21/2014	CHECKED BC	REVISED

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

**PEORIA STREET STATION PLUMBING STATION HOUSE
& PARTIAL PLATFORM PLANS**

MUN	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
2090	2013-011R	COOK	356	265
CONTRACT NO.			60W29	
ILLINOIS FED. AID PROJECT				

SHEET NO. P-001 OF 117 SHEETS

11:09:03 AM 6/01/2014 2:26:54.dgn