

INDEX OF SHEETS

SHEET NO	DESCRIPTION
1	COVER SHEET
2	INDEX OF SHEETS / HIGHWAY STANDARDS
3-4	GENERAL NOTES
5-8	SUMMARY OF QUANTITIES
9	EXISTING/PROPOSED TYPICAL CROSS SECTIONS IN HEYWORTH
10	EXISTING/PROPOSED TYPICAL CROSS SECTIONS ON RURAL SECTION
11	EXISTING/PROPOSED TYPICAL CROSS SECTIONS ON RURAL SECTION
12	BOX CULVERTS SCOPE OF WORK/LOCATION MAP
13-14	CULVERT SCHEDULE
15-22	QUANTITIES SCHEDULES
23-50	PLAN SHEETS
51	DETAIL OF SIDEROAD MILLING
51	DETAIL OF CONCRETE COLLAR FOR BOX CULVERTS
52	DETAIL FOR STAGING TRAFFIC AT ACROSS ROAD CULVERTS
53	PAY LENGTHS FOR PRECAST CONCRETE BOX CULVERTS
54	GENERAL PLAN AND ELEVATION (BOX CULVERT #4)
55	GENERAL PLAN AND ELEVATION (BOX CULVERT #5)
56	GENERAL PLAN AND ELEVATION (BOX CULVERT #8)
57	END SECTION DETAIL (BOX CULVERT #8)
58	REMOVAL DETAIL (BOX CULVERT # 11)
59	GENERAL PLAN AND ELEVATION (BOX CULVERT #11)
60	POROUS GRANULAR EMBANKMENT (CULVERT #8 AND CULVERT #11)
61	BOX CULVERT END SECTION REMOVAL DETAILS (CULVERT #13)
62	GENERAL PLAN AND ELEVATION (BOX CULVERT #13)
63	GENERAL PLAN AND ELEVATION (BOX CULVERT #14)
64	POROUS GRANULAR EMBANKMENT (CULVERT #14)
64	DETAIL OF END SECTION JOINT SEALING FOR PIPE CULVERTS
65	POROUS GRANULAR BACKFILL/POROUS GRANULAR EMBANKMENT
66-67	SIDEROADS AND SIDESTREETS (RURAL)
68	INTERSECTING SIDE STREETS (URBAN)
69	BOX CULVERT END SECTION (PRECAST OPTION)
70	CONCRETE COLLAR FOR PIPE CULVERT
71	TREATMENT OF EXISTING FIELD TILE SYSTEMS
72	TRAFFIC CONTROL AND PROTECTION DEVICES (ROAD AND SIDESTREET/SIDEROAD CLOSURES)
73-76	PAVEMENT MARKING AND MARKERS (RURAL & URBAN APPLICATIONS)
77	PCC PARTIAL DEPTH HOT-MIX ASPHALT PATCHING
78	SURVEY MARKERS TYPE 1 & 2 (SPECIAL)
79	SURVEY MONUMENT COVER ASSEMBLY
80-115	CROSS SECTIONS AT BOX CULVERTS

HIGHWAY STANDARDS

STANDARD NO.	DESCRIPTION
000001-05	STANDARD SYMBOLS, ABBREVIATIONS, AND PATTERNS
001001-02	AREAS OF REINFORCING BARS
001006	DECIMAL OF AN INCH AND OF A FOOT
280001-05	TEMPORARY EROSION CONTROL SYSTEMS
442201-03	CLASS C AND D PATCHES
482001-02	HMA SHOULDERS ADJACENT TO FLEXIBLE PAVEMENT
515001-03	NAME PLATE FOR BRIDGES
542101-02	REINFORCED CONCRETE END SECTIONS FOR PIPE CULVERTS 375 mm (15") THRU 900 mm (36") DIAMETER AT RIGHT ANGLES WITH ROADWAY
606201-02	TYPE B GUTTER (INLET, OUTLET AND ENTRANCES)
630001-08	STEEL PLATE BEAM GUARDRAIL
630101-08	GUARDRAIL MOUNTED ON EXISTING CULVERT
631032-04	TRAFFIC BARRIER TERMINAL, TYPE 6A
635006-03	REFLECTOR AND TERMINAL MARKER PLACEMENT
635011-02	REFLECTOR MARKER AND MOUNTING DETAILS
667101-01	PERMANENT SURVEY MARKERS
701001-02	OFF-ROAD OPERATIONS, 2L, 2W, MORE THAN 4.5 m (15') AWAY
701006-03	OFF-ROAD OPERATIONS, 2L, 2W, 4.5 m (15') TO 600 mm (24") FROM PAVEMENT EDGE
701201-03 <i>701206-02</i>	LANE CLOSURE, 2L, 2W, DAY ONLY, FOR SPEEDS ≥ 45 MPH
701301-03	LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS
701306-02	LANE CLOSURE, 2L, 2W, SLOW MOVING OPERATIONS, DAY ONLY, FOR SPEEDS ≥ 45 MPH
701311-03	LANE CLOSURE, 2L, 2W, MOVING OPERATIONS - DAY ONLY
701501-05	URBAN LANE CLOSURE, 2L, 2W, UNDIVIDED
701901-01	TRAFFIC CONTROL DEVICES
780001-02	TYPICAL PAVEMENT MARKINGS
781001-03	TYPICAL APPLICATIONS RAISED REFLECTIVE PAVEMENT MARKERS
B.L.R. 27-1	TRAFFIC BARRIER TERMINAL, TYPE 5A

△ Rev. Sheet 2-11-10

Rev.

FILE NAME =	USER NAME = leroyme	DESIGNED -	REVISED -
c:\pwwork\PIWIDOT\LEROYMA\0170840\0570507-sht-genote.dgn		DRAWN -	REVISED -
	PLOT SCALE = 48,0000 / IN.	CHECKED -	REVISED -
	PLOT DATE = 2/5/2010	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

INDEX OF SHEETS / HIGHWAY STANDARDS

SCALE: SHEET NO. OF SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
315	*	McLean	115	2
*101.102XIR,RS-2 & 55RS-PRK LN			CONTRACT NO. 70507	
ILLINOIS FED. AID PROJECT				


SUMMARY OF QUANTITIES

LOCATION:

FAP 315/709 SN 057-2044 (P)
 MCLEAN CTY MCLEAN CTY
 63+05.44
 TO 354+72.82
 744+37.60
 RURAL RURAL
 TWO LANE TWO LANE
 80% FEDERAL 80% FEDERAL
 20% STATE 20% STATE

CONSTRUCTION CODE:

1000 Y007



PAY ITEM CODE	PAY ITEM	UNIT	TOTAL	QTY	QTY
20100110	TREE REMOVAL (6 TO 15 UNITS DIAMETER)	UNIT	48.0	48.0	
20200100	EARTH EXCAVATION	CU YD	89.0	55.0	34.0
20400800	FURNISHED EXCAVATION	CU YD	155.0	155.0	
20700220	POROUS GRANULAR EMBANKMENT	CU YD	262.0	192.0	70.0
20900110	POROUS GRANULAR BACKFILL	CU YD	36.0	36.0	
25000200	SEEDING, CLASS 2	ACRE	0.3	0.2	0.1
25000400	NITROGEN FERTILIZER NUTRIENT	POUND	28.0	25.0	3.0
25000500	PHOSPHORUS FERTILIZER NUTRIENT	POUND	28.0	25.0	3.0
25000600	POTASSIUM FERTILIZER NUTRIENT	POUND	28.0	25.0	3.0
25100115	MULCH METHOD 2	ACRE	0.3	0.2	0.1
28000250	TEMPORARY EROSION CONTROL SEEDING	POUND	31.0	28.0	3.0
28000400	PERIMETER EROSION BARRIER	FOOT	1,150.0	990.0	160.0
28000500	INLET AND PIPE PROTECTION	EACH	9.0	9.0	
28100105	STONE RIPRAP, CLASS A3	SQ YD	25.0	25.0	
28100201	STONE RIPRAP, CLASS A1	TON	223.0	120.0	103.0
28200200	FILTER FABRIC	SQ YD	8.0	8.0	
40300300	BITUMINOUS MATERIALS (COVER AND SEAL COATS)	GALLON	21,411.0	21,411.0	
40300600	SEAL COAT AGGREGATE	TON	582.0	582.0	
40600100	BITUMINOUS MATERIALS (PRIME COAT)	GALLON	28,510.0	28,510.0	
40600627	LEVELING BINDER (MACHINE METHOD), IL-9.5FG, N50	TON	8,934.0	8,934.0	
40600990	TEMPORARY RAMP	SQ YD	1,145.0	1,145.0	

* SPECIALTY ITEM

FILE NAME *	USER NAME = buckles.jj	DESIGNED -	REVISED -
ca:\ppl_work\PMIDOT\BUCKLESJJ\00170848\0	70507-sh-t-500.dgn	DRAWN - JJB	REVISED -
	PLOT SCALE = 40.0000' / IN.	CHECKED -	REVISED -
	PLOT DATE = 12/9/2009	DATE - 7-16-09	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

SUMMARY OF QUANTITIES

SCALE: SHEET NO. OF SHEETS STA. TO STA.

Rev. 2-11-10

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
315		McLean	115	5
*101.102XIR,RS-2 & 55RS-PRK LN			CONTRACT NO. 70507	
ILLINOIS FED. AID PROJECT				

SUMMARY OF QUANTITIES

LOCATION:

FAP 315/709 SN 057-2044 (P)
 MCLEAN CTY MCLEAN CTY
 63+05.44
 TO 354+72.82
 744+37.60
 RURAL RURAL
 TWO LANE TWO LANE
 80% FEDERAL 80% FEDERAL
 20% STATE 20% STATE

CONSTRUCTION CODE:

1000 Y007

54021003	PRECAST CONCRETE BOX CULVERT 10' X 3' (M273)	FOOT	84.0		84.0
54207159	PIPE CULVERTS, TYPE 1, REINFORCED CONCRETE - ELLIPTICAL, EQUIVALENT ROUND-SIZE 24"	FOOT	47.0	47.0	
54214719	PRECAST REINFORCED CONCRETE FLARED END SECTIONS - ELLIPTICAL, EQUIVALENT ROUND-SIZE 24"	EACH	2.0	2.0	
54248510	CONCRETE COLLAR	CUYD	1.7	1.7	
56109210	WATER VALVES TO BE ADJUSTED	EACH	4.0	4.0	
60255500	MANHOLES TO BE ADJUSTED	EACH	4.0	4.0	
60260100	INLETS TO BE ADJUSTED	EACH	4.0	4.0	
60262700	INLETS TO BE RECONSTRUCTED	EACH	1.0	1.0	
* 63000001	STEEL PLATE BEAM GUARD RAIL, TYPE A, 6 FOOT POSTS	FOOT	2912.5	2437.5	475
* 63000005	STEEL PLATE BEAM GUARD RAIL, TYPE B	FOOT	200	100	100
* 63100075	TRAFFIC BARRIER TERMINAL, TYPE 5A	EACH	2.0	2.0	
* 63000025	STEEL PLATE BEAM GUARDRAIL, ATTACHED TO STRUCTURES	FOOT	77	25	52
63100087	TRAFFIC BARRIER TERMINAL, TYPE 6A	EACH	6.0	6.0	
* 63100167	TRAFFIC BARRIER TERMINAL, TYPE 1(SPECIAL) TANGENT	EACH	28.0	28.0	
63200310	GUARDRAIL REMOVAL	FOOT	4,346.0	4,346.0	
* 63300725	STEEL PLATE BEAM GUARDRAIL (SHORT RADIUS)	FOOT	93.5	93.5	
67100100	MOBILIZATION	LSUM	1.0	1.0	
70100450	TRAFFIC CONTROL AND PROTECTION, STANDARD 701201	LSUM	1.0	0.75	0.25
70100455	TRAFFIC CONTROL AND PROTECTION, STANDARD 701206	LSUM	1.0	0.75	0.25
70100460	TRAFFIC CONTROL AND PROTECTION, STANDARD 701306	LSUM	1.0	1.0	
70102620	TRAFFIC CONTROL AND PROTECTION, STANDARD 701501	LSUM	1.0	1.0	
70300100	SHORT-TERM PAVEMENT MARKING	FOOT	39,290.0	39,290.0	
70301000	WORK ZONE PAVEMENT MARKING REMOVAL	SQFT	13,097.0	13,097.0	

* SPECIALTY ITEM

Rev. 2-11-10

FILE NAME =	USER NAME = bucklesj	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SUMMARY OF QUANTITIES				F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
c:\pwork\PWIDOT\BUCKLESJ\0170848\070507.sht-500.dgn	70507-sht-500.dgn	DRAWN - JJB	REVISED -		315	*	McLean	115	7				
PLOT SCALE = 40.0000'' / IN.	CHECKED -	REVISIED -	REVISIED -		*101.102XIR,RS-2 & 55RS-PRK LN				CONTRACT NO. 70507				
PLOT DATE = 12/9/2009	DATE - 7-16-09	REVISIED -	REVISIED -		SCALE:	SHEET NO.	OF	SHEETS	STA.	TO STA.	ILLINOIS FED. AID PROJECT		

SUMMARY OF QUANTITIES

LOCATION:

FAP 315/709 SN 057-2044 (P)
 MCLEAN CTY MCLEAN CTY
 63+05.44
 TO 354+72.82
 744+37.60
 RURAL RURAL
 TWO LANE TWO LANE
 80% FEDERAL 80% FEDERAL
 20% STATE 20% STATE

CONSTRUCTION CODE:

1000 Y007

* 78000100	THERMOPLASTIC PAVEMENT MARKING - LETTERS AND SYMBOLS	SQFT	247.0	247.0	
* 78001110	PAINT PAVEMENT MARKING - LINE 4"	FOOT	197,206.0	197,206.0	
* 78001130	PAINT PAVEMENT MARKING - LINE 6"	FOOT	663.0	663.0	
* 78001150	PAINT PAVEMENT MARKING - LINE 12"	FOOT	524.0	524.0	
* 78001180	PAINT PAVEMENT MARKING - LINE 24"	FOOT	245.5	245.5	
* 78100100	RAISED REFLECTIVE PAVEMENT MARKER	EACH	945.0	945.0	
* 78200405	GUARDRAIL MARKERS	EACH	100	88	12
78300200	RAISED REFLECTIVE PAVEMENT MARKER REMOVAL	EACH	945.0	945.0	
* 78201000	TERMINAL MARKER - DIRECT APPLIED	EACH	28	24	4
X0322946	REMOVE CONCRETE BOX CULVERT END SECTION	EACH	10.0	10.0	
X0325561	CULVERTS TO BE GROUTED	CUYD	51.0	51.0	
X0325702	NIGHTTIME WORK ZONE LIGHTING	LSUM	1.0	0.7	0.3
X0545005	BOX CULVERT REMOVAL	LSUM	1.0	1.0	
X4401705	PARTIAL DEPTH REMOVAL	SQYD	651.0	651.0	
X4421000	PARTIAL DEPTH PATCHING	TON	310.0	310.0	
X7015005	CHANGEABLE MESSAGE SIGN	CAL DA	36.0	26.0	10.0
XZ193300	SURVEY MARKER, TYPE 1 (SPECIAL)	EACH	17.0	17.0	
Z0032470	JOINT SEALER	FOOT	29.0	29.0	
Z0038700	PERMANENT BENCHMARKS	EACH	2.0	2.0	
Z0048665	RAILROAD PROTECTIVE LIABILITY INSURANCE	LSUM	1.0	1.0	
Z0070100	SURVEY MONUMENT COVER ASSEMBLY	EACH	5.0	5.0	

* SPECIALTY ITEMS

Rev. 2-11-10

FILE NAME =	USER NAME = leryma	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SUMMARY OF QUANTITIES				F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
c:\pwork\p\1001\LEROYMA\08170848\0579507-shr-500.dgn		DRAWN - JJB	REVISED -		SCALE:	SHEET NO.	OF	SHEETS	STA.	TO STA.	McLean	115	8
	PLOT SCALE = 48.0000 ' / IN.	CHECKED -	REVISED -								*(101,102)R,RS-2 & 55RS-PRK LN	CONTRACT NO. 70507	
	PLOT DATE = 12/14/2009	DATE - 7-16-09	REVISED -								ILLINOIS FED. AID PROJECT		

TEMPORARY RAMP SCHEDULE*

(40600990)

STATION	OFFSET	TYPE	LENGTH	WIDTH	SQYD
76+02	CL	START (US 136)	8.0	26.0	23.11
42+81	LT	TROTTER DR.	33.0	8.0	29.33
57+15	RT	1600 E (TR 256)	50.0	8.0	44.44
113+37	LT	1700E (TR 278)	30.0	8.0	26.67
153+18	LT	1775 E (TR 292)	30.0	8.0	26.67
166+60	RT	1800 E (TR 300)	30.0	8.0	26.67
221+53	RT	1900 E (GILLUM RD)	22.0	8.0	19.56
223+74	LT	1900 E (GILLUM RD)	40.0	8.0	35.58
274+65	RT	2000 E	30.0	8.0	26.67
276+69	LT	2000 E	30.0	8.0	26.67
328+40	RT	2100 E (CH 27)	30.0	8.0	26.67
329+70	LT	2100 E (DOWNS RD)	27.0	8.0	24.00
382+32	RT	2200 E	27.0	8.0	24.00
383+02	LT	2200 E	30.0	8.0	26.67
462+67	RT	2350 E	30.0	8.0	26.67
462+67	LT	2350 E	27.0	8.0	24.00
520+38	RT	2450 E	22.0	8.0	19.56
521+65	LT	2450 E (LEROY RD)	90.0	8.0	80.00
540+29.41	CL	SN 057-0151 (W)	8.0	26.0	23.11
540+29.41	CL	SN 057-0151 (E)	8.0	26.0	23.11
547+39	RT	2500 E	30.0	8.0	26.67
547+90	LT	2500 E	27.0	8.0	24.00
616+98	CL	SN 057-0185 (W)	15.0	26.0	43.33
616+98	CL	SN 057-0185 (E)	15.0	26.0	43.33
652+79	CL	SN 057-0096 (E)	8.0	26.0	23.11
652+79	CL	SN 057-0096 (W)	8.0	26.0	23.11
653+60	RT	2700 E (CH 21)	28.0	8.0	24.89
653+60	LT	2700 E (CH 21)	40.0	8.0	35.56
698+50	LT	WB I-74 EXIT RAMP	18.0	8.0	16.00
698+80	RT	EB I-74 ENTRANCE	18.0	8.0	16.00
706+20	CL	SN 057-0135 (E)	20.0	26.0	57.78
706+20	CL	SN 057-0135 (W)	20.0	26.0	57.78
713+85	LT	WB I-74 ENTRANCE	18.0	8.0	16.00
713+85	RT	EB I-74 EXIT RAMP	18.0	8.0	16.00
739+04	CL	CRC RR X-ING (W)	20.0	26.0	57.78
739+04	CL	CRC RR X-ING (E)	20.0	26.0	57.78
774+30	CL	END (US 136)	8.0	26.0	23.11
TOTAL					1,145.3

* No Temporary Ramps within City Limits or at P.E./C.E. between Heyworth and US 150

** Temporary Ramps at Sideroads may be omitted at the Resident Engineers discretion

PAVEMENT MARKINGS SCHEDULE

STATION	TO	STATION	LENGTH	SHORT TERM PVT MKS (FOOT) (70300100)	SKIP DASH YELLOW, 4" FOOT (78001110)	SOLID YELLOW, 4" FOOT	SOLID WHITE, 4" FOOT	STOP BAR WHITE, 24" FOOT (78001180)	CROSSWALK WHITE, 6" FOOT (78001130)	CROSSWALK WHITE, 12" FOOT	ISLAND STRIPING WHITE, 12" FOOT (78001150)	ISLAND STRIPING YELLOW, 12" FOOT
0+50.00		1+65.00	115.0	23.0 (2)		230.0		74				
1+65.00		20+20.00	1,855.0	371.0 (2)	463.8				52	84		
CURB AND GUTTER ENDS												
20+20.00		24+60.00	440.0	237.6 (3)	110.0	440.0	880.0					
24+60.00		26+00.00	140.0	75.6 (3)	35.0		280.0					
26+00.00		31+18.60	518.6	280.0 (3)	129.7	518.6	1,037.2					
EQ. Sta. 31+18.60 BK = 31+28.68 AH												
31+28.68		34+90.00	361.3	195.1 (3)	90.3	361.3	722.6					
34+90.00		38+00.00	310.0	167.4 (3)	77.5		620.0					
38+00.00		46+50.00	850.0	459.0 (3)	212.5	850.0	1,700.0					
46+50.00		48+30.00	180.0	97.2 (3)	45.0		360.0					
48+30.00		55+60.00	730.0	394.2 (3)	182.5	730.0	1,460.0					
55+60.00		99+70.00	4,410.0	2,381.4 (3)	1,102.5		8,820.0	17	163		87	
99+70.00		110+00.00	1,030.0	556.2 (3)	257.5	1,030.0	2,060.0					
110+00.00		119+50.00	950.0	513.0 (3)	0.0	1,900.0	1,900.0					
119+50.00		129+50.00	1,000.0	540.0 (3)	250.0	1,000.0	2,000.0					
129+50.00		142+80.00	1,330.0	718.2 (3)	332.5		2,660.0					
142+80.00		151+00.00	820.0	442.8 (3)	205.0	820.0	1,640.0					
151+00.00		152+00.00	100.0	54.0 (3)	0.0	200.0	200.0					
152+00.00		159+00.00	700.0	378.0 (3)	175.0	700.0	1,400.0					
159+00.00		186+90.00	2,790.0	1,506.6 (3)	697.5		5,580.0					
186+90.00		194+55.00	765.0	413.1 (3)	191.3	765.0	1,530.0					
194+55.00		197+85.00	330.0	178.2 (3)	82.5		660.0					
197+85.00		201+20.00	335.0	180.9 (3)	83.8	335.0	670.0					
201+20.00		237+60.00	3,640.0	1,965.6 (3)	910.0		7,280.0					
237+60.00		242+05.00	445.0	240.3 (3)	111.3	445.0	890.0					
242+05.00		250+40.00	835.0	450.9 (3)	208.8		1,670.0					
250+40.00		256+70.00	630.0	340.2 (3)	157.5	630.0	1,260.0					
256+70.00		492+30.00	23,560.0	12,722.4 (3)	5,890.0		47,120.0					
492+30.00		500+80.00	850.0	459.0 (3)	212.5	850.0	1,700.0					
500+80.00		502+70.00	190.0	102.6 (3)	47.5		380.0					
502+70.00		520+00.00	1,730.0	934.2 (3)	432.5	1,730.0	3,460.0					

Rev. Sheet 2-11-10

FILE NAME =	USER NAME = lerayma	DESIGNED -	REVISED -
c:\pwork\PHWIDOT\LEROYMA\0170848\057	507-sht-schedules.dgn	DRAWN -	REVISED -
	PLOT SCALE = 40.0000' / IN.	CHECKED -	REVISED -
	PLOT DATE = 2/5/2010	DATE -	REVISED -

**STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION**

SCHEDULES
SCALE: SHEET NO. OF SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
315		McLean	115	16
*101.102XJR,RS-2 & 55RS-PRK LN CONTRACT NO. 70507				
ILLINOIS FED. AID PROJECT				

PAVEMENT MARKINGS SCHEDULE CONTINUED

STATION	TO	STATION	LENGTH	SHORT TERM PVT MKS (FOOT) (70300100)	SKIP DASH YELLOW, 4" FOOT (78001110)	SOLID YELLOW, 4" FOOT	SOLID WHITE, 4" FOOT	STOP BAR WHITE, 24" FOOT (78001180)	CROSSWALK WHITE, 6" FOOT (78001130)	CROSSWALK WHITE, 12" FOOT	ISLAND STRIPING WHITE, 12" FOOT (78001150)	ISLAND STRIPING YELLOW, 12" FOOT
520+00.00		521+80.00	180.0	97.2 (3)	45.0	360.0	360.0	29	135		70	
EQ. Sta. 521+80.00 BK = 521+92.10 AH												
521+92.10		532+65.00	1,072.9	579.4 (3)	268.2	2,145.8	2,145.8					
532+65.00		539+10.00	645.0	348.3 (3)	161.3	645.0	1,290.0					
539+10.00		546+00.00	690.0	372.6 (3)	172.5		1,380.0					
546+00.00		557+30.00	1,130.0	610.2 (3)	282.5	1,130.0	2,260.0					
557+30.00		558+00.00	70.0	37.8 (3)	17.5		140.0					
558+00.00		565+25.00	725.0	391.5 (3)	181.3	725.0	1,450.0					
565+25.00		614+65.00	4,940.0	2,667.6 (3)	1,235.0		9,880.0					
614+65.00		625+90.00	1,125.0	607.5 (3)	281.3	1,125.0	2,250.0					
625+90.00		626+60.00	70.0	37.8 (3)	17.5		140.0					
626+60.00		635+80.00	920.0	496.8 (3)	230.0	920.0	1,840.0					
635+80.00		685+00.00	4,920.0	2,656.8 (3)	1,230.0		9,840.0					
685+00.00		690+40.00	540.0	291.6 (3)	135.0	540.0	1,080.0					
690+40.00		693+55.00	315.0	170.1 (3)		1,260.0	630.0					45
693+55.00		698+70.00	515.0	(4)		1,030.0	1,030.0	22.5	154		95	
698+70.00		704+62.00	592.0	(4)		1,184.0	1,184.0					
SN 057-0135		707+80.00	205.0	(4)		410.0	410.0					
TURN LANE		709+85.00	300.0	(4)		600.0	900.0					
709+85.00		712+85.00	85.0	(4)			255.0					
712+85.00		713+70.00	85.0	(4)			255.0					
713+70.00		718+90.00	520.0	(4)		1,040.0	1,040.0	25	159		98	
718+90.00		721+65.00	275.0	148.5 (3)		1,100.0	550.0					45
721+65.00		724+30.00	265.0	143.1 (3)	66.3	265.0	530.0					
732+60.00		743+85.00	1,125.0	607.5 (3)	281.3	2,250.0	2,250.0	78				
743+85.00		774+37.60	3,052.6	1,648.4 (3)	763.2		6,105.2					
TOTALS			76,217.42	39,290.43	18,061.36	30,264.72	148,879.84	245.50	663.00	84.00	350.00	90.00
						197,205.92						524.00

- (1) Per Article 703.04: 1 Application for Milling, 1 Application for Surface, Skip Dash and 2 Edge Lines
- (2) 1 Application for Milling, 1 Application for Surface, Skip Dash only
- (3) Per Article 703.04: 1 Application for Milling, 1 Application for Level Binder, 1 Application for Surface, Skip Dash and 2 Edge Lines
- (4) Concrete Median, no work on shoulder, no temporary markings required

Rev. Sheet 2-11-10

FILE NAME =	USER NAME = leroyme	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SCHEDULES	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
c:\pwworking\PIWIDOT\LEROYMA\d0170846\057507-sht-schedules.dgn		DRAWN -	REVISED -			315	*	McLean	115	17	
PLOT SCALE = 48.0000' / IN.		CHECKED -	REVISED -			*101,102XIR,RS-2 & 55RS-PRK LN CONTRACT NO. 70507					
PLOT DATE = 2/5/2010		DATE -	REVISED -			SCALE:	SHEET NO. OF	SHEETS	STA.	TO STA.	ILLINOIS FED. AID PROJECT

GUARDRAIL AND TERMINALS

STATION	TO	STATION	OFFSET	SPBGR TYPE A 6' POSTS FOOT	SPBGR TYPE B FOOT	GUARDRAIL ATTACHED TO STRUCTURES FOOT	TRAFFIC BARRIER TERMINAL, TYPE 1 (SPECIAL)(TANGENT) EACH	TERMINAL MARKER DIRECT APPLIED EACH	GUARDRAIL MARKER EACH	GUARDRAIL REMOVAL FOOT	SPBGR SHORT RADIUS FOOT	TRAFF. BARR. TERMINAL TYPE 5A EACH	TRAFF. BARR. TERMINAL TYPE 6A EACH
				63000001	63000005	63000025	63100167	78201000	78200405	63200310	63300725	63100075	63100087
65+06.50		65+56.50	RT				1	1					
65+56.50		69+06.50	RT	350.0					6.0	175.0			
69+06.50		69+56.50	RT				1	1					
77+47.50		77+97.50	LT				1	1					
77+97.50		81+47.50	LT	350.0					6.0	200.0			
81+47.50		81+97.50	LT				1	1					
77+70.50		78+20.50	RT				1	1					
78+20.50		81+70.50	RT	350.0					6.0	200.0			
81+70.50		82+20.50	RT				1	1					
91+55.00		93+55.00	LT							200.0			
91+50.00		93+50.00	RT							200.0			
127+47.00		128+41.00	LT							100.0			
127+65.00		129+42.00	RT							175.0			
352+35.50		352+85.50	RT				1	1					
352+85.50		354+35.50	RT	150.0						175.0			
354+35.50		354+60.50	RT		25.0				6.0				
354+60.50		354+86.50	RT			26.0							
354+86.50		355+11.50	RT		25.0								
355+11.50		355+99.00	RT	87.5									
355+99.00		356+46.00	RT				1	1					
352+98.00		353+48.00	LT				1	1					
353+48.00		354+35.50	LT	87.5						200.0			
354+35.50		354+60.50	LT		25.0				6.0				
354+60.50		354+86.50	LT			26.0							
354+86.50		355+11.50	LT		25.0								
355+11.50		356+61.50	LT	150.0									
356+61.50		357+10.50	LT				1	1					
537+87.50		538+37.50	RT				1	1					
538+37.50		539+75.00	RT	137.5						225.0			
539+75.00		540+20.00	RT										1
540+38.00		540+83.00	RT						6.0				1
540+83.00		541+58.00	RT	75.0									
541+58.00		542+08.00	RT				1	1					
538+50.00		539+00.00	LT				1	1		225.0			
539+00.00		539+75.00	LT										
539+75.00		540+20.00	LT						6.0				1
540+38.00		540+83.00	LT							225.0			1
540+83.00		542+20.50	LT	137.5									
542+20.50		542+70.50	LT				1	1					
571+12.50		571+62.50	RT				1	1					
571+62.50		573+12.50	RT	150.0						200.0			
573+12.50		573+37.50	RT		25.0								
573+37.50		573+50.00	RT			12.5			6.0				
573+50.00		573+75.00	RT		25.0								
573+75.00		574+75.00	RT	100.0									
574+75.00		575+25.00	RT				1	1					
571+75.00		572+25.00	LT				1	1		200.0			
572+25.00		573+12.50	LT										
573+12.50		573+37.50	LT		25.0								
573+37.50		573+50.00	LT			12.5			6.0				
573+50.00		573+75.00	LT		25.0								
573+75.00		575+37.50	LT	162.5									

△ Rev. Sheet 2-11-10

FILE NAME *	USER NAME = leroyma	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SCHEDULES	SCALE:	SHEET NO. OF	SHEETS	STA.	TO STA.	
cr:\pwork\p\WIDOT\LEROYMA\0170048\057507-sht-schedules.dgn		DRAWN -	REVISED -			F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.	
PLOT SCALE = 40,0000' / IN.		CHECKED -	REVISED -			315		McLean	115	20	
PLOT DATE = 2/5/2010		DATE -	REVISED -			*101.102XIR,RS-2 & 55RS-PRK LN CONTRACT NO. 70507					
ILLINOIS FED. AID PROJECT											

GUARDRAIL AND TERMINALS(CONTINUED)

STATION	TO	STATION	OFFSET	SPBGR TYPE A 6' POSTS FOOT	SPBGR TYPE B FOOT	GUARDRAIL ATTACHED TO STRUCTURES FOOT	TRAFFIC BARRIER TERMINAL, TYPE 1 (SPECIAL)(TANGENT) EACH	TERMINAL MARKER DIRECT APPLIED EACH	GUARDRAIL MARKER EACH	GUARDRAIL REMOVAL FOOT	SPBGR SHORT RADIUS FOOT	TRAFF. BARR. TERMINAL TYPE 5A EACH	TRAFF. BARR. TERMINAL TYPE 6A EACH
				63000001	63000005	63000025	63100167	78201000	78200405	63200310	63300725	63100075	63100087
573+75.00		575+37.50	LT	162.5									
575+37.50		575+87.50	LT				1	1					
586+06.50		586+56.50	RT				1	1		325.0			
586+56.50		589+44.00	RT	287.5					5.0				
589+44.00		589+94.00	RT				1	1					
586+66.50		587+16.50	LT				1	1		375.0			
587+16.50		590+01.50	LT						5.0				
590+01.50		590+51.50	LT				1	1					
635+50.00		637+00.00	LT							200.0			
635+50.00		637+00.00	RT							200.0			
650+41.50		650+91.50	RT				1	1					
650+91.50		652+16.50	RT	125.0						100.0			
652+16.50		652+66.10	RT					4.0					1
652+95.06		653+05.87	RT									1	
653+05.87		653+18.36	RT	12.5						82.0			
653+18.36	22.8 RT	653+37.06	51.8 RT						4.0		38		
653+37.06	51.8 RT	653+50.20	101.7 RT				1	1	4.0				
650+85.10		651+35.10	LT				1	1					
651+35.10		652+22.60	LT	87.5						100.0			
652+22.60		652+67.60	LT										1
652+91.50		653+02.33	LT						4.0	114.0		1	
653+02.33		653+27.33	LT	25.0									
653+27.33	22.9LT	653+43.00	44.7 LT								30		
653+43.00	44.7 LT	653+50.20	94.2 LT				1	1	4.0				
653+79.70	91.9 LT	653+80.70	41.9 LT				1	1	4.0				
653+80.70	41.9 LT	653+97.20	25 LT						4.0	150.0	25.5		
653+97.20	25 LT	654+84.70	20.3 LT	87.5					4.0				
654+84.70	LT	655+34.70	LT				1	1	4.0				
TOTALS				2,912.5	200.0	77.0	28.0	28.0	100.0	4,346.0	93.5	2.0	6.0

△ Rev. Sheet 2-11-10

FILE NAME *	USER NAME * leroyma	DESIGNED -	REVISED -	STATE OF ILLINOIS DEPARTMENT OF TRANSPORTATION	SCHEDULES	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
c:\pwwork\p\id01\ALRDYMA\d0178848\057507-sht-schedules.dgn	DRAWN -	REVISED -	315			*	McLea	115	21	
PLOT SCALE = 40,0000' / IN.	CHECKED -	REVISED -	*101.102XIR,RS-2 & 55RS-PRK LN							
PLOT DATE = 2/5/2010	DATE -	REVISED -	ILLINOIS FED. AID PROJECT							
						SCALE:	SHEET NO. OF	SHEETS	STA.	TO STA.
						CONTRACT NO. 70507				

COVER AND SEAL COAT (SHOULDERS)

SHOULDERS	STATION	TO	STATION	LENGTH	WIDTH LEFT	WIDTH RIGHT	SQUARE YARDS	COVER AND SEAL	
								PRIME	AGGREGATE
								GALLON (40300300)	TON (40300600)
	21+79.00		30+76.00	897.0	4.0	4.0	797.3	279.1	7.6
CONSTITUTION DR	31+73.68		42+50.00	1,076.3	4.0	4.0	956.7	334.9	9.1
TROTTER DR	42+50.00		43+20.00	70.0	0.0	4.0	31.1	10.9	0.3
	43+20.00		56+40.00	1,320.0	4.0	4.0	1,173.3	410.7	11.1
1600 E	56+40.00		58+10.00	170.0	4.0	0.0	75.6	26.4	0.7
	58+10.00		113+02.00	5,492.0	4.0	4.0	4,881.8	1,708.6	46.4
1700 E	113+02.00		113+70.00	68.0	0.0	4.0	30.2	10.6	0.3
	113+70.00		152+75.00	3,905.0	4.0	4.0	3,471.1	1,214.9	33.0
1775 E	152+75.00		153+60.00	85.0	0.0	4.0	37.8	13.2	0.4
	153+60.00		166+20.00	1,260.0	4.0	4.0	1,120.0	392.0	10.6
1800 E	166+20.00		167+00.00	80.0	4.0	0.0	35.6	12.4	0.3
	167+00.00		221+18.00	5,418.0	4.0	4.0	4,816.0	1,685.6	45.8
GILLUM RD (S)	221+18.00		221+90.00	72.0	4.0	0.0	32.0	11.2	0.3
	221+90.00		223+20.00	130.0	4.0	4.0	115.6	40.4	1.1
GILLUM RD (N)	223+20.00		224+35.00	115.0	0.0	4.0	51.1	17.9	0.5
	224+35.00		274+29.00	4,994.0	4.0	4.0	4,439.1	1,553.7	42.2
2000 E (S)	274+29.00		275+00.00	71.0	4.0	0.0	31.6	11.0	0.3
	275+00.00		276+50.00	150.0	4.0	4.0	133.3	46.7	1.3
2000 E (N)	276+50.00		276+95.00	45.0	0.0	4.0	20.0	7.0	0.2
	276+95.00		327+92.00	5,097.0	4.0	4.0	4,530.7	1,585.7	43.0
2100 E (S)	327+92.00		328+81.00	89.0	4.0	0.0	39.6	13.8	0.4
	328+81.00		329+48.00	67.0	4.0	4.0	59.6	20.8	0.6
2100 E (N)	329+48.00		329+98.00	50.0	0.0	4.0	22.2	7.8	0.2
	329+98.00		382+00.00	5,202.0	4.0	4.0	4,624.0	1,618.4	43.9
2200 E (S)	382+00.00		382+59.00	59.0	4.0	0.0	26.2	9.2	0.2
2200 E (N)	382+59.00		383+30.00	71.0	0.0	4.0	31.6	11.0	0.3
	383+30.00		462+38.00	7,908.0	4.0	3.0	6,150.7	2,152.7	58.4
2350 E	462+38.00		463+00.00	62.0	0.0	0.0	0.0	0.0	0.0
	463+00.00		520+12.00	5,712.0	4.0	4.0	5,077.3	1,777.1	48.2
	520+12.00		520+60.00	48.0	0.0	0.0	0.0	0.0	0.0
	520+60.00		521+80.00	120.0	0.0	4.0	53.3	18.7	0.5
Eq. STA.									

COVER AND SEAL COAT (SHOULDERS)(CONT.)

SHOULDERS	STATION	TO	STATION	LENGTH	WIDTH LEFT	WIDTH RIGHT	SQUARE YARDS	COVER AND SEAL	
								PRIME	AGGREGATE
								GALLON (40300300)	TON (40300600)
	521+92.10		523+10.00	117.9	0.0	4.0	52.4	18.3	0.5
	523+10.00		540+08.00	1,698.0	4.0	4.0	1,509.3	528.3	14.3
SN 057-0151	540+53.00		546+89.00	636.0	4.0	4.0	565.3	197.9	5.4
	546+89.00		547+60.00	71.0	4.0	0.0	31.6	11.0	0.3
	547+60.00		547+75.00	15.0	0.0	0.0	0.0	0.0	0.0
	547+75.00		548+30.00	55.0	0.0	4.0	24.4	8.6	0.2
	548+30.00		615+40.00	6,710.0	4.0	4.0	5,964.4	2,087.6	56.7
SN 057-0185	618+58.00		652+55.00	3,397.0	4.0	4.0	3,019.6	1,056.8	28.7
SN 057-0096	653+03.00		689+80.00	3,677.0	4.0	4.0	3,268.4	1,144.0	31.1
I-74 OMISSION	722+55.00		738+96.00	1,641.0	4.0	4.0	1,458.7	510.5	13.9
CRC RR X-ING	739+04.00		749+40.00	1,036.0	4.0	0.0	460.4	161.2	4.4
LEROY PIONEER	752+40.00		774+37.60	2,197.6	4.0	4.0	1,953.4	683.7	18.6
TOTAL				71,154.8			61,172.3	21,410.3	581.1

Rev. 2-11-10

FILE NAME =	USER NAME = leroyma	DESIGNED -	REVISED -
c:\pwork\pwork\LEROYMA\0170848\057	507-sht-schedules.dgn	DRAWN -	REVISED -
	PLOT SCALE = 40,0000' / IN.	CHECKED -	REVISED -
	PLOT DATE = 2/5/2010	DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SCHEDULES

SCALE: SHEET NO. OF SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
315	*	McLean	115	22
*101,102XIR,RS-2 & 55RS-PRK LN			CONTRACT NO. 70507	
ILLINOIS FED. AID PROJECT				

SEC. 34 - T 22 N - R 3 E - 3RD PM

PROPOSED S.N. 057-2044, STA. 354+72.83
 BOX CULVERT REMOVAL (0.5 L SUM)
 STRUCTURE EXCAVATION (197.9 CU YD)
 PRECAST CONCRETE BOX CULVERT 10'X3'(M273)(84.0 FT)
 BOX CULVERT END SECTION, CULVERT NO. 3 (2 EA)
 POROUS GRANULAR EMBANKMENT (70.0 CU YD)
 CLASS "D" PATCHES, TY. IV, 7" (125.0 SQ YD)
 HOT-MIX-ASPHALT SHOULDERS, 4" (77.0 SQ YD)
 GUARDRAIL REMOVAL (400.0 FT)
 STEEL PLATE BEAM GUARDRAIL, TYPE A, 6' POSTS (475.0 FT)
 STEEL PLATE BEAM GUARDRAIL, TYPE B, (100.0 FT)
 GUARDRAIL ATTACHED TO STRUCTURES (52.0 FT)


STA. 354+72.83 (8)
 3'X2' BOX CULV., EXIST.
 U.S.F.L. = 781.25
 D.S.F.L. = 780.99

TRAFFIC BARRIER TERMINAL, TY. 1 (SPL)(TANGENT)
 STA. 352+35.5 TO STA. 352.85.8 (RT)
 STA. 355+98.0 TO STA. 356+48.0 (RT)
 STA. 352+98.0 TO STA. 353+48.0 (LT)
 STA. 356+60.5 TO STA. 357+10.5 (LT)


STA. 354+72, 21' RT.
 PERMANENT BENCHMARK, (1 EACH)
 TO BE PLACED ON SOUTHWEST
 WINGWALL

F.E. -

P.E. -
 MB TO -




CLASS "D" PATCH, T4, 7"



SEC. 3 - T 21 N - R 3 E - 3RD PM

SEC. 34 - T 22 N - R 3 E - 3RD PM



SEC. 3 - T 21 N - R 3 E - 3RD PM

Rev. Sheet 2-11-10


FILE NAME =	USER NAME = leroyma	DESIGNED -	REVISED -
c:\pwork\pwidot\leryma\d0170846\057	507-shr-plan.dgn	DRAWN -	REVISED -
	PLOT SCALE = 100.0000 / IN.	CHECKED -	REVISED -
	PLOT DATE = 2/5/2010	DATE -	REVISED -

**STATE OF ILLINOIS
 DEPARTMENT OF TRANSPORTATION**

PLAN SHEET
 SCALE: SHEET NO. OF SHEETS STA. TO STA.




F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
315		McLean	115	36
*101,102XIR,RS-2 & 55RS-PRK LN		CONTRACT NO. 70507		
ILLINOIS FED. AID PROJECT				

SEC. 32 - T 22 N - R 4 E - 3RD PM



SEC. 5 - T 21 N - R 4 E - 3RD PM

SEC. 32 - T 22 N - R 4 E - 3RD PM



SEC. 5 - T 21 N - R 4 E - 3RD PM

Rev. Sheet 2-11-10

FILE NAME =	USER NAME = leroyma	DESIGNED -	REVISED -
c:\pwwork\PHIDOT\LEROYMA\0170848\057507-sht-plan.dgn		DRAWN -	REVISED -
PLOT SCALE = 100.0000 / IN.		CHECKED -	REVISED -
PLOT DATE = 2/5/2010		DATE -	REVISED -

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

PLAN SHEET

SCALE: SHEET NO. OF SHEETS STA. TO STA.

F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
315	*	McLean	115	43
*101,102XIR,RS-2 & 55RS-PRK LN			CONTRACT NO. 70507	
ILLINOIS FED. AID PROJECT				