CONTRACT NO. 9 3 5 1 8 SECTION COUNTY 7982 SANGAMON 68 47 STA. TO STA FED. ROAD DIST. NO. ILLINOIS FED. AID PROJECT * 09-00447-03-PV CITY OF SPRINGFIELD DEPARTMENT OF TRANSPORTATION PLANTING DETAILS RTE 7982 CAPITOL AVE NO. 09-00447-03-PV

STAKE TREES IF REQUIRED SEE SPECIFICATIONS SELECTIVELY PRUNE CROWN TO SYMETRIC SHAPE DO NOT CUT CENTRAL LEADER RUBBER HOSE SECTIONS POSITIONED ABOVE BRANCHES, 1/3 UP LEADER -12-GAUGE TWISTED WIRE ALL NEW TREES ARE TO BE DELIVERED WRAPPED MARKER FLAGS -TOP OF ROOTBALL TO BE LEVEL WITH GROUND ELEVATION 2" x 2" x 2' HARDWOOD STAKES PLACED OUTSIDE THE SAUCER 3 FOR EA. TREE, EVENLY SPACED PULL BURLAP FROM TOP OF ROOTBALL TUCK AROUND SIDES BEFORE BACKFILLING 4" MEDIUM TEXTURED HARDWOOD MULCH OVER PRE-EMERGENT TREATED SURFACE, KEEP MULCH 3~4" FROM TREE TRUNK RIM OF TOPSOIL AROUND TREE TO HOLD WATER. 8" WIDE, 4" HIGH, 4' DIAMETER. MIN. $6' \times 6' \times 4'$ DEEP GOOD GROWTH MEDIUM BACKFILL AROUND ROOTBALL WITH BACKFILL MIX SEE SPECIFICATIONS FOR MIX MIN. 4' DEEP GOOD GROWTH MEDIUM EXCAVATE AS SHOWN FOR ROOT BALL. Massie Massie


R

Associates

Sish Street, Springfield, IL 62703 217-524-2210
est Main Street, Decalur, IL 62522 217-424-0792 IE APPROVED BY LANDSCAPE ARCHITECT NO ADDITIONAL EXCAVATION REQUIRED. IF NOT APPROVED, EXCAVATE TO DIMENSIONS SHOWN AND BACKFILL WITH APPROVED TOPSOIL. DEPOSIT IN 12" LIFTS AND TAMP WITH BUCKET. EXISTING SUB-GRADE IF SUB-GRADE DOES NOT ALLOW FOR WATER PERCOLATION, DRILL 8" DIAMETER HOLE AT BOTTOM OF TREE PIT TO DEPTH REQUIRED TO INSURE PROPER DRAINAGE, **TREES** SPACE HOLES AS DIRECTED BY L.A. OR NO GREATER THAN 10' O.C., BACKFILL WITH NOT TO SCALE PEA GRAVEL. ON CENTER DIMENSION (12" OC, 18" OR 24" OC) ON CENTER DIMENSION (12", 18" OR 24" OC) TOP OF ROOTBALL LEVEL WITH GROUND ELEVATION PLANTS SET AT-MIN 12" DESIGNATED SPACING 4" FINE TEXTURED HARDWOOD MULCH OVER PRE-EMERGENT TREATED SURFACE SOIL AMENDED WITH 2" PEAT MOSS. MIŅ 6" 2" ROTTED MANURE, TILLED 12" DEEP MIN. 2' DEEP GOOD GROWTH MEDIUM EXCAVATE AS SHOWN FOR ROOT BALL.
IF APPROVED BY LANDSCAPE ARCHITECT, NO ADDITIONAL EXCAVATION REQUIRED.

IF NOT APPROVED, EXCAVATE TO DIMENSIONS SHOWN AND BACKFILL WITH APPROVED TOPSOIL. DEPOSIT IN 12" LIFTS AND TAMP WITH BUCKET. EXISTING SUB-GRADE IF SUB-GRADE DOES NOT ALLOW FOR WATER PERCOLATION, DRILL 8" DIAMETER HOLE AT BOTTOM OF FLOWER BED TO DEPTH REQUIRED TO INSURE PROPER DRAINAGE, SPACE HOLES AS DIRECTED BY L.A. OR NO GREATER THAN 10' O.C., BACKFILL WITH PEA GRAVEL. FLOWER AND GROUNDCOVER BEDS NOT TO SCALE

PLOT PLOT USER



REVISIONS		ILLINOIS
NAME	DATE	ILLINOIS
		FAU I
		SEC
		SANG
		SCALE: VERT. HORIZ.

SAMON COUNTY, ILLINOIS

DRAWN BY CHECKED BY