

 
 ROUTE NO.
 SECTION
 COUNTY
 TOTAL SHEET'S NO.
 SHEET NO.

 FAU 1694
 07-00122-00-PV
 COOK
 55
 44
 ILLINOIS PROJECT M- 9003 (125) VILLAGE SECTION

CONTRACT NO. 63101

# LANDSCAPING NOTES

#### SODDING:

ALL DISTURBED AREAS INDICATED ON CROSS SECTION OR LANDSCAPING PLANS TO BE SODDED, INCLUDING FERTILIZER NUTRIENTS\*, AND SUPPLEMENTAL WATERING WHICH IS TO BE USED AFTER THE INITIAL WATERING (AS SPECIFIED AND AS DIRECTED BY THE ENGINEER) AT THE RATE OF 10 GALLONS PER SQUARE YARD SODDING. SODDED SLOPES WHICH ARE 2:1 OR STEEPER SHALL BE STAKED. (PROVIDE A 3" STRIP AROUND CATCH BASINS IN SEEDED AREAS).

### FERTILIZER NUTRIENTS\* FOR SODDING:

USE A FERTILIZER WITH A 1:1:1 RATIO PER ACRE:

60 LBS. NITROGEN FERTILIZER NUTRIENT 60 LBS. PHOSPHORUS FERTILIZER NUTRIENT 60 LBS POTASSIUM FERTILIZER NUTRIENT

### 4" TOP SOIL LAYER:

SOIL SHALL BE SPREAD AS INDICATED ON THE TYPICAL CROSS SECTIONS.

A MINIMUM OF GRADING TO BE PERMITTED WITHIN AN APPROXIMATE RADIUS OF 6' FROM ALL TREES TO BE SAVED AS DETERMINED BY THE ENGINEER.

### TREE REPLACEMENT:

TREE TYPE & LOCATION TO BE DETERMINED IN THE FIELD BY THE LICENSED VILLAGE FORESTER

### MULCH:

MULCH TO BE PLACED AROUND ALL TREES LOCATED IN AREAS THAT ARE

# **LEGEND OF SYMBOLS**

SYMBOL


DESCRIPTION

PROPOSED HOT-MIX ASPHALT AREA

PROPOSED CONCRETE AREA PROPOSED SODDED PARKWAY



PROPOSED DECORATIVE BRICK SIDEWALK



TREE MULCH DETAIL

FIGINEERING

Civil Engineers

Municipal Consultants

Established 1911

BROOKFIELD

GRAND BOULEVARD IMPROVEMENTS ASPHALT AND LANDSCAPING PLAN

> DRAWN BY: LEV/ECW/MK CHECKED BY: JCG DATE: 01-09-09

SCALE: 1" = 40'

E.H.E. PROJECT NO. : 125-08-13501