

20200100 EARTH EXCAVATION  
20400800 FURNISHED EXCAVATION

LOCATION		EARTH EXCAVATION (CU YD)	EARTH EXCAVATION ADJUSTED FOR SHRINKAGE (CU YD)	EMBANKMENT (CU YD)	FURNISHED EXCAVATION (CU YD)
STATION	OFFSET				
444+00.0 TO 444+75.0	NONE	18.9	14.2	0.0	14.2
444+75.0 TO 445+25.0	NONE	12.1	9.1	0.0	9.1
445+25.0 TO 445+75.0	NONE	13.6	10.2	0.2	10.0
445+75.0 TO 446+25.0	NONE	14.9	11.2	0.2	11.0
446+25.0 TO 446+75.0	NONE	15.7	11.8	0.2	11.6
446+75.0 TO 447+25.0	NONE	16.2	12.2	0.2	12.0
447+25.0 TO 447+75.0	NONE	15.3	11.5	0.1	11.4
447+75.0 TO 448+25.0	NONE	13.5	10.1	1.2	9.0
448+25.0 TO 448+73.1	NONE	36.3	27.2	358.2	-331.0
450+80.4 TO 451+25.0	NONE	10.4	7.8	410.9	-403.1
451+25.0 TO 451+75.0	NONE	15.1	11.4	409.2	-397.8
451+75.0 TO 452+25.0	NONE	5.8	4.4	15.4	-11.0
452+25.0 TO 452+75.0	NONE	7.7	5.8	8.0	-2.2
452+75.0 TO 453+25.0	NONE	10.1	7.6	2.2	5.4
453+25.0 TO 453+57.0	NONE	8.2	6.2	0.6	5.6
453+57.0 TO 453+82.0	NONE	12.2	9.1	0.1	9.1
453+82.0 TO 454+25.0	NONE	21.1	15.9	0.1	15.7
454+25.0 TO 454+70.0	NONE	12.3	9.2	0.1	9.1
442+95.1 TO 444+00.0	LEFT	8.5	6.4	0.0	6.4
454+70.0 TO 455+77.1	LEFT	8.7	6.5	0.0	6.5
443+04.8 TO 444+00.0	RIGHT	7.8	5.8	0.0	5.8
454+70.0 TO 455+86.4	RIGHT	7.9	5.9	0.0	5.9
TOTAL =		292.4	219.3	1206.7	-987.4
USE =		295	220	1210	-990

\*20201200 REMOVAL AND DISPOSAL OF UNSUITABLE MATERIAL

LOCATION	QUANTITY (CU YD)
STATION	
JOBSITE	30.0
TOTAL =	30.0

\*20300100 CHANNEL EXCAVATION

LOCATION	QUANTITY (CU YD)
STATION	
JOBSITE	30.0
TOTAL =	30.0

25000210 SEEDING, CLASS 2A

LOCATION	QUANTITY (ACRE)
STATION	
444+00.0 TO 448+78.8, LT	0.13
444+00.0 TO 448+65.6, RT	0.21
450+74.7 TO 453+63.7, RT	0.20
450+88.0 TO 454+70.0, LT	0.27
453+88.9 TO 454+70.0, RT	0.03
TOTAL =	0.84

25100630 EROSION CONTROL BLANKET

LOCATION	QUANTITY (SQ YD)
STATION	
444+00.0 TO 448+78.8, LT	609
444+00.0 TO 448+65.6, RT	1016
450+74.7 TO 454+70.0, RT	1089
450+88.0 TO 454+70.0, LT	1323
TOTAL =	4037

28000250 TEMPORARY EROSION CONTROL SEEDING

LOCATION	QUANTITY (POUND)
STATION	
JOBSITE	336
TOTAL =	336

28000300 TEMPORARY DITCH CHECKS

LOCATION	QUANTITY (EACH)
STATION	
451+06.8, RT	1
451+12.7, LT	1
TOTAL =	2

28000400 PERIMETER EROSION BARRIER

LOCATION	QUANTITY (FOOT)
STATION	
444+00.0 TO 448+78.8, LT	563
444+00.0 TO 448+65.6, RT	526
450+74.7 TO 453+63.7, RT	477
450+88.0 TO 454+70.0, LT	516
453+88.9 TO 454+70.0, RT	89
TOTAL =	2171

28100109 STONE RIPRAP, CLASS A5

LOCATION	QUANTITY (SQ YD)
STATION	
451+15.0, RT	7
451+26.1, LT	7
TOTAL =	14

28200200 FILTER FABRIC

LOCATION	QUANTITY (SQ YD)
STATION	
451+15.0, RT	7
451+26.1, LT	7
TOTAL =	14

31100300 SUB-BASE GRANULAR MATERIAL, TYPE A 4"

LOCATION	QUANTITY (SQ YD)
STATION	
448+36.2 TO 448+72.2	165.0
450+81.3 TO 451+17.3	165.0
TOTAL =	330

35101600 AGGREGATE BASE COURSE, TYPE B 4"

LOCATION	QUANTITY (SQ YD)
STATION	
444+00.0 TO 444+50.0	28.3
444+50.0 TO 445+00.0	28.3
445+00.0 TO 445+50.0	43.9
445+50.0 TO 446+00.0	51.1
446+00.0 TO 446+50.0	43.9
446+50.0 TO 447+00.0	43.9
447+00.0 TO 447+50.0	43.9
447+50.0 TO 448+00.0	43.9
448+00.0 TO 448+36.2	31.8
451+17.3 TO 451+50.0	26.9
451+50.0 TO 452+00.0	41.1
452+00.0 TO 452+50.0	43.9
452+50.0 TO 453+00.0	52.2
453+00.0 TO 453+50.0	44.4
453+50.0 TO 453+84.0	7.8
453+84.0 TO 454+00.0	20.0
454+00.0 TO 454+50.0	29.4
454+50.0 TO 454+70.0	13.1
TOTAL =	638

35102000 AGGREGATE BASE COURSE TYPE B 8"

LOCATION	QUANTITY (SQ YD)
STATION	
453+19.9 TO 453+90.0, RT	75
TOTAL =	75

\*40201000 AGGREGATE FOR TEMPORARY ACCESS

LOCATION	QUANTITY (TON)
STATION	
453+64.0, RT	16.0
TOTAL =	16.0

40600625 LEVELING BINDER (MACHINE METHOD), N50

LOCATION	QUANTITY (TON)
STATION	
444+00.0 TO 444+75.0	11.5
444+75.0 TO 445+25.0	7.7
445+25.0 TO 445+75.0	7.7
445+75.0 TO 446+25.0	7.7
446+25.0 TO 446+75.0	11.0
446+75.0 TO 447+25.0	17.1
447+25.0 TO 447+75.0	33.4
447+75.0 TO 448+25.0	46.9
448+25.0 TO 448+36.2	10.5
451+17.3 TO 451+25.0	9.7
451+25.0 TO 451+75.0	63.3
451+75.0 TO 452+25.0	56.2
452+25.0 TO 452+75.0	44.6
452+75.0 TO 453+25.0	38.9
453+25.0 TO 453+57.0	23.0
453+57.0 TO 453+82.0	16.6
453+82.0 TO 454+25.0	22.0
454+25.0 TO 454+70.0	12.0
TOTAL =	440

40600982 HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT

LOCATION	QUANTITY (SQ YD)
STATION	
444+00.0 TO 444+50.0	139
454+20.0 TO 454+70.0	139
TOTAL =	278

40600895 CONSTRUCTING TEST STRIP

LOCATION	QUANTITY (EACH)
JOBSITE	2
TOTAL =	2

40600990 TEMPORARY RAMP

LOCATION	QUANTITY (SQ YD)
STATION	
444+00.0 TO 444+05.0	15
454+65.0 TO 454+70.0	15
TOTAL =	30

40603310 HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N50

LOCATION	QUANTITY (TON)
STATION	
444+00.0 TO 444+75.0	22.8
444+75.0 TO 445+25.0	15.8
445+25.0 TO 445+75.0	15.9
445+75.0 TO 446+25.0	16.2
446+25.0 TO 446+75.0	16.4
446+75.0 TO 447+25.0	15.9
447+25.0 TO 447+75.0	15.9
447+75.0 TO 448+25.0	15.9
448+25.0 TO 448+36.2	3.6
451+17.3 TO 451+25.0	2.4
451+25.0 TO 451+75.0	15.9
451+75.0 TO 452+25.0	15.9
452+25.0 TO 452+75.0	15.9
452+75.0 TO 453+25.0	16.3
453+25.0 TO 453+57.0	10.3
453+57.0 TO 453+82.0	7.7
453+82.0 TO 454+25.0	13.6
454+25.0 TO 454+70.0	14.8
TOTAL =	252

40800050 INCIDENTAL HOT-MIX ASPHALT SURFACING

LOCATION	QUANTITY (TON)
STATION	
453+19.9 TO 453+90.0, RT	12
TOTAL =	12

42001165 BRIDGE APPROACH PAVEMENT

LOCATION	QUANTITY (SQ YD)
STATION	
448+42.2 TO 448+72.2	126.7
450+81.3 TO 451+11.3	126.7
TOTAL =	254

42001430 BRIDGE APPROACH PAVEMENT CONNECTOR (FLEXIBLE)

LOCATION	QUANTITY (SQ YD)
STATION	
448+36.2 TO 448+42.2	26.0
451+11.3 TO 451+17.3	26.0
TOTAL =	52

44000100 PAVEMENT REMOVAL

LOCATION	QUANTITY (SQ YD)
STATION	
444+00.0 TO 448+36.2, LT	17.0
451+17.3 TO 454+70.0, LT	49.0
444+00.0 TO 448+36.2, RT	13.0
451+17.3 TO 454+70.0, RT	40.0
453+10.0 TO 453+98.5, RT	98.0
TOTAL =	217

\* ESTIMATED QUANTITY