INDEX OF SHEETS

SHEET NO.	DESCRIPTION
1	COVER SHEET
2	GENERAL NOTES AND SIGNATURE SHEET
, . 3	INDEX OF SHEETS, COMMITMENTS, MIXTURE REQUIREMENTS, HIGHWAY STANDARDS AND STRUCTURES
4	SUMMARY OF QUANTITIES
5	TYPICAL SECTIONS
6	TYPICAL SECTIONS
7	TYPICAL SECTIONS
8	SIDEROAD AND ENTRANCE SCHEDULE
9	PAVEMENT AND RESURFACING SCHEDULE
10	PAVEMENT MARKING SCHEDULES
11	RUMBLE STRIP AND PATCHING SCHEDULES
12	PATCHING SCHEDULE
13	DETAILS: BUTT JOINTS AND PAVEMENT TRANSITIONS
14	DETAILS: BUTT JOINTS, PAVEMENT TRANSITION AND RUMBLE STRIP DETAILS
15	DETAILS: SIDEROAD AND ENTRANCE DETAILS
	HIGHWAY STANDARDS

MIXTURE REQUIREMENTS

LOCATION(S):	HOT-MIX ASPHALT SURFACE COURSE, MIX C. N90
MIXTURE USE(S):	HOT-MIX ASPHALT SURFACE COURSE, MIX C, N90
AC/PG:	PG64-22
RAP % (MAX):	10
DESIGN AIR VOIDS:	4.0 %, 90 GYRATION DESIGN
MIXTURE COMPOSITION:	IL-9.5 MM OR IL12.5 MM
(GRADATION MIXTURE)	
FRICTION AGGREGATE:	C SURFACE
LOCATION(S):	LEVELING BINDER (MACHINE METHOD). N90
MIXTURE USE(S):	HOT-MIX ASPHALT SURFACE COURSE, MIX C, N90
AC/PG:	PG64-22
RAP % (MAX):	10
DESIGN AIR VOIDS:	4.0%, 90 GYRATION DESIGN
MIXTURE COMPOSITION:	IL-9.5 MM OR IL12.5 MM
(GRADATION MIXTURE)	
FRICTION AGGREGATE:	C SURFACE
LOCATION(S):	INCIDENTAL HMA SURFACING
MIXTURE USE(S):	HOT-MIX ASPHALT SURFACE COURSE, MIX C, N90
AC/PG:	PG64-22
RAP % (MAX):	10
DESIGN AIR VOIDS:	4.0%, 90 GYRATION DESIGN
MIXTURE COMPOSITION:	IL-9.5 MM OR IL12.5 MM
(GRADATION MIXTURE)	
FRICTION AGGREGATE:	C SURFACE

HIGHWAY STANDARDS

STANDARD NUMBER	TITLE
000001-05	STANDARD SYMBOLS, ABBREVIATIONS AND PATTERNS
442201-03	CLASS C AND D PATCHES
701006-03	OFF-ROAD OPERATIONS, 2L, 2W, 4.5 M (15') TO 600 MM (24*) FROM PAVEMENT EDGE
701011-02	OFF-ROAD MOVING OPERATIONS, 2L. 2W. DAY ONLY
701301-03	LANE CLOSURE, 2L, 2W, SHORT TIME OPERATIONS
701306-02	LANE CLOSURE, 2L, 2W, SLOW MOVING OPERATIONS DAY ONLY, FOR SPEEDS > 45 MPH
701311-03	LANE CLOSURE, 2L, 2W, MOVING OPERATIONS - DAY ONLY
701336-05	LANE CLOSURE, 2L, 2W, WORK AREAS IN SERIES, FOR SPEEDS > 45 MPH
701501-05	URBAN LANE CLOSURE, 2L, 2W, UNDIVIDED
701901-01	TRAFFIC CONTROL DEVICES
780001-02	TYPICAL PAVEMENT MARKINGS
781001-03	TYPICAL APPLICATIONS RAISED REFLECTIVE PAVEMENT MARKERS

STRUCTURES WITHIN PROJECT LIMITS

Structure No. 097-2007 097-2012 Operating Rating 15.0 50.9 Inventory Rating 9.0 30.5 Posting NONE NONE

AS PER BRIDGE OFFICE: A LOADED MTD IS ALLOWED OVER SN 097-2012 AND AN EMPTY MTD ONLY OVER SN 097-2007.

COMMITMENTS

NONE AS OF 12/12/2008

FILE NAME =	USER NAME = sheperdgd	DESIGNED	REVISED			
c:\pw_work\pwidot\shepardgd\dms49876\d9	78066_sht_m1sc,dgn	DRAWN	REVISED	STATE OF ILLINOIS	INDEX, HW S	TANDARDS, STR
	PLOT SCALE = 100.0000 '/ IN.	CHECKED	REVISED	DEPARTMENT OF TRANSPORTATION		
	PLOT DATE = 12/4/2008	DATE	REVISED		SCALE:	SHEET NO. 3 OF 1

NDARDS, STRUCTURES, COMMITMENTS AND M		D MIXTURES	F.A.P. RTE.	SECTION	COUNTY	TOTAL SHEETS	
			328	109RS-2	WHITE	15	I
					CONTRACT	NO.	ĩ