AVAILABILITY OF ELECTRONIC FILES

Micro Station and GEOPAK files of this project will be made available to the Contractor. If there is a conflict between the electronic files and the printed contract plans and documents, the printed contract plans and documents shall take precedence over the electronic files.

The Contractor shall accept all risk associated with using the electronic files and shall hold the Department harmless for any errors or omissions in the electronic files and the data contained therein. Errors or delays resulting from the use of the electronic files by the Contractor shall not result in an extension of time for any interim or final completion date or shall not be considered cause for additional compensation. The Contractor shall not use, share, or distribute these electronic files except for the purpose of constructing this contract. Any claims by third parties due to use or errors shall be the responsibility of the Contractor. The Contractor shall include this disclaimer with the transfer of these electronic files to any other parties and shall include appropriate language binding them to similar responsibilities.

UTILITIES - LOCATIONS /INFORMATION ON PLANS

The locations of existing water mains, gas mains, sewers, electric power lines, telephone lines and other utilities as shown on the plans are based on careful field investigation and the best information available, but they are not guaranteed. Unless elevations are shown —— all utility locations shown on the cross sections are based on the approximate depth supplied by the utility company. It shall be the Contractor's responsibility to ascertain their exact location from the utility companies and by field inspection.

PLAN ELEVATIONS - U.S. G.S. MEAN SEA LEVEL DATUM

Use one of the following two options.

- 1. All elevations shown on the plans are established from U. S. G. S. mean sea level datum.
- 2. All elevations shown refer to U.S.G.S. datum at mean sea level unless otherwise noted.

COMMITMENTS

Commitments are not to be altered without the written approval of all parties to which the commitment was made.

No commitments have been made for this project.

PROPERTY OWNER ACCESS REQUIREMENTS

Access must be maintained to all existing properties during construction per Article 107.09 unless arrangements are made in writing by the Contractor with the property owners with a copy to the Engineer for short-term closures.

STATUS OF UTILITIES

Ameren CIPS 700 Jersey Street Quincy, IL

OFFSET	LOCATION	TYPE OF UTILITY	TYPE OF CONFLICT	DISPOSITION
11 m	RT 30+115	POWER POLE	GRADING	CAUTION
13 m	RT 30+188	POWER POLE	GRADING	CAUTION
	111 40 1 100		4,0,0,11,1	ONOTION
		209 Main Street	Glasford, IL	0,011016
Glasford 1				CAUTION

ENVIRONMENTAL REVIEWS

Prior to the use of any proposed borrow areas, use areas (temporary access roads, detours, run—arounds, etc.) and/or waste areas, the Contractor shall file the required environmental resource request surveys according to Section 107.22 of the Standard Specifications. These surveys are required in order for the Department to conduct cultural and biological resource surveys for the proposed site.

Prior to any waste materials being removed from the construction site the required environmental resource surveys will need to be obtained and filed by the Contractor. Excess waste products removed from the construction site shall be disposed of as required in Section 202.03 of the Standard Specifications.

Any protruding metal bars shall be removed prior to the disposal of broken concrete at approved disposal sites.

The required environmental resource documentation shall include the following:

- * BDE Form 2289 (Environmental Survey Request)
- * A location map showing the size limits and location of the use area
- * Signed property owner agreement form-D4 P10100
- * Color photographs depicting the use area
- * Borrow Area Entry Agreement form-D4 P10101

Please note that a minimum of two weeks shall be allowed for the District to obtain the required environmental clearances.

HOT-MIX ASPHALT MIXTURE REQUIREMENTS

Mixture Use(s):	HMA SURFACE	HMA BINDER	
RAP % (Max)**:	15%	15%	
AC/PC:	PG64-22	PG64-22	
Design Air Voids:	4.2% @ N = 50	4.2% @ N = 50	
Mixture Composition:			
(Gradation Mixture)	IL-12.5 OR IL-9.5	IL19.0	
Friction Aggregate	MIXTURE D	N/A	

^{**} If the RAP option is selected, the asphalt cement grade may need to be adjusted; this will be determined by the Engineer.

ENGINEERS FIELD OFFICE

Add the following sentence to the end of paragraph 670.02 (i) and 670.04 (e): All of the telephone lines provided shall have unpublished numbers.

JOB SPECIFIC

A portion of the details and notes contained in these plans are not directly related to this project but are for information only.

The contractor shall notify the Engineer two weeks prior to the closure of Wheeler Road.

REVISIONS				
NAME	DATE	ILLINOIS	DEPARTMENT	OF TRANSPORTATION
			GENERAL	
		AND		
		COMMITMENTS		MENTS
		SCALE: NONE	•	DRAWN BY:
		DATE:		CHECKED BY:

CONTRACT NO. 68217