

TREE REMOVAL (6 TO 15 UNITS DIAMETER)			
STATION	OFFSET (FT)		UNITS
ILL 176			
250+50.4	48.5	RT	9
250+74.5	50.4	RT	9.5
251+86.9	44.2	RT	10
251+86.9	44.2	RT	9
251+86.9	44.2	RT	9
251+86.9	44.2	RT	9
252+23	44.9	RT	13
252+29.8	41.0	RT	6.5 MS
252+60.3	39.1	RT	8.0
252+60.3	39.1	RT	7.5
255+08	35	RT	14.0
255+37.1	37.1	RT	7
255+40	40.0	LT	6.5
255+58	34.0	LT	9.5 MS
255+58	34.0	LT	9 MS
255+70	35.0	LT	7.0
255+80	35.0	LT	12.0 MS
255+80	35.0	LT	9.0 MS
255+90	37.0	LT	11
255+90	37.0	LT	11
256+97	34.0	LT	7.0
257+13	30.0	LT	9.0
257+35	32.0	LT	14.5
SUB-TOTAL			217.0

TREE REMOVAL (OVER 15 UNITS DIAMETER)			
STATION	OFFSET (FT)		UNITS
ILL 176			
251+49.5	44.4	RT	28
255+0.7	40.1	RT	20 MS
255+0.7	40.1	RT	16 MS
255+35.4	35.4	RT	18
255+21.8	37.6	RT	20.5
256+01.5	37.9	RT	48
259+29	37.0	LT	20 MS
259+29	37.0	LT	20 MS
SUB-TOTAL			190.5

(MS) MULTI-STEMMED TREE

NOTE: TREES ON PRIVATE PROPERTY SHALL NOT BE REMOVED.

EROSION AND SEDIMENT CONTROL SCHEDULE				
LOCATION	INLET FILTERS (EACH)	INLET & PIPE PROTECTION (EACH)	PERIMETER EROSION BARRIER (FOOT)	TEMP. CONSTR. FENCE (FOOT)
STA. 250+10--25.6 LT	1.0			
STA. 250+16.5--18.0 LT	1.0			
STA. 251+03--19.6 LT	1.0			
STA. 252+25--22.1 LT	1.0			
STA. 252+15--28.4 LT	1.0			
STA. 253+39.4--30.8 LT	1.0			
STA. 253+48--24.0 LT	1.0			
STA. 255+90--31.5 LT	1.0			
STA. 256+00--23.9 LT	1.0			
STA. 257+12--31.5 LT	1.0			
STA. 257+22.5--23.9 LT	1.0			
STA. 250+84.5--35.4 RT	1.0			
STA. 251+00--29.3 RT	1.0			
STA. 252+27.8--37.7 RT	1.0			
STA. 252+27.8--32.0 RT	1.0			
STA. 253+38.8--40.0 RT	1.0			
STA. 253+51.7--34.9 RT	1.0			
STA. 255+45--33.1 RT		1.0		
STA. 258+48--36.3 LT		1.0		
STA. 247+80--50.0 RT TO STA. 249+00--50.0 RT			120.0	
STA. 257+00--45.0 LT TO STA. 262+58--40.0 LT			547.0	
STA. 117+54.2--30.0 RT TO STA. 121+56--50 RT			404.0	
STA. 254+67.0--50 RT TO STA. 262+58--40 RT			816	
STA. 247+80--40.0 LT TO STA. 248+42--40.0 LT				62.4
STA. 248+75--40.0 LT TO STA. 250+46--40.0 LT				172.6
STA. 250+87--50.0 LT TO STA. 253+99--50.0 LT				312.0
STA. 253+99--45.0 LT TO STA. 257+00--45.0 LT				291.9
STA. 249+00--50.0 RT TO STA. 253+57--50.0 RT				459.0
STA. 117+54.2--40.0 LT TO STA. 118+50--40.0 LT				96.0
STA. 118+50--40.0 LT TO STA. 119+75--55.0 LT				125.9
STA. 119+75--55.0 LT TO STA. 121+12--55.0 LT				137.2
TOTAL	17.0	2.0	1887.0	1657.0