



CULVERT SCHEDULE							
PIPE NO.	FROM	TO	LENGTH (FT)	DIA. (IN)	PIPE TYPE	SLOPE (%)	TBF (CY)
P201	S201	S202	48	24	PC CLASS A TYPE 1	0.50	5.6
P202	S204	S203	20	18	PC CLASS A TYPE 1	0.60	2.1
P203	S206	S205	20	15	PC CLASS A TYPE 1	0.70	2.4

SUBSURFACE PAVEMENT DRAIN							
SPD NO.	STATION	FROM	OFFSET	STATION	TO	LENGTH (FT)	DIA. (IN)
201	209+50.00	34.00 RT	209+50.00	43.84 RT		10	4
202	211+50.00	44.98 RT	209+50.00	34.00 RT		200	4
203	209+00.00	32.89 LT	209+00.00	44.60 LT		12	4
204	211+50.00	36.58 LT	209+00.00	32.89 LT		250	4

DRAINAGE STRUCTURE TABLE								
STRUCTURE NO.	STRUCTURE TYPE	STATION	OFFSET	RIM	INV (N)	INV (S)	INV (W)	INV (E)
S201	FLARED END SECTION, 24"	204+32	47.5 LT	-	722.00			
S202	FLARED END SECTION, 24"	204+80	48.6 LT	-		721.76		
S203	FLARED END SECTION, 18"	205+96	35.6 RT	-	724.45			
S204	FLARED END SECTION, 18"	206+16	36.0 RT	-		724.52		
S205	FLARED END SECTION, 15"	207+84	43.2 RT	-	725.38			
S206	FLARED END SECTION, 15"	208+04	43.9 RT	-		725.61		
S207	CONCRETE HW FOR PIPE DRAINS	209+50	46.6 RT	-				727.00
S208	CONCRETE HW FOR PIPE DRAINS	209+00	47.7 LT	-			727.10	

NOTE: THE GENERAL CONTRACTOR IS REQUIRED TO HIRE AN ENVIRONMENTAL FIRM WITH AT LEAST FIVE (5) DOCUMENTED LEAKING UNDERGROUND STORAGE TANK CLEANUPS OR THAT IS PRE-QUALIFIED IN HAZARDOUS WASTE BY THE ILLINOIS DEPARTMENT OF TRANSPORTATION TO REMEDIATE THE SOIL CONTAMINATION AND MONITOR FOR WORKER PROTECTION.



DATE: _____ BY: _____
 CHECKED: _____
 DESIGNED: _____
 DRAWN: _____
 PLOT SCALE = 2" = 20'
 PLOT DATE = 1/22/2013

DATE: _____ BY: _____
 CHECKED: _____
 DESIGNED: _____
 DRAWN: _____
 PLOT SCALE = 2" = 20'
 PLOT DATE = 1/22/2013