

SCHEDULE OF QUANTITIES

25100125	MULCH, METHOD 3						28000500	INLET AND PIPE PROTECTION					
	<u>LOCATION</u>				<u>ACRE</u>	<u>COMMENTS</u>		<u>LOCATION</u>			<u>EACH</u>	<u>COMMENTS</u>	
	STA 316+50	TO	326+25	LT & RT	2.75			STA 316+74	LT		1		
	STA 337+75	TO	340+25	LT & RT	0.50			STA 318+25	RT		1		
	STA 372+50	TO	386+50	LT & RT	1.50			STA 339+15	RT		1		
	STA 392+00	TO	398+75	LT & RT	0.50			STA 371+50	RT		1		
	STA 461+25	TO	481+25	LT & RT	2.50			STA 373+25	LT		1		
	STA 491+00	TO	492+75	LT & RT	0.50			STA 380+75	RT		1		
	TOTAL				8.25			STA 393+64	RT		1		
								STA 397+50	RT		1		
								STA 398+25	LT		1		
								STA 398+50	RT		1		
								STA 461+36	LT		1		
								STA 466+50	RT		1		
								STA 479+36	RT		1		
								STA 492+30	RT		1		
								TOTAL			14		
25100630	EROSION CONTROL BLANKET						28100105	STONE RIPRAP, CLASS A3					
	<u>LOCATION</u>				<u>SQ YD</u>	<u>COMMENTS</u>		<u>LOCATION</u>			<u>SQ YD</u>	<u>COMMENTS</u>	
	STA 318+38	TO	326+25	RT	636	8' Wide in Ditch Bottoms, Locations shown in Erosion Control Plans		STA 461+50	TO 479+29	RT	2,471	See special detail "Aggregate Ditch for Flexible Ditch Lining"	
	STA 318+31	TO	322+74	LT	400	8' Wide in Ditch Bottoms, Locations shown in Erosion Control Plans		STA 480+68	LT		3	5' W x 5' L Outlet of Pipe Drain	
	STA 323+25	TO	325+25	LT	179	8' Wide in Ditch Bottoms, Locations shown in Erosion Control Plans		TOTAL			2474		
	STA 338+75	TO	340+50	RT	134	8' Wide in Ditch Bottoms, Locations shown in Erosion Control Plans							
	STA 372+75	TO	375+00	RT	201	8' Wide in Ditch Bottoms, Locations shown in Erosion Control Plans		28100107	STONE RIPRAP, CLASS A4				
	STA 375+75	TO	380+00	RT	378	8' Wide in Ditch Bottoms, Locations shown in Erosion Control Plans		<u>LOCATION</u>			<u>SQ YD</u>	<u>COMMENTS</u>	
	STA 375+75	TO	379+00	LT	291	8' Wide in Ditch Bottoms, Locations shown in Erosion Control Plans		STA 318+25	LT		33	20' W X 15' L	
	STA 380+83	TO	386+50	RT	503	8' Wide in Ditch Bottoms, Locations shown in Erosion Control Plans		STA 324+50	TO 326+00	RT	203	Variable Width/ Installed on 1:3 Backslope	
	STA 393+00	TO	398+75	RT	439	8' Wide in Ditch Bottoms, Locations shown in Erosion Control Plans		STA 339+15	LT		28	10' W X 25' L	
	STA 396+75	TO	398+50	LT	112	8' Wide in Ditch Bottoms, Locations shown in Erosion Control Plans		STA 393+64	LT		17	10' W X 15' L	
	STA 461+25	TO	466+44	LT	424	8' Wide in Ditch Bottoms, Locations shown in Erosion Control Plans		STA 397+17	LT		26	10' W X 23' L	
	STA 466+56	TO	467+50	LT	92	8' Wide in Ditch Bottoms, Locations shown in Erosion Control Plans		STA 466+50	LT		39	35' W X 10' L	
	STA 478+50	TO	479+32	LT	76	8' Wide in Ditch Bottoms, Locations shown in Erosion Control Plans		STA 471+21	TO 471+60	RT	40	Variable Width/ Installed on 1:3 Backslope	
	STA 479+45	TO	481+51	LT	185	8' Wide in Ditch Bottoms, Locations shown in Erosion Control Plans		STA 479+36	RT		25	15' W X 15' L	
	STA 490+75	TO	491+75	LT	90	8' Wide in Ditch Bottoms, Locations shown in Erosion Control Plans		STA 492+30	LT		42	15' W X 25' L	
	STA 491+50	TO	492+80	RT	128	8' Wide in Ditch Bottoms, Locations shown in Erosion Control Plans		TOTAL			452		
	STA 491+86	TO	492+75	LT	81	8' Wide in Ditch Bottoms, Locations shown in Erosion Control Plans							
	TOTAL				4,350								
25100900	TURF REINFORCEMENT MAT						28100205	STONE RIPRAP, CLASS A3					
	<u>LOCATION</u>				<u>SQ YD</u>	<u>COMMENTS</u>		<u>LOCATION</u>			<u>TON</u>	<u>COMMENTS</u>	
	STA 318+25	RT			58			STA 462+47	TO 466+55	RT	638	See special detail "Backslope Stability Drain"	
	STA 339+15	RT			73			TOTAL			638	30 Degree Rock Slopes Every 50'	
	STA 375+32	LT & RT			1,763	Installed on the banks of Mineral Creek							
	STA 393+64	RT			46								
	STA 397+12	RT			66								
	STA 479+36	LT			66								
	STA 492+30	RT			38								
	TOTAL				2,110								
28000250	TEMPORARY EROSION CONTROL SEEDING						28200200	FILTER FABRIC					
	<u>LOCATION</u>				<u>POUND</u>	<u>COMMENTS</u>		<u>LOCATION</u>			<u>SQ YD</u>	<u>COMMENTS</u>	
	STA 316+50	TO	492+75	LT & RT	4000.00	ESTIMATED QUANTITY (PROJECT LIMITS)		STA 318+25	LT		33	20' W X 15' L	
	TOTAL				4000.00			STA 324+50	TO 326+00	RT	203	Variable Width/ Installed on 1:3 Backslope	
								STA 374+81	TO 375+82		594	Installed under the Stone Riprap, Class A5	
								STA 339+15	LT		28	10' W X 25' L	
								STA 393+64	LT		17	10' W X 15' L	
								STA 397+17	LT		26	10' W X 23' L	
								STA 461+50	TO 479+29	RT	2,471	See special detail	
								STA 462+47	TO 466+55	RT	315	30 Degree Rock Slopes Every 50'	
								STA 466+50	LT		39	35' W X 10' L	
								STA 471+21	TO 471+60	RT	40	Variable Width/ Installed on 1:3 Backslope	
								STA 479+36	RT		25	15' W X 15' L	
								STA 480+68	LT		3	5' W x 5' L Outlet of Pipe Drain	
								STA 492+30	LT		42	15' W X 25' L	
								TOTAL			3835		
28000305	TEMPORARY DITCH CHECKS						30300112	AGGREGATE SUBGRADE IMPROVEMENT 12"					
	<u>LOCATION</u>				<u>FOOT</u>	<u>COMMENTS</u>		<u>LOCATION</u>			<u>SQ YD</u>	<u>COMMENTS</u>	
	STA 318+50	TO	326+25	RT	150	SEE PLANVIEW FOR EXACT LOCATIONS		STA 373+10.88	TO 374+60.88		892.00		
	STA 318+50	TO	322+50	LT	170	SEE PLANVIEW FOR EXACT LOCATIONS		STA 376+02.38	TO 377+52.88		892.00		
	STA 323+50	TO	325+00	LT	50	SEE PLANVIEW FOR EXACT LOCATIONS		TOTAL			1784.00		
	STA 339+00	TO	340+00	RT	30	SEE PLANVIEW FOR EXACT LOCATIONS							
	STA 373+00	TO	374+75	RT	80	SEE PLANVIEW FOR EXACT LOCATIONS							
	STA 374+00	TO	374+75	LT	40	SEE PLANVIEW FOR EXACT LOCATIONS							
	STA 376+00	TO	378+00	LT	30	SEE PLANVIEW FOR EXACT LOCATIONS							
	STA 376+00	TO	386+00	RT	90	SEE PLANVIEW FOR EXACT LOCATIONS							
	STA 393+25	TO	396+50	RT	70	SEE PLANVIEW FOR EXACT LOCATIONS							
	STA 397+75	TO	397+50	LT	30	SEE PLANVIEW FOR EXACT LOCATIONS							
	STA 461+75	TO	480+25	RT	270	SEE PLANVIEW FOR EXACT LOCATIONS							
	STA 462+25	TO	467+25	LT	200	SEE PLANVIEW FOR EXACT LOCATIONS							
	STA 478+75	TO	481+25	RT	70	SEE PLANVIEW FOR EXACT LOCATIONS							
	STA 490+75	TO	492+50	RT	60	SEE PLANVIEW FOR EXACT LOCATIONS							
	STA 491+75	TO	492+50	RT	40	SEE PLANVIEW FOR EXACT LOCATIONS							
	TOTAL				1390								
28000400	PERIMETER EROSION BARRIER						42001430	BRIDGE APPROACH PAVEMENT CONNECTOR (FLEXIBLE)					
	<u>LOCATION</u>				<u>FOOT</u>	<u>COMMENTS</u>		<u>LOCATION</u>			<u>SQ YD</u>	<u>COMMENTS</u>	
	STA 317+36	TO	318+15	LT	120			STA 373+10.88	TO 374+60.88		842.00		
	STA 317+00	TO	318+00	RT	135			STA 376+02.38	TO 377+52.88		842.00		
	STA 337+75	TO	338+90	LT	130			TOTAL			1684.00		
	STA 339+00	TO	340+25	LT	150								
	STA 383+50	TO	384+50	LT	125								
	TOTAL				660								
							44000100	PAVEMENT REMOVAL					
								<u>LOCATION</u>			<u>SQ YD</u>	<u>COMMENTS</u>	
								STA 373+10.73	TO 374+88.31		590.00		
								STA 375+75.54	TO 377+52.53		590.00		
								TOTAL			1180.00		

FILE NAME =	USER NAME = hogensonjd	DESIGNED =	REVISED =	STATE OF ILLINOIS		SCHEDULE OF QUANTITIES		F.A.S. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
C:\pwork\pwork\cushmenb\0169166\0208809-sh-t-schedule.dgn		DRAWN =	REVISED =	DEPARTMENT OF TRANSPORTATION				226	3T & 3BR-1	HENRY	210	15
		CHECKED =	REVISED =								CONTRACT NO. 64F25	
		DATE =	REVISED =					SCALE:	SHEET NO.	OF SHEETS	STA.	TO STA.
										ILLINOIS FED. AID PROJECT		