

STORM SEWER SCHEDULE

| STATION | OFFSET | SIDE | TYPE | STANDARD | STORM SEWERS | | MANHOLE | INLET | INLET BOXES | TRENCH BACKFILL CU YD |
|------------------|--------|------|-----------|------------------------|---------------|-----|---------------------------------|----------------------------------|---------------|--------------------------|
| | | | | | CLASS A, TY 2 | | TY A, TY 1, CLOSED LID 5' | TY A W/ MEDIAN INLET, SPECIAL | STD 542531 | |
| | | | | | 12" | 24" | | | | |
| FOOT | | | | | EACH | | | | CU YD | |
| FAP 407 (IL 336) | | | | | | | | | | |
| 550+26.57 | 63.0' | RT | MH | 602401, 602601, 604001 | | | 1 | | | |
| | | | SS | | 274 | | | | | 13 |
| 553+00.00 | 80.5' | RT | INLET | 602301, 604101-D4 | | | | 1 | | |
| 737+68.78 | 0.0' | CL | INLET BOX | 542531 | | | | | 1 | |
| | | | SS | | 10 | | | | | |
| 738+28.30 | 0.0' | CL | INLET BOX | 542531 | | | | | 1 | |
| | | | SS | | 6 | | | | | |
| 800+71.70 | 0.0' | CL | INLET BOX | 542531 | | | | | 1 | |
| | | | SS | | 6 | | | | | |
| 801+28.30 | 0.0' | CL | INLET BOX | 542531 | | | | | 1 | |
| | | | SS | | 6 | | | | | |
| 839+46.0 | 0.0' | CL | INLET BOX | 542531 | | | | | 1 | |
| | | | SS | | 8 | | | | | |
| TOTAL | | | | | 274 | 36 | 1 | 1 | 5 | 13 |

UNDERGROUND UTILITIES

| LOCATION | WATER MAIN | | | SANITARY SEWER | STEEL CASINGS | | | ADJUSTING WATER SERVICE LINES | MANHOLES, TYPE A, TYPE 1 FRAME, CLOSED LID | | TAPPING VALVES AND SLEEVES | | LINE STOPS | | AIR RELEASE VALVE | SEWAGE AIR/VACUUM VALVE COMPLETE | WATER SERVICE LINE (BORED) | | FIRE HYDRANT COMPLETE | |
|--|------------|-------|-------|----------------|---------------|-----|-----|-------------------------------|--|-------------|----------------------------|-----|------------|-----|-------------------|----------------------------------|----------------------------|----|-----------------------|---|
| | 6" | 12" | 20" | 6" | 12" | 20" | 30" | | 4'-DIAMETER | 5'-DIAMETER | 12" | 20" | 12" | 20" | | | 1" | 2" | | |
| | FOOT | | | | | | | | EACH | | | | | | | | | | | |
| FAP 407 (IL 336) | | | | | | | | | | | | | | | | | | | | |
| STA 639+30.0 LT TO STA 639+35.0 RT | | | | 381 | 348 | | | | | | | | | | | | | | | |
| STA 639+30.6, 122.8' LT (STD 602401, 602601, 604001) | | | | | | | | | 1 | | | | | | | | | | | |
| STA 639+35.0, 228.8' RT (STD 602401, 602601, 604001) | | | | | | | | | 1 | | | | | | | | | | | |
| STA 645+24.0 LT TO STA 646+91.0 RT | 386 | | | | 330 | | | | | | | | | | | | | | | |
| STA 645+24.5, 128.9' LT (STD 602401, 602601, 604001) | | | | | | | | | 1 | | | | | | | | | | | |
| STA 646+91.0, 160.1' RT (STD 602401, 602601, 604001) | | | | | | | | | 1 | | | | | | | | | | | |
| COUNTY HIGHWAY 20 (1500N) | | | | | | | | | | | | | | | | | | | | |
| STA 5001+23.9 TO STA 5030+26.4 | | | | 2,933 | | | | | | | | | | | | | | | | |
| STA 5007+88.5, 110.0' RT (STD 602401, 602601 & 604001) | | | | | | | | | 1 | | | | | | | | | | | |
| STA 5007+88.5 TO STA 5011+32.3 | | | | | 342 | | | | | | | | | | | | | | | |
| STA 5011+32.3, 138.5' RT (STD 602401, 602601 & 604001) | | | | | | | | | 1 | | | | | | | | | | | |
| STA 5012+50.0, 140.0' RT | | | | | | | | | | | | | | | | | 1 | | | |
| STA 5022+00.0, 48.8' RT | | | | | | | | | | | | | | | | | 1 | | | |
| STA 5001+25.7 TO STA 5030+61.2 | | | 2,962 | | | | | | | | | 2 | | 2 | | | | | | |
| STA 5004+00.0, 84.6' LT | | | | | | | | | | | | | | | 1 | | | | | |
| STA 5009+87.9, 133.8' LT (STD 602401, 602601 & 604001) | | | | | | | | | | 1 | | | | | | | | | | |
| STA 5009+87.9 TO STA 5014+34.3 | | | | | | 447 | | | | | | | | | | | | | | |
| STA 5014+34.3, 141.0' LT (STD 602401, 602601 & 604001) | | | | | | | | | | 1 | | | | | | | | | | |
| STA 5015+85.0, 132.7' LT | | | | | | | | | | | | | | | 1 | | | | | |
| STA 5021+60.0, 65.0' LT | | | | | | | | | | | | | | | 1 | | | | | |
| STA 5025+00.0, 65.0' LT | | | | | | | | | | | | | | | 1 | | | | | |
| STA 5029+80.0, 48.8' LT | | | | | | | | | | | | | | | 1 | | | | | |
| STA 5001+35.7 TO STA 5030+71.2 | | 2,956 | | | | | | | | | | 2 | | 2 | | | 1 | 1 | | |
| STA 5001+56.5, 67.5' LT | | | | | | | | | | | | | | | | | | | 1 | |
| STA 5004+00.0, 94.8' LT | | | | | | | | | | | | | | | | | | | 1 | |
| STA 5009+96.1, 143.9' LT (STD 602401, 602601 & 604001) | | | | | | | | | 1 | | | | | | | | | | | |
| STA 5009+96.1 TO STA 5014+45.4 | | | | | | 450 | | | | | | | | | | | | | | |
| STA 5014+45.4, 151.1' LT (STD 602401, 602601 & 604001) | | | | | | | | | 1 | | | | | | | | | | | |
| STA 5015+85.0, 143.3' LT | | | | | | | | | | | | | | | | | | | 1 | |
| STA 5021+60.0, 75.0' LT | | | | | | | | | | | | | | | | | | | 1 | |
| STA 5025+00.0, 75.0' LT | | | | | | | | | | | | | | | | | | | 1 | |
| STA 5029+80.0, 59.1' LT | | | | | | | | | | | | | | | | | | | 1 | |
| STA 5030+83.6, 35.6' LT | | | | | | | | | | | | | | | | | | | 1 | |
| STA 5049+53.0 TO STA 5049+82.0 | | | | | | | | 30 | | | | | | | | | | | | |
| TOTAL | 386 | 2,956 | 2,962 | 3,314 | 1,020 | 450 | 447 | 30 | 8 | 2 | 2 | 2 | 2 | 2 | 2 | 5 | 2 | 1 | 1 | 7 |