



# Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

March 4, 2013

SUBJECT: Soangetaha Road  
Project M-5025(057)  
Section 07-00651-03-BR (Galesburg)  
Knox County  
Contract No. 89625  
Item 112  
March 8, 2013 Letting  
Addendum (A)

## NOTICE TO PROSPECTIVE BIDDERS:

Due to clarify information necessary to revise the following:

- 1. Revised page 1 of the Index of Sheets to the Special Provisions.**
- 2. Revised page 10 of the Special Provisions.**

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

John Baranzelli, P.E.  
Acting Engineer of Design and Environment

A handwritten signature in cursive script, reading "Ted B. Walschleger P.E.", with a small "P.E." to the right.

By: Ted B. Walschleger, P.E.  
Engineer of Project Management

## Index of Sheets

<u>Description</u>	<u>Page No.</u>
Description of Work	1
Road Open to Traffic	1
Date of Completion	2
Traffic Control Plan	2
Traffic Control and Protection (Special)	2
Temporary Bridge Traffic Signals (Special)	3
Existing Overhead 138 kV High Voltage Transmission Lines	5
Older Structure	5
BNSF Minimum Construction Clearance Envelope	6
Existing Bridge Demolition Plan	6
Additional Railroad Required Specifications	6
Railroad Aggregate Ballast Material	7
Septic Leach Field	8
Transitional Combination Concrete Curb and Gutter	8
Modify Sprinkler System	8
Class SI Concrete (Outlet), Special	8
Traffic Barrier Terminal Type 6 (Special)	9
Sign Removal	9
Relocate Existing Signs	9
Storm Sewers and Pipe Culverts	10
Steel Plate Beam Guardrail (Short Radius)	10
Geotextile Retaining Walls	10
Status of Utilities/Utilities to be Adjusted	11
Borrow and Furnished Excavation	12

Revised 3/4/13

Signs shall be reset to the Manual of Uniform Traffic Control Devices and the Highways Standards as applicable. The list of signs and their locations is included in the plans.

This work will be paid for at the contract unit price per each for RELCOATE EXISTING SIGNS. The price shall be full compensation for furnishing all materials, for all preparation and for all labor, equipment, tools and incidentals necessary to complete this item.

#### **STORM SEWERS AND PIPE CULVERTS**

All Class A Storm Sewers and Pipe Culverts shall be concrete in accordance with Article/Section 1042 of the Standard Specifications.

All Class C Pipe Culverts shall be Bituminous Coated Corrugated Steel Pipe in accordance with Article/Section 1006.01 of the Standard Specifications. The End Sections 12" shall be Steel.

#### **STEEL PLATE BEAM GUARDRAIL (SHORT RADIUS)**

This item shall consist of the installing curved guardrail at the location in the plans in accordance with Section 630 of the Standard Specifications. An end section from Standard 630001 shall be required at the end of the guardrail installation.

The cost of all the labor, materials and equipment necessary to complete the work as indicated in this Special Provision shall be included in the contract unit price per foot for STEEL PLATE BEAM GUARDRAIL (SHORT RADIUS) and no additional compensation will be allowed.

#### **GEOTEXTILE RETAINING WALLS**

This information supplements the Guide Bridge Special Provision for Geotextile Retaining Walls contained later within these Special Provisions. The following requirements for the Geotextile Retaining Wall to be constructed between roadway stages on the project are found here instead of in the contract plans:

Embedment Depth = 5 foot

Lift Thickness = 1 foot

$T_{MIN} = 100 \text{ Lb/In.}$

These requirements will be included in the contract unit price per square foot for GEOTEXTILE RETAINING WALL.