

GENERAL NOTES

THIS SECTION SHALL BE CONSTRICTED IN ACCORDANCE WITH THE PLANS, SPECIAL PROVISIONS AND "STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION", ADOPTED JANUARY 1, 2012.

CONTACT JULIE AT 1-800-892-0123, 48 HOURS PRIOR TO ANY CONSTRUCTION FOR FIELD LOCATION OF BURIED UTILITIES.


THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE PROTECTION OF ALL PRIVATE AND PUBLIC UTILITIES EVEN THOUGH THEY MAY NOT BE SHOWN ON THE PLANS. ANY SATISFACTION OF THE UTILITY OWNER BY THE CONTRACTOR. CONTRACTOR SHALL COORDINATE CONSTRUCTION ACTIVITIES WITH UTILITY COMPANIES.

CONTRACTOR SHALL BE RESPONSIBLE TO COORDINATE PROJECT ACTIVITIES WITH UTILITY COMPANIES TO "HOLD" UTILITY POLES AND PROTECT UTILITY COMPANY FACILITY DURING THE CONSTRUCTION ACTIVITIES.

ALL DISTURBED AREAS SHALL BE FINAL SEEDED IN ACCORDANCE WITH SECTION 250 OF THE STANDARD SPECIFICATION. THIS WORK WILL NOT BE PAID FOR SEPARATELY BUY SHALL BE CONSIDERED INCLUDED IN CONTRACT.


CONTRACTOR SHALL MAINTAIN ACCESS TO ADJACENT HOMES, BUSINESSES AND SIDE ROADS AT ALL TIMES, CONTRACTOR SHALL SCHEDULE WORK, PREPARE DETOURS, AND CONSTRUCT TEMPORARY RAMPS AS NECESSARY TO PROVIDE FOR ACCESS. THIS WORK SHALL BE CONSIDERED INCLUDED IN THE CONTRACT.

THE NUMBER OF CONDUCTORS FOR ELECTRIC CABLES SHOWN IN THE PLANS SHALL BE THE MINIMUM NUMBER FURNISHED FOR EACH LOCATION. THE INSTALLATION OF BEACONS AND HARDWARE ARE TO BE ON EXISTING SIGN SUPPORTS.




THIS DETAIL SHALL BE USED IN CONJUNCTION WITH STANDARD 880001

POST MOUNTED FLASHING BEACON NOT TO SCALE




SCHOOL CROSSING PAINT DETAIL NOT TO SCALE




SIDEWALK OVER PIPE CULVERT PLAN B-B NOT TO SCALE

NOTE: AT STATION 4+18.9 ON OAK STREET, RESET CONCRETE RIPRAP AROUND PIPE CULVERT & ALONG SIDE SLOPES PER ENGINEER APPROVAL. FILTER FABRIC SHALL BE PLACED ON ALL AREAS TO HAVE CONCRETE RIPRAP RESET, THIS SHALL BE INCLUDED IN THE COST OF THE PIPE CULVERT.




TYPICAL TREE TRANSITION NOT TO SCALE




PASSING ZONE TYP. NOT TO SCALE


NOTE: TO BE PLACED - NOT TO EXCEED 200 FEET




PIPE CULVERT, CLASS C, TYPE 1 SECTION A-A NOT TO SCALE



NOTE: 12:1 MAX (TRANSITION TO MATCH EXISTING PAVEMENT GRADE) TYPE "A" RAMP (MODIFIED) NOT TO SCALE



TYPICAL SIDEWALK SECTION NOT TO SCALE



TYP. SIDEWALK OVER PIPE CULVERT PLAN NOT TO SCALE

UTILITY/MUNICIPAL CONTACTS

WATER: Allendale Municipal Utility 308 E Main St. Allendale, IL 62410 (618) 299-3181	ELECTRIC: Allendale Municipal Utility 308 E Main St. Allendale, IL 62410 (618) 299-3181	GAS: Mt. Carmel Public Utility 316 N. Market St. Mt. Carmel, IL 62863 (618) 262-5151
---	--	---

SEWER: Allendale Municipal Utility 308 E Main St. Allendale, IL 62410 (618) 299-3181	TELEPHONE: Frontier Communications (800)921-8101
---	---



- SIDEWALK REMOVAL ONLY
- NEW PCC SIDEWALK 4"
- NEW PCC SIDEWALK 6"
- OFFSET GRINDING
- TACTILE WARNING



393 W. 5RD ST.
P.O. BOX 180
MT. CARMEL, IL 62893
PHONE: (618) 292-9651
FAX: (618) 293-3327
WWW.LAMAC.NET

USER NAME = X	DESIGNED = DSR	REVISED = X
LEC # C12L017AD	CHECKED = AMM	REVISED = X
PLOT SCALE = X	DRAWN = DSR	REVISED = X
PLOT DATE = X	CHECKED = AMM	REVISED = X

RECOMMENDED FOR APPROVAL
Michael L. Gill, P.E.
MICHAEL L. GILL, P.E.
EXP. 11-30-13



STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

SAFE ROUTES TO SCHOOL
VILLAGE OF ALLENDALE

FAU. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
VAP.	12-00008-00-SW	WABASH	6	2
LEC JOB NO. C12L017AD		CONTRACT NO. X		
FED. ROAD DIST. NO. 7		ILL. INCAL. FED. AID PROJECT SRTS-4008(119)		

SCALE: STA. X TO STA. X