



Illinois Department of Transportation

2300 South Dirksen Parkway / Springfield, Illinois / 62764

February 24, 2006

SUBJECT: FAP Route 309
Project NHF-0309 (010)
Section 16R-2
Whiteside County
Contract No. 64969
Item No. 94, March 10, 2006 Letting
Addendum A

NOTICE TO PROSPECTIVE BIDDERS:

Attached is an addendum to the plans or proposal. This addendum involves revised and/or added material.

1. Revised sheets 9, 11 & 22 of the Plans.
2. Revised pages 3 & 10 of the Schedule of Prices.
3. Revised page iii of the Table of Contents to the Special Provisions.
4. Added pages 149 & 150 to the Special Provisions.

Prime contractors must utilize the enclosed material when preparing their bid and must include any Schedule of Prices changes in their bidding proposal.

Bidders using computer-generated bids are cautioned to reflect any and all Schedule of Prices changes, if involved, into their computer programs.

Very truly yours,

Michael L. Hine
Engineer of Design
and Environment

A handwritten signature in black ink, appearing to read 'Ted B. Walschleger' followed by 'P.E.'.

By: Ted B. Walschleger, P. E.
Engineer of Project Management

cc: Gregg Mounts, Region 2, District 2; Roger Driskell; R. E. Anderson;
Estimates; Design & Environment File

TBW:MS:jc

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT
 NUMBER -

64969

State Job # - C-92-026-06
 PPS NBR - 2-07100-0200
 County Name - WHITESIDE- -
 Code - 195 - -
 District - 2 - -
 Section Number - 16R-2

Project Number
 NHF-0309/010/000

Route
 FAP 309

Item Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
Z0018300	DRAINAGE STR REPAIR	EACH	8.000				
Z0028415	GEOTECHNICAL REINF	SQ YD	1,067.000				
Z0030260	IMP ATTN TEMP FRN TL3	EACH	2.000				
Z0030330	IMP ATTN REL FRD TL3	EACH	2.000				
* Z0049800	RELOC EX SURV MKRS	EACH	60.000				
Z0065767	SLOT DR 15"W/1.75" SL	FOOT	172.000				
20100110	TREE REMOV 6-15	UNIT	380.000				
20100210	TREE REMOV OVER 15	UNIT	557.000				
20101100	TREE TRUNK PROTECTION	EACH	13.000				
20200100	EARTH EXCAVATION	CU YD	43,120.000				
20201200	REM & DISP UNS MATL	CU YD	571.000				
20800150	TRENCH BACKFILL	CU YD	1,746.000				
21101615	TOPSOIL F & P 4	SQ YD	41,363.000				
25000310	SEEDING CL 4	ACRE	2.500				
25000350	SEEDING CL 7	ACRE	4.250				
* REVISED : FEBRUARY 23, 2006							

ILLINOIS DEPARTMENT OF TRANSPORTATION
 SCHEDULE OF PRICES
 CONTRACT
 NUMBER -

64969

State Job # - C-92-026-06
 PPS NBR - 2-07100-0200
 County Name - WHITESIDE - -
 Code - 195 - -
 District - 2 - -
 Section Number - 16R-2

Project Number
 NHF-0309/010/000

Route
 FAP 309

Item Number	Pay Item Description	Unit of Measure	Quantity	x	Unit Price	=	Total Price
60604400	COMB CC&G TB6.18	FOOT	232.500				
60605000	COMB CC&G TB6.24	FOOT	4,111.000				
61133100	FLD TILE JUN VAULT 2D	EACH	4.000				
61140000	STORM SEWER SPEC 8	FOOT	200.000				
61140100	STORM SEWER SPEC 10	FOOT	200.000				
61140200	STORM SEWER SPEC 12	FOOT	200.000				
63000000	SPBGR TY A	FOOT	12.500				
63100045	TRAF BAR TERM T2	EACH	2.000				
63200310	GUARDRAIL REMOV	FOOT	1,310.000				
63500105	DELINEATORS	EACH	6.000				
66400560	CH LK FENCE 6 SPL	FOOT	457.000				
66600105	FUR ERECT ROW MARKERS	EACH	21.000				
66700305	PERM SURV MKRS T2	EACH	3.000				
* 66900200	NON SPL WASTE DISPOSL	CU YD	137.000				
* 66900450	SPL WASTE PLNS/REPORT	L SUM	1.000				
* 66900530	SOIL DISPOSAL ANALY	EACH	1.000				
* 66901000	BACKFILL PLUGS	CU YD	20.000				
67000400	ENGR FIELD OFFICE A	CAL MO	20.000				
67000600	ENGR FIELD LAB	CAL MO	20.000				
* REVISED : FEBRUARY 23, 2006							

WORK ZONE SPEED LIMIT SIGNS (BDE) 111
WORK ZONE TRAFFIC CONTROL DEVICES (BDE) 111
STEEL COST ADJUSTMENT (BDE)..... 113
STORM WATER POLLUTION PREVENTION PLAN..... 117
404 PERMIT..... 125
CONCRETE GUTTER (SPECIAL) 149
NON-SPECIAL WASTE WORKING CONDITIONS..... 149

Revised 02-24-2006

CONCRETE GUTTER (SPECIAL)

Effective February 21, 2006

This work shall be completed in accordance with Section 606 of the Standard Specifications and according to the details in the plans.

This work will be paid for at the contract unit price per FOOT for CONCRETE GUTTER (SPECIAL) which price shall include all labor, materials and equipment necessary to complete the work.

NON-SPECIAL WASTE WORKING CONDITIONS

This work shall be according to Article 669 of the Standard Specifications for Road and Bridge Construction adopted January 1, 2002 and the following:

Qualifications. The term environmental firm shall mean an environmental firm with at least five (5) documented leaking underground storage tank (LUST) cleanups or that is pre-qualified in hazardous waste by the Department. Documentation includes but not limited to verifying remediation and special waste operations for sites contaminated with gasoline, diesel, or waste oil in accordance with all Federal, State, or local regulatory requirements and shall be provided to the Engineer for approval. The environmental firm selected shall not be a former or current consultant or have any ties with any of the properties contained within and/or adjacent to this construction project.

General. Implementation of this Special Provision will likely require the Contractor to subcontract for the execution of certain activities. It will be the Contractor's responsibility to assess the working conditions and adjust anticipated production rates accordingly.

The Contractor shall manage all contaminated materials as non-special waste as previously identified. This work shall include monitoring and potential sampling, analytical testing, and management of petroleum contaminated material.

The Contractor shall excavate and dispose of any soil classified as a non-special waste as directed by this project or the Engineer. Any excavation or disposal beyond what is required by this project or the Engineer shall be at the Contractor's expense. The preliminary site investigation (PSI) report, available through the District's Environmental Studies Unit, estimated the excavation quantity of non-special waste at the following location. The information available at the time of plan preparation determined the limits of the contamination and the quantities estimated were based on soil excavation for construction purposes only. The lateral distance is measured from centerline and the farthest distance is the offset distance or construction limit which ever is less. The Environmental Firm shall continuously monitor for worker protection and the Contractor shall manage and dispose of all soils excavated within the following areas as classified below. Any soil samples or analysis without the approval of the Engineer shall be at the Contractor's expense.

Added 02-24-2006

1. Station 1124+40 to Station 1125+75 0 to 40 feet RT (Dollar General Store, 637 East Lincolnway [US 30]) – non-special waste. Contaminants of concern sampling parameters: BETX and PNAs.

Backfill pugs shall be place within the following locations.

1. Station 1124+00 to Station 1126+00 0 to 40 feet RT (Dollar General Store, 637 East Lincolnway [US 30]) – non-special waste. Contaminants of concern sampling parameters: BETX and PNAs

Added 02-24-2006