



CURB AND GUTTER OUTLET, SPECIAL




QUANTITY OF CONCRETE
SECTION A-A = 4.72m³/m (0.07 CU.YD./FT.)
8' SECTION OF CURB & GUTTER UP TO
SECTION A-A = 0.57 m³ (0.75 CU.YD.)

SECTION A-A

NOTE:

CLASS SI CONCRETE SHALL BE USED THROUGHOUT. CURB AND GUTTER OUTLET SHALL BE TIED TO PAVEMENT SLAB WITH 2 TIE BARS, 750(30) LONG - 750(30) CENTERS. OUTLET SHALL BE TIED TO CURB AND GUTTER AT CONTRACTION JOINTS AS SHOWN. GUTTER OUTLET AND PAVED DITCH SHALL BE REINFORCED WITH WIRE MESH HAVING A WEIGHT OF AT LEAST 2.83 Kg/m² (58 LBS/FT.²) COST TO BE INCLUDED IN THE UNIT PRICE PER (CUBIC METER) (CU.YD.) FOR CLASS SI CONCRETE (OUTLET).

ALL DIMENSIONS ARE IN MILLIMETERS (INCHES) UNLESS OTHERWISE NOTED.




SECTION C-C

REVISED - 9-5-95

CURB AND GUTTER OUTLET, SPECIAL 18.4


DELINEATOR AND POST ORIENTATION



DELINEATORS SHALL BE INSTALLED ACCORDING TO STANDARD 635001 EXCEPT THAT THE POST SHALL BE ROTATED 180°. THE POST WILL HAVE THE WIDE SIDE FACING TRAFFIC AND THE DELINEATOR ATTACHED AS SHOWN ABOVE.

ALL DIMENSIONS ARE IN MILLIMETERS (INCHES) UNLESS OTHERWISE NOTED.

REVISED - 11-01-07



DELINEATOR AND POST ORIENTATION 37.4

REVISED -	REGION 2 / DISTRICT 2 STANDARD	F.A.U. RTE.	SECTION	COUNTY	TOTAL SHEETS	SHEET NO.
REVISED -		5787	1R-T	ROCK ISLAND	25	19
REVISED -		CONTRACT NO. 64E31				
REVISED -		SCALE: 50.0000' / 1" SHEET NO. OF SHEETS STA. TO STA.	FED. ROAD DIST. NO.	ILLINOIS FED. AID PROJECT		