

RESURFACING SCHEDULE			LENGTH FOOT	PAVEMENT WIDTH FOOT	HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH SQ YD	HOT-MIX ASPHALT SURFACE REMOVAL - BUTT JOINT SQ YD	PAVEMENT REMOVAL SQ YD	BITUMINOUS MATERIALS (PRIME COAT) GALLON	HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N70 TON	HOT-MIX ASPHALT BINDER COURSE, IL-19.0, N70 TON	AGGREGATE SHOULDERS, TYPE B 6" SQ YD	BRIDGE APPROACH PAVEMENT CONNECTOR (FLEXIBLE) SQ YD	PAINT PAVEMENT MARKING - LINE 4" FOOT	SHORT-TERM PAVEMENT MARKING FOOT	WORK ZONE PAVEMENT MARKING REMOVAL SQ FT
STATION	TO	STATION													
1034+20.00	TO	1034+85.00	65.0	18.0	0.0	130.0	0.0	13.0	10.9	0.0	75.4	0.0	146.3	6.5	2.2
1034+85.00	TO	1036+49.50	164.5	18.0	329.0	0.0	0.0	65.8	27.6	130.4	232.9	0.0	370.1	16.5	5.5
1036+49.50	TO	1036+55.50	6.0	28.0	0.0	0.0	12.0	0.0	0.0	0.0	5.6	18.7	13.5	0.6	0.2
1036+55.50	TO	1036+85.50	30.0	28.0	0.0	0.0	60.0	0.0	0.0	0.0	27.8	0.0	67.5	3.0	1.0
1036+85.50	TO	1038+10.50	125.0	28.0	0.0	0.0	63.4	0.0	0.0	0.0	0.0	0.0	281.3	12.5	4.2
1038+10.50	TO	1038+40.50	30.0	28.0	0.0	0.0	60.0	0.0	0.0	0.0	27.8	0.0	67.5	3.0	1.0
1038+40.50	TO	1038+46.50	6.0	28.0	0.0	0.0	12.0	0.0	0.0	0.0	5.6	18.7	13.5	0.6	0.2
1038+46.50	TO	1039+90.00	143.5	18.0	287.0	0.0	0.0	57.4	24.1	151.6	287.9	0.0	322.9	14.4	4.8
1039+90.00	TO	1040+70.00	80.0	18.0	0.0	160.0	0.0	16.0	13.4	0.0	99.7	0.0	180.0	8.0	2.7
TOTALS			650.0		616.0	290.0	207.0	152.0	76.0	282.0	763.0	37.0	1463.0	65.0	22.0

GUARDRAIL SCHEDULE		GUARDRAIL REMOVAL FOOT	TRAFFIC BARRIER TERMINAL TYPE 1, SPECIAL (TANGENT) EACH	TRAFFIC BARRIER TERMINAL, TYPE 6 EACH	STEEL PLATE BEAM GUARD RAIL, TYPE A, 6 FOOT POSTS FOOT	STEEL PLATE BEAM GUARD RAIL (SHORT RADIUS) FOOT	TRAFFIC BARRIER TERMINAL, TYPE 2 EACH	GUARDRAIL MARKERS, TYPE A EACH	BARRIER WALL MARKERS, TYPE B EACH	TERMINAL MARKERS - DIRECT APPLIED EACH
LOCATION										
NW CORNER		40.0	1.0	1.0	62.5	0.0	0.0	2.0		1.0
SW CORNER		41.0	1.0	1.0	125.0	0.0	0.0	3.0		1.0
NORTH PARAPET									1.0	
SOUTH PARAPET									1.0	
NE CORNER		41.0	1.0	1.0	125.0	12.5	1.0	3.0		1.0
SE CORNER		30.0	0.0	1.0	0.0	0.0	0.0	1.0		0.0
TOTALS=		152.0	3.0	4.0	312.5	12.5	1.0	9.0	2.0	3.0