

PAVING SCHEDULE

STATION TO STATION	LENGTH	PAVEMENT WIDTH	AREA	BITUMINOUS MATERIALS (PRIME COAT)	AGGREGATE (PRIME COAT)	HMA SURFACE COURSE, MIX "D", N90	LEVELING BINDER (MACHINE METHOD), N90	HOT-MIX ASPHALT SHOULDERS, 2 1/4	HMA SURFACE REMOVAL - BUTT JOINT	HMA SURFACE REMOVAL, 1/2	HMA SURFACE REMOVAL, 2 1/4	HMA SURFACE REMOVAL, VARIABLE DEPTH	AGGREGATE SHOULDERS, TYPE B	TEMPORARY RAMP (SPECIAL)	TEMPORARY RAMP
68+76.00 TO 67+21.00	155.0	32.0	551.1	55.1	1.1	34.7	17.4	137.8	-	551.1	-	-	10.5	-	-
67+21.00 TO 59+10.00	811.0	36.0	3244.0	324.4	6.5	181.7	90.8	1081.3	-	3244.0	-	-	54.7	-	-
59+10.00 TO 56+43.00	267.0	48.0	1424.0	142.4	2.8	89.7	44.9	356.0	-	1424.0	-	-	18.0	-	-
56+43.00 TO 55+80.00	63.0	88.0	616.0	61.6	1.2	51.7	25.9	-	185.0	616.0	-	-	4.3	-	51.4
55+80.00 TO 55+40.00	40.0	53.0	235.6	23.6	0.5	16.8	8.4	35.6	-	235.6	-	-	2.7	-	-
55+40.00 TO 46+04.00	936.0	36.0	3744.0	374.4	7.5	209.7	104.8	1248.0	-	3744.0	-	-	63.2	-	-
46+04.00 TO 44+90.00	114.0	48.0	608.0	60.8	1.2	38.3	19.2	152.0	-	608.0	-	-	7.7	-	-
44+90.00 TO 43+58.00	132.0	53.0	777.3	77.7	1.6	55.4	27.7	117.3	-	777.3	-	-	8.9	-	-
43+58.00 TO 43+10.00	48.0	59.0	314.7	31.5	0.6	24.6	12.3	21.3	150.0	314.7	-	-	3.2	-	41.7
43+10.00 TO 30+72.00	1238.0	36.0	4952.0	495.2	9.9	277.3	138.7	1650.7	-	4952.0	-	-	83.6	-	-
30+72.00 TO 28+70.00	202.0	48.0	1077.3	107.7	2.2	67.9	33.9	269.3	-	1077.3	-	-	13.6	-	-
28+70.00 TO 28+07.00	63.0	46.0	322.0	32.2	0.6	27.0	13.5	-	-	322.0	-	-	2.1	-	-
28+07.00 TO 21+50.00	657.0	36.0	2628.0	262.8	5.3	147.2	73.6	876.0	-	2628.0	-	-	34.7	-	-
1292+98.00 TO 1294+80.30	182.3	42.0	850.7	85.1	1.7	51.0	25.5	243.1	-	850.7	-	-	10.3	-	-
1294+80.30 TO 1296+80.30	200.0	50.0	1111.1	111.1	2.2	67.2	33.6	311.1	-	1111.1	-	-	13.5	-	-
1296+80.30 TO 1297+27.80	47.5	55.0	290.3	29.0	0.6	20.0	10.0	52.8	-	290.3	-	-	0.9	-	-
1297+27.80 TO 1308+01.50	1073.7	40.0	4772.0	477.2	9.5	240.5	120.3	1908.8	-	4772.0	-	-	72.5	-	-
1308+01.50 TO 1310+31.50	230.0	46.0	1175.6	117.6	2.4	64.4	32.2	408.9	-	1175.6	-	-	15.5	-	-
1310+31.50 TO 1312+31.50	200.0	52.0	1155.6	115.6	2.3	67.2	33.6	355.6	-	1155.6	-	-	13.5	-	-
1312+31.50 TO 1312+90.00	58.5	55.0	357.5	35.8	0.7	24.0	12.0	65.0	-	357.5	-	-	3.9	-	-
1312+90.00 TO 1321+62.30	872.3	40.0	3876.9	387.7	7.8	195.4	97.7	1550.8	-	3876.9	-	-	57.9	-	-
1321+62.30 TO 1323+92.30	230.0	46.0	1175.6	117.6	2.4	62.3	31.1	408.9	-	1175.6	-	-	15.5	-	-
1323+92.30 TO 1325+93.30	201.0	52.0	1161.3	116.1	2.3	67.5	33.8	357.3	-	1161.3	-	-	12.6	-	-
1325+93.30 TO 1326+50.00	56.7	55.0	346.5	34.7	0.7	23.3	11.6	63.0	-	346.5	-	-	3.8	-	-
1326+50.00 TO 1334+75.50	825.5	40.0	3668.9	366.9	7.3	184.9	92.5	1467.6	-	3668.9	-	-	55.7	-	-
1334+75.50 TO 1337+05.50	230.0	46.0	1175.6	117.6	2.4	64.4	32.2	408.9	-	1175.6	-	-	15.5	-	-
1337+05.50 TO 1339+05.00	199.5	52.0	1152.7	115.3	2.3	67.0	33.5	354.7	-	1152.7	-	-	12.3	-	-
1339+05.00 TO 1339+62.00	57.0	54.0	342.0	34.2	0.7	23.9	12.0	63.3	-	342.0	-	-	2.9	-	-
1339+62.00 TO 1349+49.50	987.5	40.0	4388.9	438.9	8.8	221.2	110.6	1755.6	-	4388.9	-	-	66.7	-	-
1349+49.50 TO 1351+79.50	230.0	45.0	1150.0	115.0	2.3	64.4	32.2	408.9	-	1150.0	-	-	15.5	-	-
1351+79.50 TO 1353+79.50	200.0	50.0	1111.1	111.1	2.2	67.2	33.6	355.6	-	1111.1	-	-	13.5	-	-
1353+79.50 TO 1354+42.50	63.0	44.0	308.0	30.8	0.6	26.5	13.2	70.0	-	308.0	-	-	2.0	-	-
1354+42.50 TO 1366+01.00	1158.5	40.0	5148.9	514.9	10.3	259.5	129.8	2059.6	-	5148.9	-	-	73.4	-	-
1366+01.00 TO 1366+98.00	97.0	46.0	495.8	49.6	1.0	27.2	13.6	172.4	-	495.8	-	-	6.5	-	-
1366+98.00 TO 1369+78.00	280.0	52.0	1617.8	161.8	3.2	94.1	47.0	497.8	-	1617.8	-	-	18.9	-	-
1369+78.00 TO 1370+08.00	30.0	65.0	216.7	21.7	0.4	13.7	6.9	53.3	-	216.7	-	-	2.0	-	-
1370+08.00 TO 1370+98.00	90.0	100.0	1000.0	100.0	2.0	79.0	39.5	73.3	-	1000.0	-	-	6.1	-	-
1370+98.00 TO 1371+31.00	33.0	137.0	502.3	50.2	1.0	38.5	19.3	113.3	-	502.3	-	-	2.2	-	-
1371+31.00 TO 1371+85.00	54.0	63.0	378.0	37.8	0.8	25.7	12.9	84.0	175.0	378.0	-	-	3.6	-	48.6
1371+85.00 TO 1375+89.00	404.0	40.0	1795.6	179.6	3.6	90.5	45.2	718.2	-	1795.6	-	-	27.3	-	-
1375+89.00 TO 1378+00.00	211.0	46.0	1078.4	107.8	2.2	59.1	29.5	375.1	-	1078.4	-	-	13.1	-	-
1378+00.00 TO 1379+14.00	114.0	52.0	658.7	65.9	1.3	38.3	19.2	202.7	-	658.7	-	-	7.7	-	-
1379+14.00 TO 1379+59.00	45.0	52.0	260.0	26.0	0.5	15.1	7.6	80.0	-	-	-	260	3.0	-	-
1379+59.00 TO 1380+30.00	71.0	52.0	410.2	34.2	0.7	18.1	9.1	126.2	-	-	342.1	-	4.8	-	-
1380+30.00 TO 1380+97.00	67.0	57.5	428.1	9.1	0.2	7.7	3.8	0.0	-	-	91.3	-	4.5	-	46.9
1380+97.00 TO 1381+20.30	23.3	47.5	123.0	8.6	0.2	7.2	3.6	0.0	-	-	86.1	-	1.6	-	-
1381+20.30 TO 1383+92.00	271.7	24.0	724.5	72.5	1.4	60.9	30.4	0.0	-	-	724.5	-	-	-	24.0
TOTALS	13820	-	64902	6446	129	3659	1829	21111	510	62956	1244	260	886	0	213